



Assignment 2.1: Vulnerability Assessment Plan

Christian Calipusan, Shivam Patel, Joshua Remington and Mikailou Nikiema

Shiley-Marcos School of Engineering (SMSE), University of San Diego

CYBR-514-01B: Cyber Engineering Research I

Professor Douglas Magedman

05/19/2026

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Executive Summary

Four Point Cyber Consulting was engaged by Design World to perform a vulnerability assessment of the organization's sandbox mirror environment as part of the Secure Infrastructure Migration initiative. The purpose of this assessment is to evaluate the current security posture of the environment and identify vulnerabilities that could expose Design World to unauthorized access, operational disruption, or compromise of sensitive intellectual property.

The assessment will evaluate systems representing Design World's production architecture, including the Public Subnet, Business Subnet, Website Subnet, and Transit Services VLAN. Testing activities will use a combination of automated scanning and manual validation techniques to identify vulnerabilities affecting confidentiality, integrity, and availability.

The primary objective of this engagement is to provide Design World leadership with actionable insight into security weaknesses that may affect critical systems and business operations. Assessment findings will support future penetration testing activities, security hardening efforts, and long term risk reduction initiatives designed to strengthen the security of Design World's cloud based infrastructure.

 FOUR POINT — CYBER CONSULTING —		Client	Design World
		Doc #	DW0002
Effective Date	05/19/26	Rev. #	Rev 2

Vulnerability Assessment Plan

1. Scope of Assessment.....	3
1.1 Rules of Engagement.....	3
1.2 Assumptions and Constraints.....	4
1.3 Network Subnets, Infrastructure Components and Tools.....	5
1.4 Out-of-Scope Elements.....	7
2. Objectives and Goals.....	8
3. Asset Identification and Analysis.....	10
4. Risks.....	12
4.1 Risk Overview.....	12
4.2 Identified Security Risks.....	13
OpenVPN Gateway Compromise.....	13
Active Directory Misconfiguration.....	13
Public Web Server Exposure.....	14
Patch and Configuration Weaknesses.....	14
Transit VLAN and DNS Infrastructure Weaknesses.....	15
4.3 Risk Methodology.....	16
4.4 Risk Matrix.....	16
4.5 Vulnerability Severity Classification.....	17
5. Vulnerability Assessment.....	18
5.1 Methodology.....	18
5.2 Vulnerability Categorization.....	20
5.3 Assessment Prioritization.....	21
5.4 Websites for Vulnerability Analysis.....	22
5.5 Success Criteria.....	23
6. Deliverables.....	23
7. Compliance Assessment.....	24
7.1 Compliance Frameworks.....	24
7.2 Compliance Assessment Approach.....	25
7.3 Controls to be Evaluated.....	25
8. Conclusion and Next Steps.....	25
9. Approvals.....	27

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

1. Scope of Assessment

The scope of this vulnerability assessment is strictly limited to the Design World (DW) Sandbox Mirror Environment hosted within the Linode cloud infrastructure. The assessment evaluates all infrastructure components, network segments, and virtual assets representing the production environment. Testing is conducted remotely from a designated Kali Linux virtual machine via an encrypted OpenVPN tunnel.

1.1 Rules of Engagement

Four Point Cyber Consulting will conduct assessment activities within approved boundaries established by Design World and the engagement scope. Vulnerability assessment activities will be limited to systems and network segments explicitly identified as in scope. Assessment procedures are intended to identify and validate vulnerabilities without causing service disruption or affecting operational stability.

The following restrictions apply during the assessment:

- Testing activities are limited to approved Design World sandbox systems
- Denial of Service and Distributed Denial of Service activities are prohibited
- Destructive exploitation techniques are not permitted
- Persistence mechanisms and unauthorized system modifications are prohibited
- Production systems and third party infrastructure remain out of scope

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- Testing activities will occur during approved engagement periods

If critical vulnerabilities or active security concerns are identified during assessment activities, Four Point Cyber Consulting will notify Design World leadership according to defined communication procedures.

1.2 Assumptions and Constraints

The vulnerability assessment is based upon current visibility into the Design World sandbox environment and assumes that the environment accurately represents a production deployment model. Findings and recommendations are dependent upon the information, access, and systems made available during the engagement.

The following assumptions and constraints apply:

- The sandbox environment accurately reflects the intended production architecture
- Design World has provided sufficient access for assessment activities
- Visibility is limited to approved in scope assets and network segments
- Production infrastructure and unmanaged systems remain outside the scope of assessment activities
- Vulnerability conditions may change following system updates or environmental modifications

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- Assessment results represent conditions observed during the engagement period only

Environmental limitations and access restrictions may affect the visibility and accuracy of final findings.

1.3 Network Subnets, Infrastructure Components and Tools

The assessment is performed on the four primary network segments and their associated target assets:

- **Public Subnet (Access Layer) – 172.16.200.0/24**
 - **Assessment Tools and Focus:**
 - **Nmap:** Run `nmap -sV -sC -p 1194 --script vpn-openvpn-udp 172.16.200.2` to verify OpenVPN ports.
 - **Nessus:** Run a non-credentialed scan against 172.16.200.2 to identify expired SSL/TLS certificates, weak OpenVPN encryption ciphers, and unpatched perimeter flaws.
 - **Target Asset:** OpenVPN Server (DW-OpenVPN-Server-OL-1) at 172.16.200.2
- **Business Subnet (Internal Network) – 172.16.1.0/24**
 - **Assessment Tools and Focus:**

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- **Enum4linux-ng:** Automate enumeration of Windows users, groups, and shares via SMB.
 - **Nessus:** Run a credentialed scan against the Domain Controller (172.16.1.10), File Server (172.16.1.20), and Ubuntu Workstation (172.16.1.40) to detect missing OS patches, outdated third-party software, and local registry misconfigurations
 - **Target Asset 1:** Windows Server 2022 Domain Controller (DW-DC-OL-1) at 172.16.1.10
 - **Target Asset 2:** Windows Server 2022 File Server (DW-FS-OL-1) at 172.16.1.20
 - **Target Asset 3:** Ubuntu 22.04 LTS Workstation (DW-U22-OL-1) at 172.16.1.40
- **Website Subnet (DMZ Network) – 172.16.10.0/24**
 - **Assessment Tools and Focus:**
 - **Nikto:** Execute nikto -h http://172.16.10.50 for rapid web server misconfiguration checks.
 - **OWASP ZAP:** Run automated spidering and baseline vulnerability scans on the web app.
 - **Target Asset:** CentOS Stream 9 Web Server (DW-CS9W-OL-1) at 172.16.10.50
- **Transit & Services VLAN – 192.168.100.0/24**

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- **Assessment Tools and Focus:**

- **dnsrecon:** to check for internal DNS zone transfer vulnerabilities
- **Nessus:** basic network scan of 192.168.100.0/24 to maps network assets and finds open ports

- **Target Asset 1:** OpenVPN Server (DW-OpenVPN-Server-OL-1) at 192.168.100.1
- **Target Asset 2:** Windows Server 2022 Domain Controller (DW-DC-OL-1) at 192.168.100.10
- **Target Asset 3:** Windows Server 2022 File Server (DW-FS-OL-1) at 192.168.100.20
- **Target Asset 4:** Ubuntu 22.04 LTS Workstation (DW-U22-OL-1) at 192.168.100.40
- **Target Asset 5:** CentOS Stream 9 Web Server (DW-CS9W-OL-1) at 192.168.100.50

1.4 Out-of-Scope Elements

Any asset, network segment, or infrastructure component not explicitly listed in Section 2.1 is strictly out of scope. Prohibited actions include, but are not limited to:

- Testing the underlying Linode physical hosting infrastructure or management plane.

 FOUR POINT — CYBER CONSULTING —	Vulnerability Assessment Plan		Client	Design World
			Doc #	DW0002
			Rev. #	Rev 2
Effective Date	05/19/26			

- Conducting Denial of Service (DoS/DDoS) attacks that threaten sandbox availability.
- Exploitation of vulnerabilities (restricted to the Penetration Testing phase only).

2. Objectives and Goals

The objective of this Vulnerability Assessment Plan is to define how the Design World sandbox environment will be reviewed for potential security weaknesses before testing begins. The assessment is intended to help the client and testing team understand which systems will be evaluated, what tools and methods may be used, and how findings will be analyzed and reported. This plan does not assume that vulnerabilities exist or that every weakness can be identified. Instead, it provides a structured approach for identifying likely areas of risk based on the documented system architecture, security requirements, and approved assessment scope.

The primary goal of the assessment is to evaluate the security posture of the Design World sandbox mirror environment in a controlled and authorized manner. The sandbox represents a single regional model of the production environment and includes the public access layer, business subnet, website subnet, and transit services VLAN. Testing will focus on whether these systems appear to support the intended security objectives, including controlled remote access, network segmentation, centralized identity, system hardening, data protection, monitoring, and vulnerability validation.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

The assessment goals are to:

- Identify potential vulnerabilities and misconfigurations within the approved sandbox environment.
- Evaluate whether the current architecture supports the security requirements defined for Design World.
- Review exposed services, system configurations, and access paths for security concerns.
- Prioritize findings based on likely risk to Design World's systems, data, and operations.
- Provide recommendations that support future hardening, remediation planning, and security validation.

This assessment will also help identify security gaps that may require remediation, further validation, or risk-based acceptance by Design World. Findings will be reviewed in the context of business impact, especially where weaknesses could affect intellectual property protection, remote workforce access, identity services, internal file storage, or public-facing services. Because this is a vulnerability assessment and not a penetration test, the testing approach will focus on discovery, scanning, configuration review, and validation of findings.

The results of this assessment may support later project activities, including penetration testing, security hardening, post-hardening validation, and development of the

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Information System Security Plan. The assessment should be treated as one step in the overall security process rather than a final statement that the environment is secure.

3. Asset Identification and Analysis

The vulnerability assessment will focus on the assets included in the approved Design World sandbox scope. These systems represent the core functions needed to support remote access, identity management, internal business operations, protected file storage, public web services, and network routing. The assessment will not include any systems that have not been explicitly approved for testing.

Asset identification for this assessment is based on the role each system plays in the environment rather than simply where it sits on the network. This is important because the potential impact of a vulnerability depends heavily on the function of the affected asset. A weakness in a remote access gateway, identity service, or file storage system could create more risk than a low-impact issue on a less sensitive system. Because of this, the assessment will focus more on assets that support access into the environment, control authentication, store sensitive information, or connect multiple parts of the system.

The analysis will also consider each asset's exposure and relationship to Design World's business priorities. Systems that are externally reachable, support administrative access, or provide shared services will be reviewed carefully because they may create paths into the environment if misconfigured. Internal systems will be evaluated based on how they

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

support intellectual property protection, user access, and operational continuity. This approach allows the assessment team to evaluate risk in context, rather than treating every scan result as equal.

The following assets are currently identified for assessment based on the approved scope:

Asset	Network Area	Assessment
OpenVPN Server	Public Subnet / Transit VLAN	Remote access exposure, VPN configuration, service visibility, and access path control
Domain Controller	Business Subnet / Transit VLAN	Authentication, identity services, Windows configuration, and domain-related exposure
File Server	Business Subnet / Transit VLAN	Sensitive data protection, SMB exposure, access control, and patch/configuration posture
Ubuntu Workstation	Business Subnet / Transit VLAN	Endpoint configuration, administrative use, patching, and local exposure
CentOS Web Server	Website/DMZ Subnet / Transit VLAN	Web service configuration, exposed ports, patching, and DMZ isolation
Transit & Services VLAN	Internal Services Network	Routing behavior, DNS forwarding, segmentation, and inter-subnet exposure

Findings will be tied back to the affected asset, its role in the environment, and the related security requirement, where applicable. This will help Design World understand not only

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

what was identified, but why it matters to the security and reliability of the sandbox environment.

4. Risks

4.1 Risk Overview

Design World operates on a cloud-based architecture that supports a fully remote workforce through centralized authentication, VPN connectivity, and segmented network infrastructure. While this architecture improves operational flexibility and centralized management, it also introduces technical and business risks that may affect confidentiality, integrity, and availability.

Four Point Cyber Consulting will evaluate risks associated with infrastructure components, authentication systems, public-facing services, and internal communication pathways. Particular attention will be given to systems supporting Design World's intellectual property and remote access capabilities. Since Design World relies heavily on centralized cloud services and VPN connectivity, vulnerabilities affecting critical infrastructure may have organization-wide consequences.

The purpose of this risk analysis is to identify security conditions that could expose Design World to unauthorized access, operational disruption, data loss, or compromise of proprietary information.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

4.2 Identified Security Risks

OpenVPN Gateway Compromise

The OpenVPN server serves as the primary access point into the Design World environment and provides the required administrative access path. Vulnerabilities affecting this system may allow attackers to gain unauthorized access to internal network resources.

Potential impact:

- Unauthorized access to internal systems
- Increased opportunity for lateral movement
- Exposure of sensitive information
- Remote workforce disruption

Active Directory Misconfiguration

Design World relies on centralized identity and access management through Active Directory. Weak passwords, excessive permissions, misconfigured Group Policies, or poor account management practices may create opportunities for unauthorized access and privilege escalation.

Potential impact:

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- Credential theft
- Privilege escalation
- Unauthorized administrative access
- Domain compromise

Public Web Server Exposure

The Website subnet hosts externally accessible services and therefore presents a larger attack surface than internal systems. Misconfigurations and outdated software may increase the risk of exploitation.

Potential impact:

- Website compromise
- Information disclosure
- Initial attacker entry point
- Reputational impact

Patch and Configuration Weaknesses

The environment contains Windows and Linux systems that require consistent patching and configuration management practices. Inconsistent maintenance activities may result in exploitable vulnerabilities.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Potential impact:

- Malware infection
- Remote code execution
- Increased attack surface
- System instability

Transit VLAN and DNS Infrastructure Weaknesses

The Transit Services VLAN provides routing and DNS services throughout the environment. Weak configurations affecting these systems may enable internal reconnaissance and lateral movement opportunities.

Potential impact:

- Network mapping activities
- Traffic manipulation
- Internal reconnaissance
- Increased visibility for attackers

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

4.3 Risk Methodology

Four Point Cyber Consulting will use a qualitative risk assessment methodology to evaluate vulnerabilities identified during testing activities. Risk ratings will be determined according to both likelihood and business impact.

Risk evaluation factors include:

- Probability of successful exploitation
- Ease of attack execution
- Exposure level of affected systems
- Impact on confidentiality, integrity, and availability
- Effect on business operations
- Potential impact on Design World's intellectual property assets

Assessment findings will be prioritized according to overall risk severity and organizational impact.

4.4 Risk Matrix

The following matrix will be used to classify and prioritize identified vulnerabilities.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Risk Category	Likelihood	Impact	Priority
OpenVPN compromise	High	Critical	High
Active Directory weaknesses	High	Critical	High
Web server vulnerabilities	Medium	High	Medium
Missing patches and outdated software	High	Medium	High
Transit VLAN and DNS weaknesses	Medium	Medium	Medium

Risk ratings may be adjusted following manual validation and evidence collection activities.

4.5 Vulnerability Severity Classification

Identified vulnerabilities will be classified according to business impact, technical severity, and potential exploitation risk. Severity ratings support prioritization efforts and provide Design World leadership with a structured approach for remediation planning.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Severity	Description
Critical	Vulnerabilities that may result in immediate compromise of systems, sensitive information, or core business functions
High	Significant weaknesses that present elevated risk and require rapid remediation
Medium	Vulnerabilities presenting moderate risk with limited or controlled operational impact
Low	Minor weaknesses with reduced exploitation potential
Informational	Security observations that provide awareness but present minimal operational risk

Severity ratings may be adjusted following manual validation and additional evidence collection.

5. Vulnerability Assessment

5.1 Methodology

Four Point Cyber Consulting will conduct the vulnerability assessment using automated scanning techniques and manual validation activities. Assessment procedures are intended to identify weaknesses affecting infrastructure systems, operating systems,

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

authentication mechanisms, and network services throughout the Design World environment.

Assessment activities will follow the following phases:

Discovery and Enumeration

- Network mapping
- Service identification
- Port discovery
- Asset enumeration

Vulnerability Identification

- Automated vulnerability scanning
- Configuration review
- Patch analysis
- Service evaluation

Validation

- Manual review of findings
- False positive reduction
- Verification of exposed services

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

Risk Evaluation

- Severity classification
- Business impact analysis
- Prioritization of findings

5.2 Vulnerability Categorization

A scoring system will be used to categorize the vulnerabilities by priority for remediation. This will use industry standards to ensure that there is a clear and easy-to-understand process. The primary methods are:

- CVSS (Common Vulnerability Scoring System): CVSS categorizes vulnerabilities on a standardized severity rating that includes Base, Threat, Environment, and Supplemental metric groups to assess impact. Nessus will provide us with CVSS scores.

 FOUR POINT — CYBER CONSULTING —	Vulnerability Assessment Plan		Client	Design World
			Doc #	DW0002
			Rev. #	Rev 2
Effective Date	05/19/26			

CVSS Security Levels	
Base Score Range	Security Level
0	None
0.1 - 3.9	Low
4.0 - 6.9	Medium
7.0 - 8.9	High
9.0 - 10	Critical

Figure 1: CVSS (Common Vulnerability Scoring System)

- OWASP Risk Rating Methodology: Application and Web testing done by OWASP will provide further information about the vulnerabilities. This provides another source of information to decide the total severity of the vulnerability. Not all vulnerabilities will be assessed using the OWASP Risk Rating Methodology.

Using these scores, our team will assess each vulnerability and assign severity levels. The four severity levels will be Critical, High, Medium, Low, or None. Vulnerabilities with higher severity levels are assessed to be more dangerous to the business and its intellectual property.

5.3 Assessment Prioritization

The vulnerability assessment will focus on identifying high-risk vulnerabilities that pose a realistic risk to Design World's intellectual property and operations. Analysis of these

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

vulnerabilities will provide insight into security improvements to the network and assets.

Full remediation is not a priority of this assessment; the remediation of vulnerabilities while maintaining remote workforce productivity and business functionality will be the top priority. Our team will provide the best recommendations to ensure the company maintains security without hindering business goals and operations.

5.4 Websites for Vulnerability Analysis

Our team has identified a core set of industry-standard resources to support effective vulnerability analysis. These tools and platforms provide critical intelligence on vulnerabilities, associated threats, and real-world attack techniques.

- MITRE ATT&CK: Used to connect vulnerabilities to real-world techniques and adversaries.
- MITRE CVE and NVD (National Vulnerability Database): An industry standard source for CVE details, CVSS scores, and known exploits.
- Websites:
 - nvd.nist.gov: National Vulnerability Database
 - attack.mitre.org: MITRE ATT&CK
 - cve.org: CVE Program
 - [OWASP.org](https://owasp.org): Open Web Application Security Project

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

While these resources will be the primary research for our team, there may be a need for additional tools, databases, and intelligence sources that are not listed to ensure sufficient vulnerability analysis.

5.5 Success Criteria

The vulnerability assessment will be considered successful upon completion of the following:

- Identification and documentation of existing critical, high, medium and low vulnerabilities within the sandbox environment
- Classification and prioritization of findings using a severity rating
- Validation and analysis of the vulnerabilities

While efforts will be made to identify security weaknesses, this assessment is conducted on a best-efforts basis and does not guarantee the discovery of all vulnerabilities, misconfigurations, or security issues in the sandbox environment.

6. Deliverables

Upon completion of assessment activities, Four Point Cyber Consulting will provide Design World with the following deliverables:

- Vulnerability Assessment Report

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

- Executive summary of findings
- Prioritized risk matrix
- Technical findings and supporting evidence
- Vulnerability severity classifications
- Remediation recommendations
- Action plan supporting future hardening efforts

These deliverables will provide Design World leadership with technical and operational visibility into identified weaknesses and support future penetration testing and remediation activities.

7. Compliance Assessment

7.1 Compliance Frameworks

Our team will use the NIST SP 800-171 as its main reference for evaluating the sandbox environment. Secondary references will be made to the ISO 27000. These frameworks will be used as guidance, and full compliance is not a goal or requirement of this assessment.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

7.2 Compliance Assessment Approach

Compliance will be assessed through configuration review, technical testing, and evidence collection. The current state of the sandbox will be used to determine areas of improvement.

7.3 Controls to be Evaluated

Prioritization will be placed on Access Control, Audit and Accountability, Configuration Management, Identification and Authentication, System and Communication Protection, and System and Information Integrity.

8. Conclusion and Next Steps

This Vulnerability Assessment Plan establishes a comprehensive, structured framework for evaluating the security posture of the Design World Sandbox Mirror Environment. By focusing on critical remote access, identity management, and storage infrastructure across four designated network segments, the assessment team will systematically discover and analyze potential technical and configuration gaps.

A qualitative risk methodology maps these gaps directly to business impacts.

Furthermore, a dedicated risk matrix prioritizes findings, ensuring optimal resource allocation. Utilizing industry-standard tools and scoring frameworks, including CVSS and the OWASP Risk Rating Methodology, ensures that all vulnerabilities are evaluated

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

with clear, actionable context. This approach balances technical security demands with Design World’s operational goals, protecting vital intellectual property.

Ultimately, successful execution of this plan serves as a necessary foundation for the broader security lifecycle. The resulting intelligence, alongside alignment with the NIST SP 800-171 framework, will directly support subsequent project phases, including penetration testing, remediation roadmap development, and an actionable Information System Security Plan.

		Vulnerability Assessment Plan	Client	Design World
			Doc #	DW0002
Effective Date	05/19/26		Rev. #	Rev 2

9. Approvals

Role	Printed Name	Signature	Date
Project Lead	Christian Calipusan	<i>Christian Calipusan</i>	05/18/26
Security Analyst	Shivam Patel	<i>Shivam Patel</i>	05/18/26
Security Engineer	Joshua Remington	<i>Joshua Remington</i>	05/18/26
Network Engineer	Mikailou Nikiema	<i>Mikailou Nikiema</i>	05/18/26
DW CEO			