

Pinned Group Computation Report: $S0(n=4, q=2)$

Pinning-Sympy Automated Output

July 5, 2026

Contents

1	Basic attributes	2
1.1	Form matrix	2
1.2	Generic Lie algebra element	2
1.3	Generic torus element	2
1.4	Trivial characters	2
2	Root system	3

1 Basic attributes

Group	$SO(n=4, q=2)$
Matrix size	4×4
Rank	2

1.1 Form matrix

$$\begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$$

1.2 Generic Lie algebra element

$$\begin{bmatrix} x_{00} & x_{01} & 0 & -x_{12} \\ x_{10} & x_{11} & x_{12} & 0 \\ 0 & -x_{30} & -x_{00} & -x_{10} \\ x_{30} & 0 & -x_{01} & -x_{11} \end{bmatrix}$$

1.3 Generic torus element

$$\begin{bmatrix} t_0 & 0 & 0 & 0 \\ 0 & t_1 & 0 & 0 \\ 0 & 0 & \frac{1}{t_0} & 0 \\ 0 & 0 & 0 & \frac{1}{t_1} \end{bmatrix}$$

1.4 Trivial characters

$$\begin{bmatrix} 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \\ 1 & 1 & 1 & 1 \end{bmatrix}$$

2 Root system

Summary Properties

Property	Value
Dynkin type	A1_x_A1
Reduced	True
Simply laced	True
Number of roots	4

Decomposition Components

This is a reducible root system with the following components:

Component Type	Component Rank
A1	1
A1	1

Root to Coroot Mapping

Root (α)	Coroot ($\alpha^\vee$)
$(-1, -1, 0, 0)$	$(-1, -1, 1, 1)$
$(-1, 1, 0, 0)$	$(-1, 1, 1, -1)$
$(1, -1, 0, 0)$	$(1, -1, -1, 1)$
$(1, 1, 0, 0)$	$(1, 1, -1, -1)$