

# Pinned group summary: $SU(n=4, q=2, \text{eps}=1)$

Pinning-Sympy automated output

July 6, 2026

## Contents

|          |                                                      |          |
|----------|------------------------------------------------------|----------|
| <b>1</b> | <b>Basic group attributes</b>                        | <b>2</b> |
| 1.1      | Hermitian form . . . . .                             | 2        |
| 1.2      | Generic Lie algebra element . . . . .                | 2        |
| 1.3      | Generic torus element . . . . .                      | 2        |
| 1.4      | Trivial characters . . . . .                         | 2        |
| <b>2</b> | <b>Root system</b>                                   | <b>3</b> |
| 2.1      | Dynkin diagram . . . . .                             | 3        |
| 2.2      | Cartan matrix . . . . .                              | 3        |
| 2.3      | Roots and coroots . . . . .                          | 3        |
| 2.4      | Linear combinations of roots . . . . .               | 3        |
| <b>3</b> | <b>Root spaces</b>                                   | <b>4</b> |
| <b>4</b> | <b>Root subgroups</b>                                | <b>4</b> |
| <b>5</b> | <b>Commutators</b>                                   | <b>4</b> |
| <b>6</b> | <b>Weyl group</b>                                    | <b>4</b> |
| <b>7</b> | <b>Coroot torus elements (<math>h_\alpha</math>)</b> | <b>4</b> |

# 1 Basic group attributes

|                    |                                    |
|--------------------|------------------------------------|
| Group              | SU(n=4, q=2, eps=1)                |
| Matrix size        | $4 \times 4$                       |
| Rank               | 2                                  |
| Defining equations | <i>DefiningEquationPlaceholder</i> |

## 1.1 Hermitian form

|                   |            |
|-------------------|------------|
| Dimension         | 4          |
| Witt index        | 2          |
| Primitive element | $\sqrt{d}$ |
| Epsilon           | 1          |

Matrix: 
$$\begin{bmatrix} 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 1 \\ 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$$

## 1.2 Generic Lie algebra element

$$\begin{bmatrix} \sqrt{d}x_{i00} + x_{r00} & \sqrt{d}x_{i01} + x_{r01} & \sqrt{d}x_{i02} & \sqrt{d}x_{i12} - x_{r12} \\ \sqrt{d}x_{i10} + x_{r10} & -\sqrt{d}x_{i00} + x_{r11} & \sqrt{d}x_{i12} + x_{r12} & \sqrt{d}x_{i13} \\ \sqrt{d}x_{i20} & \sqrt{d}x_{i30} - x_{r30} & \sqrt{d}x_{i00} - x_{r00} & \sqrt{d}x_{i10} - x_{r10} \\ \sqrt{d}x_{i30} + x_{r30} & \sqrt{d}x_{i31} & \sqrt{d}x_{i01} - x_{r01} & -\sqrt{d}x_{i00} - x_{r11} \end{bmatrix}$$

## 1.3 Generic torus element

$$\begin{bmatrix} t_0 & 0 & 0 & 0 \\ 0 & t_1 & 0 & 0 \\ 0 & 0 & \frac{1}{t_0} & 0 \\ 0 & 0 & 0 & \frac{1}{t_1} \end{bmatrix}$$

## 1.4 Trivial characters


$$\begin{bmatrix} 1 & 0 & 1 & 0 \\ 0 & 1 & 0 & 1 \\ 1 & 1 & 1 & 1 \end{bmatrix}$$

## 2 Root system

### Summary Properties

|                 |       |
|-----------------|-------|
| Dynkin type     | B2    |
| Irreducible     | True  |
| Reduced         | True  |
| Simply laced    | False |
| Number of roots | 8     |

### 2.1 Dynkin diagram



### 2.2 Cartan matrix

$$\begin{bmatrix} 2 & -2 \\ -1 & 2 \end{bmatrix}$$

### 2.3 Roots and coroots

| Root             | Coroot           | Simple | Sign | Multipliable |
|------------------|------------------|--------|------|--------------|
| $(-2, 0, 0, 0)$  | $(-1, 0, 1, 0)$  | No     | —    | No           |
| $(-1, -1, 0, 0)$ | $(-1, -1, 1, 1)$ | No     | —    | No           |
| $(-1, 1, 0, 0)$  | $(-1, 1, 1, -1)$ | No     | —    | No           |
| $(0, -2, 0, 0)$  | $(0, -1, 0, 1)$  | No     | —    | No           |
| $(0, 2, 0, 0)$   | $(0, 1, 0, -1)$  | Yes    | +    | No           |
| $(1, -1, 0, 0)$  | $(1, -1, -1, 1)$ | Yes    | +    | No           |
| $(1, 1, 0, 0)$   | $(1, 1, -1, -1)$ | No     | +    | No           |
| $(2, 0, 0, 0)$   | $(1, 0, -1, 0)$  | No     | +    | No           |

### 2.4 Linear combinations of roots

**Definition 2.1.** For two roots  $\alpha, \beta$  in a root system  $\Phi$ , the set of positive integral linear combinations of  $\alpha, \beta$  that are also roots is denoted  $(\alpha, \beta) = \{i\alpha + j\beta \in \Phi : i, j \in \mathbb{Z}_{\geq 1}\}$

| $\alpha$         | $\beta$         | Pairs $(i, j)$   |
|------------------|-----------------|------------------|
| $(-2, 0, 0, 0)$  | $(1, -1, 0, 0)$ | $(1, 1), (1, 2)$ |
| $(-2, 0, 0, 0)$  | $(1, 1, 0, 0)$  | $(1, 1), (1, 2)$ |
| $(-1, -1, 0, 0)$ | $(-1, 1, 0, 0)$ | $(1, 1)$         |
| $(-1, -1, 0, 0)$ | $(0, 2, 0, 0)$  | $(1, 1), (2, 1)$ |
| $(-1, -1, 0, 0)$ | $(1, -1, 0, 0)$ | $(1, 1)$         |
| $(-1, -1, 0, 0)$ | $(2, 0, 0, 0)$  | $(1, 1), (2, 1)$ |
| $(-1, 1, 0, 0)$  | $(0, -2, 0, 0)$ | $(1, 1), (2, 1)$ |
| $(-1, 1, 0, 0)$  | $(1, 1, 0, 0)$  | $(1, 1)$         |
| $(-1, 1, 0, 0)$  | $(2, 0, 0, 0)$  | $(1, 1), (2, 1)$ |
| $(0, -2, 0, 0)$  | $(1, 1, 0, 0)$  | $(1, 1), (1, 2)$ |
| $(0, 2, 0, 0)$   | $(1, -1, 0, 0)$ | $(1, 1), (1, 2)$ |
| $(1, -1, 0, 0)$  | $(1, 1, 0, 0)$  | $(1, 1)$         |

### 3 Root spaces

| Root             | Dimension |
|------------------|-----------|
| $(-2, 0, 0, 0)$  | 1         |
| $(-1, -1, 0, 0)$ | 2         |
| $(-1, 1, 0, 0)$  | 2         |
| $(0, -2, 0, 0)$  | 1         |
| $(0, 2, 0, 0)$   | 1         |
| $(1, -1, 0, 0)$  | 2         |
| $(1, 1, 0, 0)$   | 2         |
| $(2, 0, 0, 0)$   | 1         |

RootSpaceTablePlaceholder

### 4 Root subgroups

RootSubgroupTablePlaceholder

HomomorphismDefectTablePlaceholder

HomomorphismDefectIdentitiesPlaceholder

### 5 Commutators

CommutatorCoefficientTablePlaceholder

CommutatorIdentitiesPlaceholder

### 6 Weyl group

WeylGroupPlaceholder

WeylConjugationCoefficientPlaceholder

WeylConjugationIdentitiesPlaceholder

### 7 Coroot torus elements $(h_\alpha)$

CorootTorusElementPlaceholder