

Pinned group summary: $SU(n=6, q=2, \text{eps}=1)$

Pinning-Sympy automated output

July 6, 2026

Contents

1	Basic group attributes	2
1.1	Hermitian form	2
1.2	Generic Lie algebra element	2
1.3	Generic torus element	2
1.4	Trivial characters	2
2	Root system	3
2.1	Dynkin diagram	3
2.2	Cartan matrix	3
2.3	Roots and coroots	3
2.4	Linear combinations of roots	3
3	Root spaces	4
4	Root subgroups	4
5	Commutators	5
6	Weyl group	5
7	Coroot torus elements (h_α)	5

1 Basic group attributes

Group	SU(n=6, q=2, eps=1)
Matrix size	6×6
Rank	2
Defining equations	<i>DefiningEquationPlaceholder</i>

1.1 Hermitian form

Dimension	6
Witt index	2
Primitive element	$\sqrt{d}$
Epsilon	1

Matrix:
$$\begin{bmatrix} 0 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & c_0 & 0 \\ 0 & 0 & 0 & 0 & 0 & c_1 \end{bmatrix}$$

1.2 Generic Lie algebra element

$$\begin{bmatrix} \sqrt{d}x_{i00} + x_{r00} & \sqrt{d}x_{i01} + x_{r01} & \sqrt{d}x_{i02} & \sqrt{d}x_{i12} - x_{r12} & -c_0 \left(-\sqrt{d}x_{i42} + \sqrt{d}x_{i44} \right) \\ \sqrt{d}x_{i10} + x_{r10} & -\sqrt{d}x_{i00} - \frac{\sqrt{d}x_{i44}}{2} - \frac{\sqrt{d}x_{i55}}{2} + x_{r11} & \sqrt{d}x_{i12} + x_{r12} & \sqrt{d}x_{i13} & -c_0 \left(-\sqrt{d}x_{i43} + \sqrt{d}x_{i44} \right) \\ \sqrt{d}x_{i20} & \sqrt{d}x_{i30} - x_{r30} & \sqrt{d}x_{i00} - x_{r00} & \sqrt{d}x_{i10} - x_{r10} & -c_0 \left(-\sqrt{d}x_{i40} + \sqrt{d}x_{i44} \right) \\ \sqrt{d}x_{i30} + x_{r30} & \sqrt{d}x_{i31} & \sqrt{d}x_{i01} - x_{r01} & -\sqrt{d}x_{i00} - \frac{\sqrt{d}x_{i44}}{2} - \frac{\sqrt{d}x_{i55}}{2} - x_{r11} & -c_0 \left(-\sqrt{d}x_{i41} + \sqrt{d}x_{i44} \right) \\ \sqrt{d}x_{i40} + x_{r40} & \sqrt{d}x_{i41} + x_{r41} & \sqrt{d}x_{i42} + x_{r42} & \sqrt{d}x_{i43} + x_{r43} & \sqrt{d}x_{i44} \\ \sqrt{d}x_{i50} + x_{r50} & \sqrt{d}x_{i51} + x_{r51} & \sqrt{d}x_{i52} + x_{r52} & \sqrt{d}x_{i53} + x_{r53} & -\frac{c_0(-\sqrt{d}x_{i45} + x_{r45})}{c_1} \end{bmatrix}$$

1.3 Generic torus element

$$\begin{bmatrix} t_0 & 0 & 0 & 0 & 0 & 0 \\ 0 & t_1 & 0 & 0 & 0 & 0 \\ 0 & 0 & \frac{1}{t_0} & 0 & 0 & 0 \\ 0 & 0 & 0 & \frac{1}{t_1} & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

1.4 Trivial characters


$$\begin{bmatrix} 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 1 & 0 & 0 \\ 1 & 1 & 1 & 1 & 1 & 1 \end{bmatrix}$$

2 Root system

Summary Properties

Dynkin type	BC2
Irreducible	True
Reduced	False
Simply laced	False
Number of roots	12

2.1 Dynkin diagram



2.2 Cartan matrix

$$\begin{bmatrix} 2 & -1 \\ -2 & 2 \end{bmatrix}$$

2.3 Roots and coroots

Root	Coroot	Simple	Sign	Multipliable
$(-2, 0, 0, 0, 0, 0)$	$(-1, 0, 1, 0, 0, 0)$	No	—	No
$(-1, -1, 0, 0, 0, 0)$	$(-1, -1, 1, 1, 0, 0)$	No	—	No
$(-1, 0, 0, 0, 0, 0)$	$(-2, 0, 2, 0, 0, 0)$	No	—	Yes
$(-1, 1, 0, 0, 0, 0)$	$(-1, 1, 1, -1, 0, 0)$	No	—	No
$(0, -2, 0, 0, 0, 0)$	$(0, -1, 0, 1, 0, 0)$	No	—	No
$(0, -1, 0, 0, 0, 0)$	$(0, -2, 0, 2, 0, 0)$	No	—	Yes
$(0, 1, 0, 0, 0, 0)$	$(0, 2, 0, -2, 0, 0)$	Yes	+	Yes
$(0, 2, 0, 0, 0, 0)$	$(0, 1, 0, -1, 0, 0)$	No	+	No
$(1, -1, 0, 0, 0, 0)$	$(1, -1, -1, 1, 0, 0)$	Yes	+	No
$(1, 0, 0, 0, 0, 0)$	$(2, 0, -2, 0, 0, 0)$	No	+	Yes
$(1, 1, 0, 0, 0, 0)$	$(1, 1, -1, -1, 0, 0)$	No	+	No
$(2, 0, 0, 0, 0, 0)$	$(1, 0, -1, 0, 0, 0)$	No	+	No

2.4 Linear combinations of roots

Definition 2.1. For two roots α, β in a root system Φ , the set of positive integral linear combinations of α, β that are also roots is denoted $(\alpha, \beta) = \{i\alpha + j\beta \in \Phi : i, j \in \mathbb{Z}_{\geq 1}\}$

α	β	Pairs (i, j)
$(-2, 0, 0, 0, 0, 0)$	$(1, -1, 0, 0, 0, 0)$	$(1, 1), (1, 2)$
$(-2, 0, 0, 0, 0, 0)$	$(1, 0, 0, 0, 0, 0)$	$(1, 1)$
$(-2, 0, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1), (1, 2)$
$(-1, -1, 0, 0, 0, 0)$	$(-1, 1, 0, 0, 0, 0)$	$(1, 1)$
$(-1, -1, 0, 0, 0, 0)$	$(0, 1, 0, 0, 0, 0)$	$(1, 1), (1, 2), (2, 2)$
$(-1, -1, 0, 0, 0, 0)$	$(0, 2, 0, 0, 0, 0)$	$(1, 1), (2, 1)$
$(-1, -1, 0, 0, 0, 0)$	$(1, -1, 0, 0, 0, 0)$	$(1, 1)$
$(-1, -1, 0, 0, 0, 0)$	$(1, 0, 0, 0, 0, 0)$	$(1, 1), (1, 2), (2, 2)$
$(-1, -1, 0, 0, 0, 0)$	$(2, 0, 0, 0, 0, 0)$	$(1, 1), (2, 1)$
$(-1, 0, 0, 0, 0, 0)$	$(0, -1, 0, 0, 0, 0)$	$(1, 1)$
$(-1, 0, 0, 0, 0, 0)$	$(0, 1, 0, 0, 0, 0)$	$(1, 1)$
$(-1, 0, 0, 0, 0, 0)$	$(1, -1, 0, 0, 0, 0)$	$(1, 1), (2, 1), (2, 2)$
$(-1, 0, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1), (2, 1), (2, 2)$
$(-1, 0, 0, 0, 0, 0)$	$(2, 0, 0, 0, 0, 0)$	$(1, 1)$
$(-1, 1, 0, 0, 0, 0)$	$(0, -2, 0, 0, 0, 0)$	$(1, 1), (2, 1)$
$(-1, 1, 0, 0, 0, 0)$	$(0, -1, 0, 0, 0, 0)$	$(1, 1), (1, 2), (2, 2)$
$(-1, 1, 0, 0, 0, 0)$	$(1, 0, 0, 0, 0, 0)$	$(1, 1), (1, 2), (2, 2)$
$(-1, 1, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1)$
$(-1, 1, 0, 0, 0, 0)$	$(2, 0, 0, 0, 0, 0)$	$(1, 1), (2, 1)$
$(0, -2, 0, 0, 0, 0)$	$(0, 1, 0, 0, 0, 0)$	$(1, 1)$
$(0, -2, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1), (1, 2)$
$(0, -1, 0, 0, 0, 0)$	$(0, 2, 0, 0, 0, 0)$	$(1, 1)$
$(0, -1, 0, 0, 0, 0)$	$(1, 0, 0, 0, 0, 0)$	$(1, 1)$
$(0, -1, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1), (2, 1), (2, 2)$
$(0, 1, 0, 0, 0, 0)$	$(1, -1, 0, 0, 0, 0)$	$(1, 1), (2, 1), (2, 2)$
$(0, 1, 0, 0, 0, 0)$	$(1, 0, 0, 0, 0, 0)$	$(1, 1)$
$(0, 2, 0, 0, 0, 0)$	$(1, -1, 0, 0, 0, 0)$	$(1, 1), (1, 2)$
$(1, -1, 0, 0, 0, 0)$	$(1, 1, 0, 0, 0, 0)$	$(1, 1)$

3 Root spaces

Root	Dimension
$(-2, 0, 0, 0, 0, 0)$	1
$(-1, -1, 0, 0, 0, 0)$	2
$(-1, 0, 0, 0, 0, 0)$	4
$(-1, 1, 0, 0, 0, 0)$	2
$(0, -2, 0, 0, 0, 0)$	1
$(0, -1, 0, 0, 0, 0)$	4
$(0, 1, 0, 0, 0, 0)$	4
$(0, 2, 0, 0, 0, 0)$	1
$(1, -1, 0, 0, 0, 0)$	2
$(1, 0, 0, 0, 0, 0)$	4
$(1, 1, 0, 0, 0, 0)$	2
$(2, 0, 0, 0, 0, 0)$	1

RootSpaceTablePlaceholder

4 Root subgroups

RootSubgroupTablePlaceholder

HomomorphismDefectTablePlaceholder

HomomorphismDefectIdentitiesPlaceholder

5 Commutators

CommutatorCoefficientTablePlaceholder

CommutatorIdentitiesPlaceholder

6 Weyl group

WeylGroupPlaceholder

WeylConjugationCoefficientPlaceholder

WeylConjugationIdentitiesPlaceholder

7 Coroot torus elements (h_α)

CorootTorusElementPlaceholder