

SpecPoxy 2000 LPL Part A

Version 1 pg. 1

SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): SpecPoxy 2000 LPL Part A

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Epoxy bonding adhesive

1.3 Company Name: SpecChem

Company Address: 1511 Baltimore Ave; Suite 600 Kansas City, MO 64108

Business Phone: (816) 968-5600 Website: www.specchem.com

1.4 Emergency Telephone Number: VelocityEHS 1-(800)255-3924 (North America) +1-813-248-

0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-

099-0731 (Mexico) July 1, 2018

Date of Last Revision: July 1, 2018
Date of Current Revision: March 18, 2024

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a clear to amber colored liquid with a characteristic odor. <u>Health Hazards:</u> May cause skin and eye irritation. Contact with skin may cause allergic reaction.

Flammability Hazards: This product is not a flammable liquid.

Reactivity Hazards: None.

<u>Environmental Hazards:</u> The environmental effects of this product have not been investigated, however release may cause long term adverse environmental effects.

US DOT Symbols: Not Regulated

EU and GHS Symbols:

Signal Word: Warning

2.1 EU Labeling and Classification:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC: Index Number:

500-033-5 is listed in Annex I 603-074-00-8 218-645-3 is listed in Annex I 603-056-00-X

Substances not listed either individually or in group entries must be self classified.

Components Contributing to Classification: Bisphenol A Diglycidyl Ether Resin, Glycidyl 2-

methylphenyl Ether



SpecPoxy 2000 LPL Part A

Version 1 pg. 2

2.2 Label Elements:

GHS Hazard Classifications: Skin Irritation Category 2

Skin Sensitization Category 1

Eye Irritant Category 2

Germ Cell Mutagenicity Category 2 Chronic Aquatic Toxicity Category 2

Hazard Statements: H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H341 Suspected of causing genetic defects H411 Toxic to aquatic life with long lasting

effects

Precautionary Statements: P280 Wear protective gloves/eye protection/face

protection.

P264 Wash thoroughly after handling. P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have

been read and understood. P261 Avoid breathing

dust/fume/gas/mist/vapours/spray.

P272 Contaminated clothing should not be allowed out

of the workplace.

P273 Avoid release to the environment

Response Statements: P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical

advice/attention.

P337+P311 If eye irritation persists:Get medical

advice/attention.

P362+P364 Take off contaminated clothing and wash

it before reuse.

P308+P313 IF exposed or concerned: Get medical

advice/attention.
P391 Collect spillage.
P405 Stare leaked up

Storage Statements: P405 Store locked up.

Disposal Statements: P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Health Hazards or Risks From Exposure:

Symptoms of Overexposure by Route of Exposure:

The most significant routes of overexposure for this product are by contact with skin or eyes. The symptoms of overexposure are described in the following paragraphs.

Acute:

Inhalation: May cause respiratory tract irritation. May cause headaches, drowsiness, or dizziness.

Skin Contact: May be irritating to skin. Contact with skin may cause allergic reaction.

Eye Contact: May cause irritation to the eyes.

Ingestion: May be harmful if swallowed. May cause nausea or diarrhea.

Chronic: Not known.



SpecPoxy 2000 LPL Part A

Version 1 pg. 3

Target Organs:

Acute: Eyes, Skin Chronic: Not known.

SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	WT%	CAS No.	EINECS No.	Hazard Classification
Bisphenol A Diglycidyl Ether Resin	60-70%	25068-38-6	500-033-5	Skin Irrit. 2, Skin Sens. 1, Eye Irrit. 2, Aquatic Chronic 2
Glycidyl 2-methylphenyl Ether	5-10%	2210-79-9	218-645-3	Skin Irrit. 2, Skin Sens. 1, Muta. 2, Aquatic Chronic 2

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 - FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: If product enters the eyes, flush with plenty of water or eye wash

solution for several minutes. Remove contacts if present and easy to

do. Seek medical attention if irritation persists.

Skin Contact: Wash skin thoroughly with soap and water after handling. Seek medical

attention if irritation develops and persists.

Inhalation: If breathing becomes difficult, remove victim to fresh air. If necessary,

use artificial respiration to support vital functions. Seek medical

attention.

Ingestion: If product is swallowed, call physician or poison center immediatly. If

professional advice is not available, do not induce vomiting. Never induce vomiting or give dilutents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health

professional.

Medical Conditions Generally Aggravated

By Exposure: Pre-existing skin, respiratory system or eye problems may be

aggravated by prolonged contact.

4.2 Symptoms and Effects Both Acute and Delayed: Exposure to the eyes may cause irritation.

4.3 Recommendations to Physicians: Treat symptoms and eliminate overexposure.

SECTION 5 - FIRE FIGHTING MEASURES



SpecPoxy 2000 LPL Part A

Version 1 pg. 4

5.1 Fire Extinguishing Materials:

Use the following fire extinguishing materials: Water Spray: Yes

Foam: Yes Halon: Yes

Carbon Dioxide: Yes Dry Chemical: Yes Other: Any "C" Class


5.2 Unusual Fire and Explosion Hazards:

Irritating and toxic fumes may be produced at high temperatures. Use of water may result if the formation of a toxic aqueous solution. Do not allow run-off from fire fighting to enter drains or water courses.

Explosive Sensitivity to Mechanical Impact: No Explosive Sensitivity to Static Discharge: No

5.3 Special Fire-Fighting Procedures:

- Incipient fire responders should wear eye protection.
- Structural firefighters must wear Self-Contained Breathing
- Apparatus (SCBA) and full protective equipment.
- Isolate materials not yet involved in the fire and protect personnel.
- Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray.
- If possible, prevent run-off water from entering storm drains, bodies of water, or other environmentally sensitive areas.



SECTION 6 – ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

6.1 Personal Precautions, Protective Equipment and Emergency Procedures:



SpecPoxy 2000 LPL Part A

Version 1 pg. 5

Use cautious judgment when cleaning up spill. Wear suitable protective clothing, gloves, and eye/face protection.

6.2 Environmental Precautions:

Construct a dike to prevent spreading. Keep out of sewers, storm drains, surface waters, and soils.

6.3 Spill and Leak Response:

Small Spills:

- Collect material via broom or mop. Place in tightly sealed containers for proper disposal.
- Approach spill areas with caution.
- If liquid was introduced, create a dike or trench to contain material.
- Soak up with absorbent material such as clay, sand or other suitable non-reactive material.

Large Spills:

- Place in leak-proof containers. Seal tightly for proper disposal.
- Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for Safe Handling:

To prevent eye contact under the foreseeable conditions of use, wear appropriate safety eyewear. When handling, do not eat, drink, or smoke. Wash thoroughly after handling. Do not handle or store near heat, sparks, or flame.

7.2 Storage and Handling Practices:

Keep away from incompatible materials. Keep container closed when not in use and store in well ventilated area.

7.3 Specific Uses:

Epoxy.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Exposure Parameters:

Ingredients	CAS No.	OSHA PEL	NIOSH PEL
Bisphenol A Diglycidyl Ether Resin	25068-38-6	Not Listed	Not Listed
Glycidyl 2-methylphenyl Ether	2210-79-9	Not Listed	Not Listed

8.2 Exposure Controls:

Ventilation and Engineering Controls:

Use with adequate ventilation to ensure

exposure levels are maintained below the limits

provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132), or



SpecPoxy 2000 LPL Part A

Version 1 pg. 6

standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Respiratory Protection:Not required for properly ventilated areas.
Maintain airborne contaminant concentrations

below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member

states.

Eye Protection: Safety glasses or goggles are required.

If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards. Chemical resistant gloves are required to

prevent skin contact.

If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards. Use body protect appropriate to task being

performed.

If necessary, refer to appropriate Standards of Canada, or appropriate standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in

U.S. OSHA 29 CFR 1910.136.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties:
Appearance (Physical State and Color): Clear to amber liquid

Odor: Characteristic

Hand Protection:

Body Protection:

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available

Boiling Point: 300°F (148.9°C) Flash Point: 200°F (93°C)



SpecPoxy 2000 LPL Part A

Version 1 pg. 7

Evaporation Rate: No data available Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available

Vapor Pressure (mm Hg @ 20°C (68° F): No data available

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 1.1

Solubility in Water: Not miscible Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity: This product is not reactive.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.

10.4 Conditions to Avoid: Heat, open flame or other sources of ignition..

10.5 Incompatible Substances: Strong oxidizing agents...

10.6 Hazardous Decomposition Products: Carbon monoxide, Carbon dioxide and other decomposition

products can occur during combustion if not use according to specifications.

SECTION 11 – TOXICOLOGY INFORMATION

11.1 Information on Toxicological Effects:

Toxicity Data:

Bisphenol A Diglycidyl Ether Resin	25068-38-6	LD50 Oral – Rat	13,600 mg/kg
Glycidyl 2-methylphenyl Ether	2210-79-9	LD50 Oral – Rat	4,000 mg/kg

Suspected Cancer Agent: Ingredients within this product are not found on one or more of

the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be cancer-

causing agents by these agencies.

Irritancy: Skin, eye irritant.

Sensitization to the Product: This product is not expected to cause skin sensitization. This product does not contain ingredients that are suspected

to be a germ cell mutagenic.

Reproductive Toxicity: No data available.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity:

Bisphenol A Diglycidyl	25068-38-6	LC50 – Rainbow Trout	<10 mg/l – 96h



SpecPoxy 2000 LPL Part A

Version 1 pg. 8

Ether Resin		EC50 – Algae	<10 mg/l – 96h
Glycidyl 2-methylphenyl Ether	2210-79-9	LC50 – Fish	2.8-5.1 mg/l – 96h

12.2 Persistence and Degradability: No specific data available on this product.
 12.3 Bioaccumulative Potential: No specific data available on this product.
 12.4 Mobility in Soil: No specific data available on this product.
 12.5 Results of PBT and vPvB Assessment: No specific data available on this product.

12.6 Other Adverse Effects: No data available

12.7 Water Endangerment Class: At present, there are no ecotoxicological assessments

for this product.

SECTION 13 – DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods: Waste disposal must be in accordance with

appropriate U.S. Federal, State, and local regulations, those of Australia, EU Member

States and Japan.

13.2 EU Waste Code: Not determined

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: Not Regulated

Proper Shipping Name:
Hazard Class Number and Description:
None
Packing Group:
None
DOT Label(s) Required:
None

North American Emergency Response

Guidebook Number: None

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are designated by the

None

Department of Transportation to be Marine Pollutants

This product is considered as dangerous goods.

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association

Shipping Information (IATA):

14.5 International Maritime Organization

Shipping Information (IMO):

UN Identification Number: Not regulated

Proper Shipping Name: None



SpecPoxy 2000 LPL Part A

Version 1 pg. 9

Hazard Class Number and Description:NonePacking Group:NoneEMS-No:None

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations Specific for the Substance or Mixture:

United States Regulations:

U.S. SARA Reporting Requirements:

The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA 311/312:

Acute Health: Yes; Chronic Health: No; Fire: No; Reactivity; No

U.S. CERCLA Reportable Quantity:

Not Applicable

U.S. TSCA Inventory Status:

The components of this product are listed on the TSCA Inventory or are exempted from listing.

Other U.S. Federal Regulations:

None known

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65):

This product does not contain ingredients on the Proposition 65 Lists.

15.2 Canadian Regulations:

Canadian DSL/NDSL Inventory Status:

Components are DSL Listed, NDSL Listed and/or are exempt from listing

Other Canadian Regulations:

Not applicable

Canadian Environmental Protection Act (CEPA) Priorities Substances Lists:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

Canadian WHMIS Classification and Symbols:

This product is Class D2A, Materials causing other toxic effects, per WHMIS Controlled Product Regulations.



15.3 European Economic Community Information:

This product meets the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives. See Section 2 for Details.

Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

15.4 Australian Information for Product:

Components of this product are listed on the International Chemical Inventory list.

15.5 Japanese Information for Product:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.



SpecPoxy 2000 LPL Part A

Version 1 pg. 10

15.6 International Chemical Inventories:

Listing of the components on individual country Chemical Inventories is as follows:

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

U.S. TSCA: Listed

SECTION 16 - OTHER INFORMATION

Prepared By: Chris Eigbrett (MSDS to GHS Compliance)

Date of Printing: July 1, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET



SpecPoxy 2000 LPL Part B

Version 1 pg. 11

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Trade Name (as labeled): SpecPoxy 2000 LPL Part B

Synonyms: N/A CAS No: Mixture

1.2 Product Use: Epoxy bonding adhesive

1.3 Company Name: SpecChem

Company Address: 1511 Baltimore Ave; Suite 600 Kansas City, MO 64108

Business Phone: (816) 968-5600 Website: www.specchem.com

1.4 Emergency Telephone Number: VelocityEHS 1-(800)255-3924 (North America) +1-813-248-

0585 (International) 1-300-954-583 (Australia) 0-800-591-6042 (Brazil) 400-120-0751 (China) 000-800-100-4086 (India) 800-

Date of Last Revision:

Og9-0731 (Mexico)

July 1, 2018

March 18, 2024

SECTION 2 – HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a gray colored liquid with a characteristic odor. Health Hazards: May cause skin, eye and respiratory system irritation. Inhalation may cause

drowsiness or dizziness. Contact with skin may cause allergic reaction.

Flammability Hazards: This product is a non-flammable liquid.

Reactivity Hazards: None.

Environmental Hazards: The environmental effects of this product have not been investigated,

however release may cause long term adverse environmental effects.

US DOT Symbols:

EU and GHS Symbols:

Signal Word: Danger

GHS Hazard Classifications: Eye Irritant, Category 1.

Skin Irritant, Category 2. Skin Sensitizer, Category 1.

Hazardous to the aquatic environment, Chronic,

Category 2.

Hazard Statements: H315 – Causes skin irritation.

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage.



SpecPoxy 2000 LPL Part B

Version 1 pg. 12

Precautionary Statements: effects.
P261 - Do not breathe dust/fume

/gas/mist/vapours/spray.

P264 - Wash hands thoroughly after handling. P272 - Contaminated work clothing should not

H411 - Toxic to aquatic life with long lasting

be allowed out of the work place.

P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing.

P310 - Call a POISON CENTER or

doctor/physician.

P333+313 - If skin irritation or a rash occurs:

Get medical advice/attention.

P337+313 -If eye irritation persists get medical

advice /attention.

P362+P364 - Take off contaminated clothing

and wash before reuse. P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with Local, State, Federal and

Eyes. Skin. Inhalation. Ingestion.

Provincial regulations.

<u>Emergency Overview:</u>

Irritant. Corrosive. Avoid contact with skin, eyes and clothing. Avoid contact with the skin and the eyes.

Route of Exposure: Potential Health Effects:

Eye: Causes eye irritation. Skin: Causes skin irritation.

Inhalation: Prolonged or excessive inhalation may cause

respiratory tract irritation.

Ingestion: May be harmful if swallowed. May cause vomiting. Chronic Health Effects: Prolonged or repeated skin contact may cause

sensitization, with itching, swelling, or rashes on later

exposure.

Target Organs: Eyes. Skin. Respiratory system. Digestive system.

Aggravation of Pre-Existing Conditions: None generally recognized.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS



SpecPoxy 2000 LPL Part B

Version 1 pg. 13

Chemical Name	Ingredient Percent	CAS No.	EC Number
m-Phenylenebis(methylamine)	< 15%	1477-55-0	216-032-5
2-methylpentane-1,5-diamine	< 5%	15520-10-2	239-556-6
3,6,9-Triazaundecamethylenediamine	< 1%	112-57-2	203-986-2

Note: All WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2010 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard JIS Z 7250:2000

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures:

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes.

Ensure adequate flushing of the eyes by separating the eye lids with fingers. Remove contacts if present and easy to do. Continue rinsing. Get medical attention, if irritation or symptoms of over exposure persists.

Skin Contact: Immediately wash skin with soap and plenty of water. Get medical

attention if irritation develops or persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration

or give oxygen by trained personnel. Seek immediate medical attention.

Ingestion: If swallowed, do NOT induce vomiting. Call a physician or poison control

center immediately. Never give anything by mouth to an unconscious

person.

Note to Physicians: Treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: >200°F (93°C)

Flash Point Method: Pensky-Marten Closed Cup (PMCC)

<u>Lower Flammable/Explosive Limit:</u> Not determined. <u>Upper Flammable/Explosive Limit:</u> Not determined.

Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or

spray when fighting fires involving this material.

Protective Equipment: As in any fire, wear self-contained breathing apparatus (SCBA).

MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6 - ACCIDENTAL RELEASE MEASURES (STEPS FOR SPILLS)

<u>Personal Precautions:</u> Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Use proper personal protective equipment as listed in section 8.



SpecPoxy 2000 LPL Part B

Version 1 pg. 14

Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.

<u>Methods for containment:</u> Contain spills with an inert absorbent material such as soil or sand. Prevent from spreading by covering, diking or other means. Provide ventilation.

<u>Methods for clean up:</u> Clean up spills immediately observing precautions in the protective equipment section. Place into a suitable container for disposal. Provide ventilation. After removal, flush spill area with soap and water to remove trace residue.

SECTION 7 - HANDLING AND STORAGE

Handling:

Use with adequate ventilation. Avoid breathing vapor and contact with eyes, skin and clothing. **Storage:**

Store in a cool, dry, well ventilated area away from sources of heat, combustible materials, and incompatible substances. Keep container tightly closed when not in use.

Hygiene Practices:

Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Engineering Controls:</u> Use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Good general ventilation should be sufficient to control airborne levels. Where such systems are not effective wear suitable personal protective equipment, which performs satisfactorily and meets OSHA or other recognized standards. Consult with local procedures for selection, training, inspections and maintenance of the personal protective equipment.

Eye/Face Protection: Wear protective glasses or splash goggles as describe by 29 CFR 1910.133, OSHA eye and face protection regulation, or the European standard EN 166.

<u>Skin Protection Description:</u> Chemical-resistant gloves and chemical goggles, face-shield and synthetic apron or coveralls should be used to prevent contact with eyes, skin or clothing.

Respiratory Protection: A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by air purifying respirators is limited. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

<u>Other protective:</u> Facilities storing or utilizing the material should be equipped with an eyewash facility and safety shower.

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES



SpecPoxy 2000 LPL Part B

Version 1 pg. 15

9.1 Information on Basic Physical and Chemical Properties:

Appearance (Physical State and Color): Amber liquid

Odor: Amine odor.

Odor Threshold: No data available

pH: No data available

Melting/Freezing Point: No data available Boiling Point: 205°C (> 400°F) (Decomposes.)

Flash Point: > 200°F (93°C)
Evaporation Rate: No data available
Flammability (Solid; Gas): Not applicable

Upper/Lower Flammability or Explosion Limits: No data available **Vapor Pressure (mm Hg @ 20°C (68°F):** < 1 mm Hg @ 20°C (68°F)

Vapor Density: No data available Relative Density: No data available

Specific Gravity: 0.95

Solubility in Water: Negligible to slightly soluble in water

Weight per Gallon: No data available

Partition Coefficient (n-octanol/water): No data available

Auto-Ignition Temperature: No data available **Decomposition Temperature:** No data available

Viscosity: No data available

9.2 Other Information: No data available

SECTION 10 – STABILITY AND REACTIVITY

10.1 Reactivity: No information.

10.2 Stability: Stable under conditions of normal storage and use.

10.3 Possibility of Hazardous Reactions: Will not occur.

10.4 Conditions to Avoid: Extreme heat, sparks, and open flame. Incompatible materials,

oxidizers and oxidizing conditions.

10.5 Incompatible Substances: Epoxy resins under uncontrolled conditions.

10.6 Hazardous Decomposition Products: Nitrogen oxides when burned.

SECTION 11 – TOXICOLOGY INFORMATION

Toxicity Data:

1477-55-0 m-Phenylenebis(methylamine)				
Oral	LD50	1,040 mg/kg (rat)		
Inhalative	LC50/ 4 h	2.4 mg/l (rat)		
15520-10-2 2-methylpentane- 1,5-diamine				
Oral	LD50	1,690 mg/kg (rat)		
112-57-2 3,6,9-Triazaundecamethylenediame				
Dermal	LD50	660 mg/kg (rabbit)		



SpecPoxy 2000 LPL Part B

Version 1 pg. 16

Eye: Strong irritant with the danger of severe eye injury.

Skin: Irritant to skin and mucous membranes. **Sensitization:** Sensitization possible through skin contact.

Additional information: The product shows the following dangers according to

internally approved calculation methods for preparations:

Harmful Irritant

SECTION 12 – ECOLOGICAL INFORMATION

Ecotoxicity: No ecotoxicity data was found for the product. Aquatic toxicity is expected based

on similar materials.

Environmental Fate: No environmental information found for this product.

SECTION 13 - DISPOSAL CONSIDERATIONS

<u>Waste Disposal:</u> Consult with the US EPA Guidelines listed in 40 C FR Part 261.3 for the classifications of hazardous waste prior to disposal. Furthermore, consult with your state and local waste requirements or guidelines, if applicable, to ensure compliance. Arrange disposal in accordance to the EPA and/or state and local guidelines.

SECTION 14 - TRANSPORTATION INFORMATION

14.1 U.S. Department of Transportation (DOT) Shipping Regulations:

This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

UN Identification Number: UN2735

Proper Shipping Name: Amines, liquid, corrosive, n.o.s.

(contains m-Phenylenebis(methylamine))

Hazard Class Number and Description: Class 8 – Corrosive substances

Packing Group:

DOT Label(s) Required: Corrosive substances

North American Emergency Response

Guidebook Number: 153

14.2 Environmental Hazards:

Marine Pollutant:

The components of this product are designated by the Department of Transportation to be Marine Pollutants

None

(49 CFR 172.101, Appendix B).

14.3 Special Precaution for User:

14.4 International Air Transport Association

Shipping Information (IATA):

14.5 International Maritime Organization

Shipping Information (IMO):

UN Identification Number: UN2735

Proper Shipping Name: Amines, liquid, corrosive, n.o.s.

(contains m-Phenylenebis(methylamine))

This product is considered as dangerous goods.

Hazard Class Number and Description: Class 8 – Corrosive substances



SpecPoxy 2000 LPL Part B

Version 1 pg. 17

Packing Group: Ш

F-A-S-B EMS-No:

SECTION 15 - REGULATORY INFORMATION

Section 311/312 Hazard Categories: Acute Health. Delayed Health.

Canada DSL: Listed

Canada WHMIS: WHMIS Hazard Class(es): Controlled - Class: D2B Toxic

Controlled - Class E - Corrosive material.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products

Regulations.

TSCA Inventory Status: Active TSCA Inventory Status: Active Massachusetts: Listed Pennsylvania: Listed Canada DSL: Listed

Canada IDL: Identified under the Canadian Hazardous Products Act

Ingredient Disclosure List: 0.1%.1518(1587)

203-986-2 EC Number:

SECTION 16 – OTHER INFORMATION

Date of Printing: August, 2 2023

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. This safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. SpecChem assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, SpecChem assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Compliance with all applicable federal, state, and local laws and local regulations remains the responsibility of the user.

END OF SDS SHEET