MATH1023-01: Lecture Notes

Joshua W. Kelly

August 31, 2024

Author's Note

I have loosely based my notes on the format on the Feynman Lectures on Physics (https://www.feynmanlectures.caltech.edu/). All of the questions in this document are found in the book *Calculus Volume One* by Strang et al. [1].

Contents

Chapter 1

Important Formulas

1.1 Linear Functions

1.1.1 Slope-Intercept Form

$$f(x) = mx + b \tag{1.1}$$

1.1.2 Point-Slope Form

$$y - y_1 = m(x - x_1) \tag{1.2}$$

1.1.3 Standard Form

$$ax + by = c, \tag{1.3}$$

$$a + b \neq 0 \tag{1.4}$$

1.1.4 Slope Formula

$$m = \frac{y_2 - y_1}{x_2 - x_1} \tag{1.5}$$

1.2 Quadratic Functions

1.2.1 Vertex Form

$$f(x) = a(x - h)^2 + k \tag{1.6}$$

1.2.2 Standard Form

$$f(x) = ax^2 + bx + c \tag{1.7}$$

1.3 Exponential Functions

1.3.1 Exponential Growth

$$f(x) = ab^x \tag{1.8}$$

1.3.2 Exponential Decay

$$f(x) = ab^{-x} \tag{1.9}$$

1.4 Logarithmic Functions

1.4.1 Common Logarithm

$$f(x) = \log_b(x) \tag{1.10}$$

1.4.2 Natural Logarithm

$$f(x) = \ln(x) \tag{1.11}$$

1.5 Trigonometric Functions

1.5.1 Sine Function

$$f(x) = \sin(x) \tag{1.12}$$

1.5.2 Cosine Function

$$f(x) = \cos(x) \tag{1.13}$$

1.5.3 Tangent Function

$$f(x) = \tan(x) \tag{1.14}$$

1.6 Limits

1.6.1 Definition of a Limit

$$\lim_{x \to a} f(x) = L \tag{1.15}$$

1.6.2 Limit Laws

$$\lim_{x\to a}[f(x)+g(x)] = \lim_{x\to a} f(x) + \lim_{x\to a} g(x) \tag{1.16}$$

$$\lim_{x\to a}[f(x)-g(x)] = \lim_{x\to a} f(x) - \lim_{x\to a} g(x) \tag{1.17}$$

$$\lim_{x\to a}[cf(x)] = c\lim_{x\to a} f(x) \tag{1.18}$$

$$\lim_{x\to a}[f(x)g(x)] = \lim_{x\to a} f(x) \lim_{x\to a} g(x) \tag{1.19}$$

$$\lim_{x\to a}\frac{f(x)}{g(x)} = \frac{\lim_{x\to a} f(x)}{\lim_{x\to a} g(x)} \tag{1.20}$$

$$\lim_{x\to a}[f(x)]^n = [\lim_{x\to a} f(x)]^n \tag{1.21}$$

$$\lim_{x\to a}\sqrt[n]{f(x)} = \sqrt[n]{\lim_{x\to a} f(x)} \tag{1.22}$$

$$\lim_{x\to a}\sqrt[n]{f(x)} = \sqrt[n]{\lim_{x\to a} f(x)} \tag{1.23}$$

$$\lim_{x\to a} f(x)^{g(x)} = \left[\lim_{x\to a} f(x)\right]^{\lim_{x\to a} g(x)} \tag{1.24}$$

$$\lim_{x\to a}\frac{1}{f(x)} = \frac{1}{\lim_{x\to a} f(x)} \tag{1.25}$$

$$\lim_{x\to a}\frac{1}{f(x)} = \frac{1}{\lim_{x\to a} f(x)} \tag{1.26}$$

$$\lim_{x\to a}\frac{1}{f(x)} = \frac{1}{\lim_{x\to a} f(x)} \tag{1.27}$$

$$\lim_{x\to a}\frac{1}{f(x)} = \frac{1}{\lim_{x\to a} f(x)} \tag{1.28}$$

$$\lim_{x\to a}\frac{1}{f(x)} = \frac{1}{\lim_{x\to a} f(x)} \tag{1.29}$$

Chapter 2

Definitions

2.1 Linear Functions

One of the most important functions in mathematics is the linear function. A linear function is a function that can be written in the form $f(x) = mx + b$, where m is the slope of the line and b is the y-intercept.

2.2 Unit Circle

The unit circle is a circle with a radius of 1. It is centered at the origin of the coordinate plane and is used to define the trigonometric functions.


y
(0, 1)
$\left(-\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$
$\left(\frac{1}{2}, \frac{\sqrt{3}}{2}\right)$
$\left(-\frac{\sqrt{2}}{2}, \frac{\sqrt{2}}{2}\right)$
$\left(\frac{\sqrt{2}}{2}, \frac{\sqrt{2}}{2}\right)$
$\left(-\frac{\sqrt{3}}{2}, \frac{1}{2}\right)$
$\left(\frac{\sqrt{3}}{2}, \frac{1}{2}\right)$
$\frac{\pi}{2}$
$\frac{2\pi}{3}$
$\frac{\pi}{3}$
$\frac{3\pi}{4}$
$\frac{\pi}{4}$
90°
120°
60°
$\frac{5\pi}{6}$
$\frac{\pi}{6}$
150°
30°
(−1, 0)
(1, 0)
π
180°
360°
2π
210°
330°
$\frac{7\pi}{6}$
$\frac{11\pi}{6}$
240°
300°
$\left(-\frac{\sqrt{3}}{2}, -\frac{1}{2}\right)$
$\left(\frac{\sqrt{3}}{2}, -\frac{1}{2}\right)$
$\frac{5\pi}{4}$
270°
$\frac{7\pi}{4}$
$\frac{4\pi}{3}$
$\frac{5\pi}{3}$
$\left(-\frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2}\right)$
$\left(\frac{\sqrt{2}}{2}, -\frac{\sqrt{2}}{2}\right)$
$\frac{3\pi}{2}$
$\left(-\frac{1}{2}, -\frac{\sqrt{3}}{2}\right)$
$\left(\frac{1}{2}, -\frac{\sqrt{3}}{2}\right)$
(0, −1)

Chapter 3

Review of Functions

3.1 Introduction

This is the introduction section of my document.

3.2 Linear Functions

A linear function is a function that can be written in the form $f(x) = mx + b$, where m is the slope of the line and b is the y-intercept.

3.2.1 Hyperbolic Functions

Hyperbolic cosine

$$\cosh x = \frac{e^x + e^{-x}}{2} \tag{3.1}$$

Chapter 4

Limits

4.1 Introduction

This is the introduction section of my document.

4.2 Intutive Definition of a Limit

$$\lim_{x \to a} f(x) = L \tag{4.1}$$

Definition of a Limit. The limit of a function $f(x)$ as x approaches a is L if for every $\epsilon > 0$ there exists a $\delta > 0$ such that if $0 < |x - a| < \delta$, then $|f(x) - L| < \epsilon$.

Example 1. Enter an example here.

Important. It is important that...

Formula. Enter a formula here.

Proof. This is a proof

$$s(t) = \text{position of the object at time } t \tag{4.2}$$

Example 2.2.

$$s(t) = 16t^2 + 64$$

a) $[0.49, 0.50]$

$$\frac{s(0.5) - s(0.49)}{0.5 - 0.49} = -15.84 \tag{4.3}$$

b) $[0.50, 0.51]$

$$\frac{s(0.51) - s(0.5)}{0.51 - 0.5} = 16.16u \tag{4.4}$$

Bibliography

[1] Gilbert Strang et al. *Calculus Volume 1*. EN. OpenStax, Mar. 2016. ISBN: 978-1-947172-13-5. URL: https://openstax.org/details/books/calculus-volume-1/.