



CONTROLLED DRAFT

Master Product, Engineering, Legal & Launch Binder

Consolidated controlled documentation for Nod v1

Product	Nod
Document version	1.0
Date	19 September 2026
Owner / operator	[NOD OWNER / LEGAL ENTITY]
Status	Controlled Draft

Release note: This pack is a production-ready baseline. Bracketed operator details must be completed before public release. Legal documents should be reviewed by Nigerian counsel before publication or execution.

How to use this binder

This binder consolidates the full Nod documentation pack for review and archival. Individual controlled documents in the DOCX folder remain easier to edit and approve independently. Public/legal drafts retain placeholders that must be completed before release.

Pack contents

1. 00 Nod Document Register and Launch Checklist
2. 01 Nod Product Requirements Document
3. 02 Nod Functional NFR Acceptance Requirements
4. 03 Nod System Architecture and Technology Specification
5. 04 Nod P2P Protocol and Data Model Specification
6. 05 Nod Security Threat Model and Cryptography Specification
7. 06 Nod Privacy DPIA Data Governance and Retention
8. 07 Nod Permissions Background QuickNod Android Compliance
9. 08 Nod UI UX Design System Accessibility Content
10. 09 Nod QA Device Test Release and Signing Plan
11. 10 Nod Privacy Policy
12. 11 Nod Terms EULA Acceptable Use
13. 12 Nod IP Copyright Trademark and Open Source Policy
14. 13 Nod Developer Contractor IP Assignment and NDA Template
15. 14 Nod Google Play Data Safety Listing Compliance Workbook
16. 15 Nod Security Incident Vulnerability Disclosure and Support
17. 16 Nod Change Management Maintenance and End of Life Policy

00 Nod Document Register and Launch Checklist

1. Purpose

This document is the control register for the Nod launch pack. It identifies what must be completed, approved, published or retained internally before Nod moves from prototype to public Google Play release.

Launch principle

Do not treat “app builds successfully” as launch readiness. Nod must simultaneously satisfy product acceptance, security, privacy, IP ownership, store-policy, support and operational requirements.

2. Controlled document register

ID	Document	Audience	Gate
00	Document Register & Launch Checklist	Internal	Required before release
01	Product Requirements Document	Internal	Required before coding freeze
02	Functional, Non-Functional & Acceptance Requirements	Internal	Required before QA
03	System Architecture & Technology Specification	Internal	Required before production coding
04	P2P Protocol & Data Model Specification	Internal	Required before interoperability testing
05	Security, Threat Model & Cryptography Specification	Internal	Required before beta
06	Privacy, DPIA, Data Governance & Retention	Internal / regulatory evidence	Required before beta
07	Permissions, Background Services & Android Compliance	Internal / Play evidence	Required before Play review
08	UI/UX Design System, Accessibility & Content	Internal	Required before UI freeze
09	QA, Device Matrix, Release & Signing Plan	Internal	Required before release candidate
10	Privacy Policy	Public	Required for Play listing and in-app
11	Terms of Use, EULA & Acceptable Use	Public / contractual	Required before public release
12	IP, Copyright, Trademark & Open-Source Policy	Internal + public notices	Required before public release
13	Developer/Contractor IP Assignment & NDA Template	Contractual	Use before outside contribution
14	Google Play Data Safety, Listing & Compliance Workbook	Internal / submission	Required before Play submission
15	Security Incident Response, Vulnerability Disclosure & Support	Internal + public VDP	Required before public release
16	Change Management, Maintenance & End-of-Life Policy	Internal / public where relevant	Required before sustained operations

3. Mandatory owner/operator information to complete

- Legal owner/operator name and corporate status.
- Registered business address and country of establishment.
- Support email and privacy/DPO contact.
- Public website domain and permanent privacy-policy URL.
- Google Play developer account legal identity and verified contact details.
- Copyright owner name and, if applicable, company registration number.
- Trademark applicant/owner details for the Nod name and locked logo.
- Named security incident lead and escalation contact.

4. Pre-release gate checklist

Domain	Release criterion
Corporate / ownership	Operator identity fixed; contributor IP assignments executed; copyright ownership chain documented.
Brand / IP	Nod logo locked; name/logo clearance performed; trademark filing decision recorded; NCC copyright notification decision recorded.
Product	PRD scope frozen; v1 exclusions confirmed; acceptance criteria signed off.
Transport	Two-phone PoC passed; Nearby transport verified; non-GMS strategy documented.
Security	Pair verification, encrypted sessions, integrity hashes, blocklist, temp-file cleanup and abuse controls tested.
Privacy	DPIA approved; profile/data inventory mapped; cloud backup exclusions verified; no undisclosed analytics/SDKs.
Android	minSdk/targetSdk set; permissions justified; foreground service declaration and demonstration prepared.
Store	Privacy URL active; Data Safety answers match code; content rating complete; app-access information supplied if needed.
QA	Device matrix passed; interruption/low storage/cancel/lock-screen cases passed; accessibility checks passed.
Release	Play App Signing configured; upload/release keys secured; rollback and staged rollout plan ready.
Support	Public support channel active; vulnerability disclosure published; incident playbook and complaint workflow ready.

5. Legal review status

Counsel review required

The Privacy Policy, Terms/EULA, Acceptable Use provisions, IP assignment template and any regulatory registration conclusions must be reviewed against the operator's actual legal entity, commercial model, target countries, age rating and data flows before publication or signature. This pack does not replace legal advice.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

01 Nod Product Requirements Document

1. Product definition

Nod is an Android-only, local-first nearby exchange application that allows two people to discover each other, mutually verify a connection and directly exchange selected contact details, photos, videos and documents without relying on a Nod cloud account or central content server.

Core proposition

Two Android phones. Nearby. No internet required for the exchange path. Discover, verify, choose, Nod.

2. Brand

- Product name: Nod.
- Locked logo: black “Nod” wordmark with lemon-green circular accent.
- Tagline: Closer. Faster. Yours.
- Primary color: #BFFF00 lemon green.
- Supporting colors: #FFFFFF white, #171717 charcoal, #F4FFE6 soft green.
- Visual direction: clean, minimal, high-contrast, calm, direct.

3. Goals

- Make nearby exchange faster and easier than QR/manual contact entry or complex sharing utilities.
- Keep the user’s Nod Profile local to the device by default.
- Require explicit consent both for device connection and content receipt.
- Provide a memorable Quick Nod experience using shake-three-times and Quick Settings entry points.
- Support Android 8+ while targeting current Google Play API requirements.
- Build transport abstraction so the product is not permanently coupled to a single wireless implementation.

4. Non-goals for v1

- No iOS client.
- No web/desktop client.
- No group/multi-peer transfer.
- No account creation.
- No remote internet transfer.
- No messaging or social feed.
- No cloud contact sync.
- No automatic saving of received contacts or files without recipient approval.
- No permanent public discoverability.

5. Primary personas

Persona	Need	Success
Everyday Android user	Send a few files or contact details quickly	Peer found, verified and transfer completed with minimal steps.
Professional/networking user	Share selected business details	Work share profile sent without exposing personal fields.
Event/campus user	Exchange with nearby people repeatedly	Quick Nod launches discovery rapidly and unwanted peers can be blocked.
Low-connectivity user	Share without purchasing mobile data	Exchange works through local wireless

6. Core features

18. Nod Profile stored locally with name, avatar, phone(s), email(s), and extensible optional fields.
19. Share Profiles: Quick, Personal and Professional presets.
20. Nearby discovery with temporary public alias, not full contact details.
21. Mutual connection request and human-verifiable matching code.
22. Contact offer and field-level consent before sending.
23. File selection, manifest preview, recipient approval, streamed transfer, integrity verification and finalization.
24. Quick Nod: shake phone three times to trigger a temporary discovery window when Always Ready is enabled.
25. Quick Settings tile that invokes the same Quick Nod domain action.
26. Optional Always Ready foreground-service mode; not equivalent to continuous discovery.
27. Offline phone-number scanner using on-device OCR with review/edit/copy step.
28. Transfer history containing minimal metadata rather than full payload copies.
29. Blocklist, mute/throttle and decline controls.

7. Primary journeys

7.1 First run

Welcome -> create/import Nod Profile -> choose sharing defaults -> contextual nearby permission -> optional Quick Nod / Always Ready setup -> home.

7.2 Send contact

Start Quick Nod -> discover peer -> request connection -> verify code -> choose Share Profile/fields -> recipient accepts contact offer -> transfer -> recipient chooses whether to save to Android Contacts.

7.3 Send files

Select files -> preview -> connect/verify peer -> transmit manifest -> recipient approves -> capacity check -> streamed transfer -> SHA-256 verification -> finalize into user-visible storage -> completion.

8. Success metrics

Metric	Initial acceptance target
Discovery success	>= 95% in supported-device controlled test matrix within the defined test radius.
Connection completion	>= 95% after both users accept in controlled conditions.
Transfer integrity	100% of completed transfers pass hash verification.
Crash-free sessions	>= 99.5% during beta device matrix.
Accidental shake activation	Low enough to pass field test; threshold to be empirically calibrated, not invented.
Permission completion	Users can continue using unaffected features after denying optional permissions.

9. Release constraints

- Native Kotlin/Compose implementation.
- minSdk 26 (Android 8).
- targetSdk 36 for Google Play submissions after 31 August 2026.
- No backend required for v1 core exchange.

- Nearby Connections is first transport; architecture must permit replacement/fallback transport.

10. Open decisions to close before release candidate

- Final non-GMS support commitment.
- Final age targeting/content-rating posture.
- Commercial model, if any.
- Exact public privacy/support domains.
- Whether trusted-peer re-pairing is included in v1 or deferred.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

02 Nod Functional NFR Acceptance Requirements

1. Requirement conventions

“Shall” denotes a mandatory v1 requirement. Each requirement should map to implementation tickets and at least one automated or manual acceptance test.

2. Functional requirements

ID	Area	Requirement
FR-001	Profile	Nod shall create and persist a local Nod Profile without requiring a remote account.
FR-002	Profile	Nod shall support multiple phone/email fields and optional avatar/company/job title/website/social link fields.
FR-003	Profile	Nod shall support reusable Share Profiles and per-transfer field override.
FR-004	Discovery	Nod shall advertise only a temporary peer identifier and nearby alias needed for discovery, not full profile data.
FR-005	Discovery	Nod shall provide a time-limited Quick Nod discovery window.
FR-006	Connection	Nod shall require explicit local acceptance by the receiving device.
FR-007	Connection	Nod shall display a matching verification code/token on both devices before the session is considered trusted.
FR-008	Contacts	Nod shall preview outgoing contact fields before transmission.
FR-009	Contacts	Nod shall let the receiver preview a contact before saving it to Android Contacts.
FR-010	Files	Nod shall support photos, videos and documents selected through Android-supported pickers.
FR-011	Files	Nod shall send a metadata manifest before file payload transmission.
FR-012	Files	Nod shall check available storage before accepting large transfers where feasible.
FR-013	Transfer	Nod shall expose progress, speed/ETA when reliable, cancellation and peer-disconnect states.
FR-014	Transfer	Nod shall hash and verify completed file payloads before finalization.
FR-015	Transfer	Nod shall not expose incomplete files as completed user files.
FR-016	Quick Nod	Nod shall support a three-shake trigger only when the user has enabled the relevant Always Ready capability.
FR-017	Quick Nod	Nod shall provide a Quick Settings tile that triggers the same Quick Nod use case.
FR-018	Background	Nod shall use a foreground service only for user-visible, declared capabilities that require it.

FR-019	Scanner	Nod shall perform phone-number OCR locally where the bundled model is available and shall require review before copy/use.
FR-020	Safety	Nod shall support block, decline and temporary request throttling.
FR-021	History	Nod shall store minimal transfer metadata and shall not retain full received contact payloads solely for history.
FR-022	Permissions	Nod shall request permissions contextually and explain feature impact when denied.

3. Non-functional requirements

ID	Quality	Requirement
NFR-001	Security	No transfer is marked complete before integrity verification.
NFR-002	Privacy	Nod-owned cloud infrastructure shall not be required for core v1 exchange.
NFR-003	Performance	File I/O shall be streamed/bounded; whole large files shall not be loaded into memory.
NFR-004	Reliability	Process interruption and peer loss shall leave recoverable or cleanly discarded temporary state.
NFR-005	Compatibility	Application shall install and run on API 26+ subject to hardware/Google Play Services capability checks.
NFR-006	Accessibility	Interactive targets, contrast, screen-reader labels and large-text behavior shall meet Android accessibility guidance.
NFR-007	Battery	Always Ready shall not continuously advertise/scan merely because shake detection is enabled.
NFR-008	Maintainability	Transport implementation shall sit behind a stable NodTransport interface.
NFR-009	Observability	Diagnostics shall avoid contact/file content and sensitive profile values.
NFR-010	Protocol	All control messages shall include protocol version and session/transfer identifiers.

4. Acceptance scenarios

- Both users see the same verification code and independently confirm it before connected state.
- Receiver rejects a manifest; no content bytes are finalized and sender sees rejection.
- Phone loses connection at 68%; UI enters interrupted/retry state and no corrupt completed file is shown.
- Insufficient storage is detected before large transfer acceptance or finalization and is explained clearly.
- User denies Contacts permission; file transfer remains usable.
- User denies Camera; scanner explains limitation but Nod exchange remains usable.
- Shake false-positive field test includes walking, vehicle travel, desk placement and normal phone handling.
- Blocked peer cannot repeatedly produce foreground connection prompts during the block period.

5. Definition of done

A feature is not done until product behavior, error behavior, accessibility, privacy implications, logs, tests and relevant policy declarations are updated together.

03 Nod System Architecture and Technology Specification

1. Technology baseline

Layer	Selected technology
Language	Kotlin
UI	Jetpack Compose + Material 3 foundation
State	ViewModel + StateFlow / unidirectional data flow
Concurrency	Kotlin Coroutines + Flow
DI	Hilt + KSP
Database	Room
Preferences	Proto DataStore
Control protocol	Protocol Buffers
Primary transport	Google Nearby Connections - P2P_POINT_TO_POINT
Future transport	Wi-Fi Direct adapter behind NodTransport
Security	Android Keystore + AES-GCM; SHA-256 integrity
Camera/OCR	CameraX + bundled ML Kit Text Recognition + libphonenumber
Background	Foreground Service + notification
Quick launch	TileService + accelerometer SensorManager
Storage	MediaStore + Storage Access Framework + private temp storage
Testing	JUnit, coroutine test, Compose tests, Robolectric, macrobenchmark and physical-device matrix

2. Layered architecture

Compose UI -> ViewModels -> domain use cases -> repositories -> platform/transport adapters -> Android OS and local storage. UI modules must not call Nearby Connections, Room or Android providers directly.

3. Dependency rules

- feature modules depend on domain abstractions and design system.
- domain modules contain no Android UI or SDK-specific transport types.
- transport:api defines NodTransport and transport-neutral events.
- transport:nearby implements transport:api using ConnectionsClient.
- data modules implement repositories and are injected through interfaces.
- platform modules wrap contacts, files, sensors, permissions, notifications and Quick Settings APIs.

4. Suggested project structure

app/; core/common, design-system, model, protocol, security, testing; data/profile, transfer, history, settings; domain/discovery, session, transfer, profile, scanner; transport/api, nearby, wifi-direct; platform/contacts, files, permissions, sensors, notifications, quick-settings; feature/onboarding, home, nearby, connection, send, receive, scanner, history, profile, settings.

5. Primary domain interfaces

- NodTransport: advertise, discover, connect, send control bytes, send file payloads, disconnect, observe events.



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- SessionManager: peer lifecycle, verification, trust state, protocol negotiation, timeout and disconnect.
- TransferManager: manifest, acceptance, capacity checks, payload mapping, progress, hashing, cancellation and finalization.
- ProfileRepository: encrypted Nod Profile and Share Profiles.
- HistoryRepository: minimal completed/failed transfer metadata.
- QuickNodManager: orchestrates shake/tile/manual launch into the same temporary discovery session.

6. Threading and concurrency

- All transport callbacks are converted to structured Flows at adapter boundaries.
- Disk I/O and hashing run on bounded background dispatchers.
- UI collects immutable state; it never owns transfer sockets/clients.
- Cancellation propagates from domain jobs to payload operations and cleanup.
- Backpressure must prevent progress/event floods from overwhelming the main thread.

7. Build configuration

- minSdk: 26.
- targetSdk: 36 for new Google Play release after 31 August 2026.
- compileSdk: current stable compatible with target 36 at release.
- JDK 17 toolchain.
- Release builds shrink/optimize with R8 and keep rules tested for Protobuf/ML Kit dependencies.
- Release signing secrets never committed to source control.

8. Architecture decisions

ADR	Decision	Reason
ADR-001	Native Android/Kotlin	Nod is deeply coupled to Android wireless, sensors, background, storage and permission models.
ADR-002	Local-first identity	Avoid mandatory account/backend and minimize privacy surface.
ADR-003	Transport abstraction	Protect product architecture from GMS-only lock-in.
ADR-004	Protobuf control plane	Strong schema/versioning for device interoperability.
ADR-005	Separate control/data plane	Small commands remain independent from large file payload mechanics.
ADR-006	Contextual permissions	Request only when feature requires capability.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:** <https://support.google.com/googleplay/android-developer/answer/10144311>



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

04 Nod P2P Protocol and Data Model Specification

1. Protocol objectives

- Human-verifiable peer authentication.
- Explicit content consent after connection consent.
- Versioned forward-compatible control messages.
- Unambiguous payload/manifest correlation.
- Integrity verification and safe failure.
- No dependence on transport delivery ordering between control/file payload classes.

2. Session state machine

IDLE -> READY -> DISCOVERING -> PEER_FOUND -> CONNECTION_REQUESTED -> VERIFYING -> CONNECTED -> CONTENT_PROPOSED -> AWAITING_ACCEPTANCE -> TRANSFERRING -> VERIFYING_PAYLOAD -> COMPLETED -> DISCONNECTED.

Failure states include PERMISSION_DENIED, PEER_LOST, USER_REJECTED, AUTHENTICATION_FAILED, TRANSFER_INTERRUPTED, INSUFFICIENT_STORAGE, INTEGRITY_FAILED, TIMEOUT, CANCELLED and UNSUPPORTED_VERSION.

3. Envelope

Field	Type	Purpose
protocol_version	uint32	Compatibility negotiation.
session_id	UUID/string	Logical connection.
message_id	UUID/string	Deduplication/correlation.
timestamp	int64	Diagnostic ordering only; not trust/security authority.
message_type	enum	HELLO, VERIFY, PROFILE_OFFER, MANIFEST, ACCEPT, REJECT, CANCEL, COMPLETE, ERROR.
body	typed message	Message-specific payload.

4. Transfer manifest

Field	Description
transfer_id	Unique identifier.
items[]	Item IDs with display name, MIME, byte length and SHA-256.
total_bytes	Aggregate bytes for capacity/progress.
content_category	contacts/photos/videos/documents/mixed.
sender_alias	Nearby alias only; full profile shared separately by consent.

5. Transfer rules

30. Sender establishes verified session.
31. Sender sends metadata offer/manifest before large file bytes.
32. Receiver reviews source alias, item count, types and total size.
33. Receiver accepts or rejects.
34. On acceptance, sender begins payload transfer and maps transport payload IDs to manifest item IDs.
35. Receiver writes to private temporary destination while computing/verifying hashes.



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- 36. Only verified files are atomically finalized to MediaStore/Downloads or selected destination.
- 37. Both parties receive completion/error control messages; temporary files are removed on terminal failures.

6. Profile data model

Entity	Core fields
NodProfile	profileId, displayName, avatarUri, phones[], emails[], company?, jobTitle?, website?, socialLinks[], createdAt, updatedAt
ShareProfile	shareProfileId, label, ordered field-selection rules, isDefault
NearbyIdentity	ephemeralPeerId, nearbyAlias, capability flags; no full contact fields
TransferRecord	transferId, direction, category, itemCount, peerAlias, status, startedAt, completedAt, byteCount
BlockedPeer	stable local fingerprint/identifier where available, alias snapshot, blockedAt

7. Compatibility

- Peers exchange supported protocol version and feature capability flags during HELLO.
- Unsupported major versions fail gracefully before content transfer.
- Optional fields are ignored when unknown unless marked required by negotiated feature.
- No UI should assume transport callback order equals protocol order.

05 Nod Security Threat Model and Cryptography Specification

1. Security objectives

- Confidentiality of local profile and transferred content.
- Integrity of completed transfers.
- Human assurance that the connected peer is the intended nearby device.
- Minimization of discoverability and unsolicited request abuse.
- Safe handling of arbitrary received files.
- No secret keys stored in source code or logs.

2. Trust boundaries

Boundary	Threat	Control
Nearby radio/discovery	Impersonation / spoofed alias	Do not trust display name; verify session token on both devices.
Incoming requests	Spam / harassment	Rate limit, decline, block, Quick-Nod visibility window.
Local profile storage	Device/app data extraction	Private app storage, field encryption, Android Keystore-protected key, backup exclusion.
Transfer payload	Corruption / truncation	Size checks, SHA-256 manifest hashes, atomic finalization.
Received document	Malicious content	Never execute automatically; open through Android handlers; preserve MIME metadata.
Logs	Sensitive data leakage	Redact profile values, paths where sensitive, contact content and file content.
Dependencies	Compromised SDK/library	Pinned dependency management, SBOM/OSS register, update review.

3. Pair verification

A connection is not considered trusted merely because a Nearby endpoint connected. Nod shall present the same short authentication token/code on both devices and require user confirmation for the first connection session. The code is a human comparison aid, not a substitute for underlying transport cryptography.

4. Local encryption

- Generate a random AES key at first profile creation.
- Protect/wrap the key using Android Keystore capabilities appropriate to supported API levels.
- Use AES-GCM with unique nonces/IVs for encrypted profile records.
- Do not reuse GCM nonces with the same key.
- Do not store plaintext profile export files by default.
- Exclude sensitive Nod profile storage and keys from Android cloud/device-transfer backup where technically applicable.

5. File integrity

Sender computes or provides SHA-256 per transfer item. Receiver hashes the received temp content and compares before finalization. Mismatch results in INTEGRITY_FAILED and deletion/quarantine of the incomplete item.

6. Abuse controls

- Temporary discovery visibility by default.
- Separate device-connection consent from content-receipt consent.
- Block peer action available from request and history surfaces.
- Request cooldown/rate limit.
- No background pop-up that bypasses lock screen or Android background-launch rules.

7. Security testing

- Pairing MITM/alias-spoof simulation.
- Malformed Protobuf messages and oversized manifest fuzzing.
- Path traversal / hostile filenames.
- Interrupted payload and duplicate message replay.
- Hash mismatch.
- Low storage.
- Permission downgrade.
- Process death and app upgrade during pending transfer.
- Static analysis and dependency vulnerability scanning before each release.

8. Security release gate

No release without verification

The initial technical spike must prove peer verification, transfer integrity and interruption cleanup on multiple OEM devices before UI polish is treated as production work.

06 Nod Privacy DPIA Data Governance and Retention

1. Scope and legal framework

This assessment is designed around the Nigeria Data Protection Act 2023 and the NDPC General Application and Implementation Directive (GAID) 2025, while also accounting for Google Play disclosure obligations. GAID 2025 took effect on 19 September 2025. Final controller/processor classification and registration obligations depend on the operator's actual scale and processing activities and should be confirmed with a qualified DPCO/counsel.

2. Privacy architecture

- No Nod account is required for v1.
- No Nod-operated cloud content server is required for the core exchange path.
- Nod Profile is stored locally on the user device.
- Full profile/contact details are not broadcast during discovery.
- Content is disclosed only after session verification and user selection/approval.
- Transfer history retains minimal metadata rather than payload copies.
- Optional SDK/platform diagnostics must be separately inventoried and disclosed based on actual release build behavior.

3. Processing inventory / ROPA baseline

Data	Source	Purpose	Retention	Recipient
Nod Profile fields	User enters/imports own contact details	Provide reusable sharing identity	Stored locally until user edits/deletes/uninstalls, subject to backup exclusions	Local device only unless user chooses to share
Nearby alias / peer IDs	Generated/configured locally	Discovery and connection	Ephemeral/limited	Nearby peer devices; transport SDK as technically necessary
Selected contact payload	User-selected fields	Peer-to-peer sharing	Session/temp until delivered; no central retention	Chosen receiving peer
Selected files	User-selected URIs	Peer-to-peer sharing	No Nod server retention; temporary receiver copy during transfer	Chosen receiving peer
Camera frames / OCR text	Camera during scanner use	Recognize phone numbers	Process transiently; do not retain unless user explicitly saves image elsewhere	On-device OCR components; verify SDK behavior
Accelerometer events	Device sensor	Shake-to-Nod detection	Transient; not history	No intended external disclosure
Transfer metadata	Generated by app	History/support	User-controlled/local retention policy	Local device
Diagnostics	Technical app events	Troubleshooting	Minimal and time-limited	Only if user explicitly exports, unless third-party SDK has separate diagnostics

4. DPIA risk assessment

Risk	Impact	Likelihood before controls	Controls	Residual
Unintended disclosure of phone/email	High	Medium	Share profiles, field preview, explicit recipient and content consent	Low-Medium
Nearby identity exposure	Medium	Medium	Alias only, time-limited visibility, no full profile broadcast	Low
Unwanted transfer request	Medium	Medium-High	Verification, decline, block, throttling, limited visibility	Low-Medium
Cloud backup contradicts local-only promise	High	Medium	Explicit backup exclusions and release tests	Low
Third-party SDK undisclosed processing	High	Medium	SDK register, Data Safety audit, no optional analytics by default	Low-Medium
Received malicious file opened	Medium-High	Medium	No auto-execute, safe intents, MIME checks and user action	Low-Medium

5. Data subject/user controls

- Edit/delete Nod Profile.
- Choose fields for each share.
- Decline any connection or payload.
- Clear transfer history.
- Block peers.
- Disable Always Ready/Shake to Nod.
- Revoke Android permissions through system settings.
- Uninstall app to remove app-local data, subject to platform backup/device-transfer behavior configured by Nod.

6. Retention policy

Category	Default retention
Nod Profile	Until user deletes/edits or app is uninstalled.
Share Profiles	Until user deletes/edits.
Pending received contact	Session only unless user saves it.
Incomplete file	Until transfer terminates; cleanup immediately or on next maintenance pass.
Transfer history	Local until user clears; product may define a default rolling period before release.
Blocklist	Until user unblocks or clears app data.
Diagnostics	No central diagnostics by default; exported support package generated only by explicit user action.

7. Compliance actions before launch

- Determine operator role and whether NDPC registration/CAR obligations apply at actual processing scale.
- Complete DPIA with final release build and SDK inventory.
- Publish Privacy Policy at stable URL and in-app.

- Complete Play Data Safety section accurately and keep synchronized with code and SDK changes.
- Document lawful basis/consent mechanics with Nigerian counsel where personal data is processed by the operator rather than solely on device.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

07 Nod Permissions Background QuickNod Android Compliance

1. Principle

Nod shall request the minimum permission at the point a user invokes a feature. Permission denial must not disable unrelated features.

2. Capability matrix

Feature	Android capability / permission	When requested	Fallback
Nearby discovery/connection	Nearby/Bluetooth/Wi-Fi/ location permissions depending on Android version and transport API	First use of nearby exchange	Explain missing capability; user can still use profile/history/scanner as applicable.
Import own contact	Contact picker or Contacts access if necessary	When user chooses Import	Manual profile entry.
Save received contact	System contact insert flow / permission if required by chosen implementation	When user taps Save to Contacts	Keep preview; copy fields manually.
Select photos/videos	Android Photo Picker / SAF	When choosing content	Feature unavailable until user selects.
Select documents	Storage Access Framework	When choosing document	Feature unavailable until user selects.
Scanner	Camera	First scanner launch	Choose image from gallery where allowed or manual entry.
Shake to Nod	Accelerometer sensor + user-enabled foreground service mode	When enabling Always Ready	Quick Settings tile/manual launch.
Always Ready	Foreground service + notification; Play declarations	User explicitly enables	Normal foreground-only discovery.

3. Quick Nod lifecycle

38. User enables Always Ready while Nod is visible.
39. Foreground service displays persistent notification as required.
40. Shake detector listens for calibrated three-shake pattern; it does not continuously run wireless discovery merely because the service exists.
41. Three valid shakes invoke StartQuickNodSession().
42. Quick Settings tile invokes the same StartQuickNodSession().
43. Nod advertises/ discovers for the configured temporary window (initial product default: 60 seconds).
44. Visibility automatically stops at timeout, successful session transition or user cancellation.

4. Locked/background behavior

- Nod shall not attempt to bypass device lock or force an unrestricted background activity launch.
- If Quick Nod triggers while locked, surface the Android-appropriate notification/action and continue after user authentication.
- Foreground-service startup restrictions on modern Android must be respected; Always Ready is initiated through explicit user action.

5. Google Play compliance notes

- As of 31 August 2026, new apps and app updates submitted to Google Play must target Android 16 / API 36 or higher.
- Apps targeting Android 14+ that use foreground services must declare service types and complete relevant Play Console foreground-service declarations.
- Play Console may require a video demonstrating foreground-service functionality and user-trigger path.
- Privacy policy and Data Safety disclosures must match actual sensitive-permission/data behavior.

6. Release evidence

- Permission matrix by API 26 through current target.
- Screenshots/video of user enabling Always Ready.
- Manifest service type and permissions review.
- OEM battery-management behavior test notes.
- Data Safety SDK inventory and permission-to-feature mapping.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

08 Nod UI UX Design System Accessibility Content

1. Locked visual identity

- Logo: uploaded Nod wordmark is final and must not be redesigned without explicit owner approval.
- Primary lemon green: #BFFF00.
- Background: #FFFFFF.
- Primary text: #171717.
- Soft green surface: #F4FFE6.
- Tagline: Closer. Faster. Yours.
- Typography direction: Poppins or approved metrically compatible alternative; implementation must confirm licensing and Android packaging.

2. UX principles

- Consent before consequence.
- Nearby identity before personal identity.
- One obvious primary action per critical screen.
- Progress and failure states are explicit, not hidden behind spinners.
- No transfer can appear successful before integrity verification.
- Quick Nod feels immediate but never sacrifices lock-screen/platform security.
- Permissions explain the user benefit and offer recovery/fallback.

3. Core screen inventory

Flow	Screens
Onboarding	Splash, value proposition, how it works, profile setup/import, contextual permissions, Quick Nod setup, completion.
Home	Send, Receive, scanner, profile, history, settings/status.
Discovery	Scanning, peer list/radar, no devices, timeout/retry.
Connection	Incoming request, outgoing request, verification code, connected.
Send contact	Choose share profile, field review, recipient confirmation, send progress, complete.
Send files	Picker handoff, item preview, manifest summary, recipient wait, progress, complete.
Receive	Content offer, capacity warning, progress, verified complete, save/open options.
Quick Nod	Shake recognized animation, 60-second visibility countdown, cancel.
Safety	Block confirmation, blocked list, repeated request handling.
Settings	Nearby alias, Quick Nod, Always Ready, privacy/history, permissions, legal/about.

4. Motion system

- Discovery uses expanding lemon-green rings tied to actual state, not decorative endless animation.
- Shake activation uses a short nod/pulse motif followed by visible countdown.
- Peer connection visually joins two identities only after verification.
- Success animation is brief and never masks final verification result.
- Respect system reduced-animation/accessibility settings where available.

5. Accessibility

- Minimum comfortable touch targets consistent with Android guidance.
- Text/background contrast verified for lemon-green combinations; never rely on color alone for state.
- TalkBack labels for icons, progress, peer identity and actions.
- Dynamic font scaling does not clip primary actions.
- Transfer progress exposed semantically, including numeric percentage where meaningful.
- Error messages identify problem and recovery action.

6. Content voice

- Short, direct and calm.
- Say what Nod needs and why.
- Avoid technically inaccurate claims such as “no permissions” or “100% anonymous.”
- Preferred phrasing: “No internet required for nearby exchange” rather than “Nod never uses the internet” because platform services/updates can have separate network behavior.
- Use “Nod” as a verb sparingly and clearly: “Ready to Nod”, “Nod this contact”.

09 Nod QA Device Test Release and Signing Plan

1. Test layers

Layer	Coverage
Unit	State reducers, protocol encoding, validation, shake algorithm, phone normalization, hashing helpers.
Integration	Room repositories, DataStore, transport adapter contract tests, file temp/finalization.
UI	Compose navigation, permission denial/retry, manifest/consent, errors, accessibility.
Physical device	Wireless discovery, pairing, background, OEM battery behavior, large transfer.
Security	Malformed input, spoofed alias, replay/duplicate messages, hash mismatch, hostile filenames.
Performance	Startup, discovery latency distribution, transfer throughput, memory, battery, large files.

2. Minimum physical matrix

- Samsung current + older supported model.
- Tecno model common in Nigerian market.
- Infinix model common in Nigerian market.
- Xiaomi/Redmi.
- Google Pixel reference device.
- At least one API 26/27 or earliest practically obtainable supported device.
- At least one device on current target-generation Android.

3. Pair matrix

- Samsung <-> Samsung
- Samsung <-> Tecno
- Tecno <-> Infinix
- Xiaomi <-> Samsung
- Pixel <-> Tecno
- Different Android major versions
- GMS capability present/absent detection path

4. Stress scenarios

- 100 KB, 100 MB, 1 GB and multi-GB payloads.
- Multiple mixed files.
- Cancel by sender and receiver.
- Peer walks out of range.
- Screen off/lock during transfer.
- App backgrounded.
- Low battery and low storage.
- Wi-Fi already connected to access point.
- Mobile data on/off.
- Incoming phone interruption.
- Process death / app restart.

- Version mismatch.

5. Release signing

- Use Play App Signing for production distribution.
- Keep upload key in controlled encrypted storage with recovery procedure.
- Never embed signing key or credentials in repository/CI logs.
- Use separate debug, internal, beta and production build configurations as needed.
- Generate and archive release SBOM/dependency inventory, ProGuard mapping and exact source commit/tag.

6. Rollout

45. Internal testing track.
46. Closed beta with representative OEMs.
47. Fix crash/security/policy findings.
48. Staged production rollout beginning with a small percentage where available.
49. Monitor Play vitals/support reports and pause rollout on critical regressions.

7. Exit criteria

- No known critical/high security issue.
- 100% completed test transfers hash-verify.
- Required Play declarations and policy URLs live.
- Crash-free and ANR metrics acceptable in beta.
- No unresolved blocker on minimum supported OS/OEM matrix.
- Legal/operator placeholders resolved in public documents.

10 Nod Privacy Policy

Complete before publishing

Replace all bracketed operator details, confirm the final SDK list and have the policy reviewed by counsel.

Public URL: [PUBLIC WEBSITE / POLICY URL].

1. Who we are

Nod is operated by [NOD OWNER / LEGAL ENTITY], with registered address at [REGISTERED ADDRESS]. Privacy questions can be sent to [PRIVACY EMAIL / DPO CONTACT].

2. What Nod is designed to do

Nod helps nearby Android users discover one another, verify a direct connection and exchange selected contact details and files. The core v1 product does not require a Nod account or a Nod-operated cloud content server for nearby exchange.

3. Information Nod handles

- Profile information you choose to enter or import, such as your display name, photo, phone number, email address, company, job title, website or other optional sharing fields.
- Nearby alias, temporary peer/session identifiers and connection state needed to discover and connect devices.
- Contact fields and files you explicitly choose to send or receive.
- Camera frames/text candidates while you use the number scanner. Nod is designed to process scanner input locally and to let you review the result.
- Accelerometer/sensor events while Shake to Nod is enabled. These events are used to recognize the gesture and are not intended to become a movement history.
- Local transfer-history metadata, such as direction, content category, item count, peer alias, time, status and byte count.
- Android permission and capability states needed to enable features.

4. Where information is stored

Your Nod Profile and settings are intended to be stored in Nod's private storage on your device. Sensitive profile fields should be encrypted using device-protected keys. Nod is designed to exclude sensitive identity material from ordinary platform cloud backup where technically applicable. Files you successfully receive are saved to Android-managed user storage only after the applicable receive/finalization flow.

5. Sharing with another Nod user

When you choose to share, the selected information is transmitted to the nearby device you approve. Connecting to a device is separate from approving a specific contact or file transfer. Nod does not intend to broadcast your full contact profile merely to make you discoverable.

6. Third-party platform services

Nod may rely on Android, Google Play services and bundled libraries to provide nearby connectivity, on-device recognition, app distribution, crash/security functions or other platform capabilities. Those providers may process technical or diagnostic information under their own terms. The exact production SDK inventory and Google Play



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

Data Safety disclosures must match the released build. Nod will update this policy if material processing changes.

7. Permissions

Depending on your Android version and the feature you use, Nod may request access relating to nearby devices/Bluetooth/Wi-Fi or legacy location, contacts, camera, selected photos/media or documents, notifications and foreground-service capabilities. Permissions are requested for stated features and can be changed in Android settings. Denying one permission should not disable unrelated features where technically possible.

8. Retention

- Nod Profile and Share Profiles: until you edit/delete them, clear app data or uninstall Nod, subject to platform behavior.
- Incomplete incoming files: temporary and deleted after failure/cancellation/cleanup.
- Pending received contact data: used for the receive/save flow and not intended as a separate permanent address book.
- Transfer history: stored locally until cleared or according to the product retention setting published in the final app.
- No Nod-operated central content archive is intended for v1 nearby transfers.

9. Your choices and rights

You can edit or delete your local profile, choose which fields to share, decline transfers, clear local history, block peers, disable Shake to Nod/Always Ready, revoke Android permissions and uninstall the app. Where the operator processes personal data subject to applicable law, you may also exercise statutory data protection rights by contacting the privacy address above.

10. Children

Nod is not presently designed as a child-directed service. The operator must finalize the app's target-age and Google Play Families posture before release. If the final product is directed to or knowingly used by children in a manner that triggers additional legal or Play obligations, this policy and product controls must be updated before that use is supported.

11. Security

Nod uses technical and product safeguards intended to protect local profile data and transfers, including device-private storage, encryption for sensitive profile data, human peer verification, explicit transfer approval, temporary-file handling and integrity verification. No system can guarantee absolute security.

12. Changes

We may update this policy when Nod's features, SDKs, legal obligations or data practices change. Material changes should be reflected in-app and on the public policy URL with an updated effective date.

13. Contact

Privacy: [PRIVACY EMAIL / DPO CONTACT]

Support: [SUPPORT EMAIL]

Operator: [NOD OWNER / LEGAL ENTITY]

Address: [REGISTERED ADDRESS]

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

11 Nod Terms EULA Acceptable Use

Legal review required

This agreement contains enforceable contract language and must be completed with the real operator identity and reviewed by counsel before acceptance is requested from users.

1. Agreement

These Terms govern your use of the Nod Android application provided by [NOD OWNER / LEGAL ENTITY] ("Nod", "we", "us"). By installing or using Nod after these Terms are presented, you agree to them to the extent permitted by applicable law. If you do not agree, do not use the app.

2. Licence

Subject to these Terms, Nod grants you a limited, personal, non-exclusive, non-transferable, revocable licence to install and use the app on compatible Android devices for lawful personal or internal business use. No ownership of the app, source code, branding or documentation is transferred to you.

3. Your content and device-to-device transfers

You remain responsible for content you choose to send. You represent that you have the right to send it and that your transfer does not violate law, privacy, confidentiality, intellectual-property or contractual rights. Nod does not grant you rights in content received from another user.

4. Acceptable use

- Do not use Nod to distribute malware, unlawful content, stolen/confidential material, harassment or content you have no right to share.
- Do not impersonate another person or intentionally mislead peers about your identity.
- Do not attempt to bypass pairing, security, rate limits or platform protections.
- Do not reverse engineer or circumvent technical protections except to the extent such restriction is prohibited by applicable law or an open-source licence expressly permits it.
- Do not use Nod to interfere with networks, devices or other users.

5. Nearby identity and consent

A nearby alias is not proof of a person's identity. You are responsible for comparing the verification information displayed on both devices and confirming you are connected to the intended person. Accepting a device connection does not require you to accept any offered content.

6. Availability and compatibility

Nod depends on compatible Android hardware, operating-system features, permissions and third-party platform services. Features may vary by Android version, manufacturer, device settings or service availability. We may change or discontinue features for security, policy or technical reasons.

7. Updates

Updates may be required to maintain compatibility, security or access to the service. Older versions may be unable to communicate with newer protocol versions after reasonable compatibility windows.

8. Intellectual property

The Nod app, original source code, documentation, visual designs and branding are owned by [NOD OWNER / LEGAL ENTITY] or its licensors, subject to applicable open-source licences. “Nod” and its logo may also be protected as trademarks where registered or otherwise protected by law.

9. Privacy

The Nod Privacy Policy explains the app’s handling of personal and device data and forms part of these Terms where applicable.

10. Disclaimers

To the maximum extent permitted by law, Nod is provided on an “as available” basis. We do not warrant uninterrupted discovery, transfer speed, universal device compatibility or that every received file is safe or useful. Nothing in these Terms excludes rights or warranties that cannot lawfully be excluded.

11. Limitation of liability

To the maximum extent permitted by applicable law, the operator is not liable for indirect, consequential, special or punitive losses arising from use of Nod, loss of data caused by device failure or user action, or content exchanged between independent users. Any limitation is subject to mandatory consumer and statutory rights and should be finalized by counsel for the operator’s launch jurisdictions.

12. Suspension / termination

You may stop using Nod at any time and uninstall it. We may limit or end access to distributed versions or supporting services when necessary for law, security, abuse prevention, platform compliance or product discontinuation, subject to applicable law.

13. Governing law and disputes

The final operator should select the appropriate governing-law and dispute forum after legal review. Draft position: laws of the Federal Republic of Nigeria, without limiting mandatory rights that apply to a user in another jurisdiction. Parties should first attempt good-faith resolution through the support contact before formal proceedings where appropriate.

14. Contact

[NOD OWNER / LEGAL ENTITY]

[REGISTERED ADDRESS]

Support: [SUPPORT EMAIL]

Legal/privacy: [PRIVACY EMAIL / DPO CONTACT]

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

12 Nod IP Copyright Trademark and Open Source Policy

1. IP inventory

Asset	Protection / action
Nod source code	Copyright; contributor ownership chain; optional Nigerian copyright notification/registration evidence.
Nod protocol/documentation	Copyright; confidential until publication decisions are made.
Nod logo / artwork	Copyright in artwork plus trademark protection strategy.
Nod name	Primarily trademark/trade-name strategy; copyright does not protect a name/title by itself.
UI screens / illustrations	Copyright in original visual works; maintain source files and creation records.
Open-source dependencies	Governed by third-party licences; preserve notices and source/offer obligations where applicable.

2. Copyright notice

Production notice

© 2026 [NOD OWNER / LEGAL ENTITY]. All rights reserved, except for third-party components made available under their respective licences.

Under Nigerian copyright law, protection generally arises automatically when an eligible original work is created/fixed; the Nigerian Copyright Commission also operates a voluntary registration/notification system. Computer programs are treated as literary works for copyright purposes. Registration is useful evidentiary/administrative support but is not the condition that creates copyright.

3. Registration package checklist

- Confirm legal copyright owner.
- Prepare representative source-code deposit/material as permitted by registration process and confidentiality strategy.
- Register/notify software/documentation with NCC if owner decides the evidentiary value is worthwhile.
- Retain Git history, design source files, dated specifications and signed contributor assignments.
- Maintain release archive identifying exact version corresponding to any registration submission.

4. Trademark strategy

- Perform professional clearance search for “Nod” and the locked logo in relevant classes/jurisdictions before launch investment.
- File word mark and/or device/logo mark as advised by trademark counsel.
- Do not place ® unless registration has actually issued in the relevant jurisdiction.
- Use ™ where appropriate as an unregistered claim only after counsel/brand review.
- Maintain evidence of first commercial use and brand guidelines.

5. Brand usage policy

- The uploaded Nod logo is locked; do not redraw, distort, recolor or alter proportions without brand-owner approval.
- Approved core palette: #BFFF00, #FFFFFF, #171717, #F4FFE6.
- Keep clear space around the wordmark and ensure contrast.

- Third parties may not imply endorsement, partnership or official status without written permission.

6. Open-source software policy

- 50. Every dependency is recorded with package, version, source, licence, purpose and transitive-risk notes.
- 51. No dependency is added to production without licence compatibility review.
- 52. Copyleft/network-copyleft licences receive explicit legal/engineering review before use.
- 53. At release, generate Third-Party Notices containing all required attributions and licence texts/links.
- 54. Source-offer or redistribution obligations are satisfied where applicable.
- 55. Security/maintenance status is evaluated alongside licence terms.

7. Third-Party Notices template

Component: [NAME]

Version: [VERSION]

Copyright: [THIRD-PARTY NOTICE]

Licence: [SPDX/NAME]

Source: [URL]

Required notice/text: [INSERT]

Nod modifications: [IF ANY]

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

13 Nod Developer Contractor IP Assignment and NDA Template

Do not sign without completion

Insert parties, consideration/fees, scope, dates, governing law and any employment/contractor-specific clauses. Counsel should adapt this template to the actual relationship.

1. Parties

This Agreement is between [NOD OWNER / LEGAL ENTITY] ("Company") and [CONTRIBUTOR / CONTRACTOR FULL LEGAL NAME] ("Contributor"), effective [DATE].

2. Services / contribution

Contributor will perform the development, design, documentation, testing, research or other services described in Schedule A and will deliver all work product, source files, credentials and documentation identified there.

3. Ownership and assignment

To the fullest extent permitted by law, Contributor assigns to Company all transferable economic rights, title and interest in work product created specifically for Nod under the engagement, including source code, designs, specifications, documentation, test assets and original graphics, upon the agreed consideration/payment terms. Where rights cannot legally be assigned, Contributor grants the broadest exclusive, irrevocable, worldwide, perpetual licence permitted by law for Company to use, reproduce, modify, distribute, commercialize and sublicense the work product.

4. Pre-existing materials

Contributor must identify in Schedule B any pre-existing code, tools, fonts, assets, templates, libraries or other materials incorporated into the work. No undisclosed third-party material may be included. Open-source components must be listed with exact licence and version.

5. Moral rights / consents

To the extent permitted by applicable law, Contributor consents to Company's editing, adaptation, combination and commercialization of work product and agrees not to assert waivable moral rights against authorized Company use. Non-waivable rights remain subject to law.

6. Confidentiality

Contributor shall protect non-public Nod source code, product plans, protocol details, credentials, security findings, business information and user/test data and shall use them only to perform the engagement. Confidentiality does not apply to information independently developed, lawfully known without restriction, or public through no breach.

7. Security

- No production secrets in personal/public repositories.
- Report suspected credential leak/security defect promptly.
- Use Company-approved access controls and return/delete confidential materials at engagement end.



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- Do not use real user personal data for development unless expressly authorized and protected.

8. Warranties

Contributor warrants that, to their knowledge, the original work product is created by them or lawfully licensed, does not knowingly infringe third-party rights, and contains no intentionally concealed malicious functionality. Any third-party/open-source materials must be disclosed.

9. Further assurances

Contributor will execute reasonable documents needed to evidence the assignment/registration of Company rights in the work product, subject to agreed reimbursement of extraordinary expenses.

10. Governing law / entire agreement

[INSERT COUNSEL-APPROVED GOVERNING LAW, DISPUTE FORUM, INDEPENDENT CONTRACTOR/EMPLOYMENT STATUS, PAYMENT, TERMINATION, TAX, LIABILITY AND ENTIRE-AGREEMENT CLAUSES].

Schedule A - Deliverables

[LIST MODULES / DESIGNS / DOCUMENTS / DEADLINES / ACCEPTANCE / PAYMENT MILESTONES]

Schedule B - Pre-existing / third-party materials

[NONE, or list every item, version, licence and repository/source URL]

Signatures

Company	Contributor
Name: _____ Title: _____ Signature: _____ Date: _____	Name: _____ Signature: _____ Date: _____

14 Nod Google Play Data Safety Listing Compliance Workbook

1. Release assumptions

- Android mobile app.
- New public Google Play submission after 31 August 2026 -> target API 36+ required.
- No user account for v1.
- Sensitive permissions/capabilities are feature-driven.
- Foreground service may be used for user-enabled Always Ready/Quick Nod behavior.

2. Data Safety working inventory

Do not copy blindly into Play Console

Play Data Safety must be answered from the final binary and every included SDK. "Processed only on device" can be treated differently from "collected" under Play definitions; verify current Play guidance at submission time.

Data category	App purpose	Expected handling	Submission action
Name/contact info	Local Nod Profile and user-directed contact sharing	Primarily on device; shared to chosen peer	Verify whether Play treats local-only handling as collected; disclose any SDK collection.
Photos/videos/files	User-directed transfer	Selected content to nearby peer	Verify SDK path and transient handling.
Camera	Number scanner	On-device analysis	Declare permission/use; verify ML Kit bundled model behavior.
Device/other identifiers	Nearby endpoint/session identifiers	Connectivity/session	Inventory Google Play services behavior.
App interactions / diagnostics	Local state/support	No Nod analytics by default	If crash/analytics SDK added, update policy/Data Safety first.

3. App content declarations

- Privacy Policy URL and in-app access.
- Data Safety form.
- Ads declaration: expected No for v1 unless monetization changes.
- App access: explain no login if applicable.
- Target audience and content.
- Content rating questionnaire.
- Foreground service declaration with use description and demonstration video if required.
- Permissions declarations where Play classifies permissions as restricted/sensitive.

4. Store listing draft

App name: Nod

Short description draft: Share contacts and files with nearby Android devices - direct, private by design, and built for quick offline exchange.

Long description themes: no account required for core exchange; verified nearby connection; choose exactly what to share; photos/videos/documents; Quick Nod; local profile; explicit consent. Avoid unsupported superlatives or absolute security/privacy claims.

5. Visual assets checklist

- Final app icon derived from locked Nod mark.
- Feature graphic using approved palette.
- Phone screenshots from actual release build, not misleading concept screens.
- Optional demonstration video if used; foreground-service video may be separately required for policy review.

6. Review notes template

Core test flow: Open Nod -> start Send/Receive -> grant nearby permission -> pair two devices -> verify matching code -> select/approve content -> transfer. Always Ready is optional and can be enabled in Settings -> Quick Nod. No login is required.

7. Pre-submission audit

- Final binary's permissions equal documentation.
- Privacy policy equals final data practices.
- SDK versions/licences reviewed.
- Foreground service types match actual use.
- Target API compliant.
- Content rating and age settings match product.
- Public support/privacy URLs return 200 and are readable without login.
- No placeholder legal fields remain.

Authoritative references

These links are included for implementation and legal review. Requirements can change; verify them again immediately before release.

- **Nigeria Data Protection Act 2023:** <https://ndpc.gov.ng/download/nigeria-data-protection-act-2023>
- **NDP Act General Application and Implementation Directive (GAID) 2025:** <https://ndpc.gov.ng/wp-content/uploads/2025/07/NDP-ACT-GAID-2025-MARCH-20TH.pdf>
- **Nigeria Data Protection Commission resources:** <https://ndpc.gov.ng/resources/>
- **Copyright Act 2022 - Nigerian Copyright Commission:** <https://www.copyright.gov.ng/CopyrightAct/>
- **Nigerian Copyright eRegistration System:** <https://eregistration.copyright.gov.ng/>
- **Google Play - User Data policy:**
<https://support.google.com/googleplay/android-developer/answer/10144311>
- **Google Play - Prepare your app for review:**
<https://support.google.com/googleplay/android-developer/answer/9859455>
- **Google Play - Target API requirements:**
<https://support.google.com/googleplay/android-developer/answer/11926878>
- **Google Play - Foreground service requirements:** <https://support.google.com/googleplay/android-developer/answer/13392821>

15 Nod Security Incident Vulnerability Disclosure and Support

1. Incident severity

Severity	Examples	Response
Critical	Key compromise; exploitable remote code execution; systematic disclosure of user content	Immediate release stop/rollback, incident lead, containment, counsel/privacy escalation.
High	Authentication bypass; unauthorized profile exposure; widespread transfer integrity failure	Prioritized containment and hotfix; assess notification obligations.
Medium	Localized privacy bug, denial of service, limited data exposure	Triage, fix in scheduled security release based on risk.
Low	Hardening issue with no practical exploit	Track and remediate normally.

2. Incident workflow

56. Detect/report.
57. Preserve relevant logs/build/version evidence without collecting unnecessary user content.
58. Classify severity and affected versions.
59. Contain: disable rollout, revoke credentials or publish mitigation where possible.
60. Eradicate root cause and test fix.
61. Assess legal/regulatory/user notification duties with counsel/DPO.
62. Release staged remediation.
63. Post-incident review and update threat model/tests.

3. Vulnerability disclosure policy - public draft

If you believe you found a security vulnerability in Nod, contact [SECURITY EMAIL]. Include the affected app version, device/Android version, reproduction steps and impact. Do not access, alter, retain or publicly disclose other users' data. We will acknowledge valid reports as reasonably practicable, investigate in good faith and provide status updates where appropriate. This policy does not authorize unlawful testing, denial-of-service attacks, social engineering, physical attacks, or testing of systems you do not own or have permission to test.

4. Support policy

- Primary support: [SUPPORT EMAIL].
- Collect only information necessary to troubleshoot.
- Never ask users to email private transferred files or full contact databases unless strictly necessary and expressly consented.
- Provide a diagnostics export feature that redacts content and sensitive profile fields before any remote support workflow is introduced.
- Record recurring OEM/permission issues in a compatibility knowledge base.

5. Complaint handling

64. Acknowledge complaint.
65. Categorize technical, privacy, abuse or billing issue.
66. Escalate privacy/security complaints to designated owner.



Closer. Faster. Yours.

Master Product, Engineering, Legal & Launch Binder

- 67. Document resolution and systemic corrective action.
- 68. Retain complaint records according to a defined operational retention schedule, not indefinitely.

16 Nod Change Management Maintenance and End of Life Policy

1. Versioning

- App semantic version: MAJOR.MINOR.PATCH for product releases.
- Protocol has its own major/minor compatibility version.
- Database schema migrations are versioned and tested from supported upgrade paths.
- Every production build maps to immutable source commit/tag and dependency lock state.

2. Change classes

Class	Examples	Required review
Security-critical	Pairing, crypto, permissions, file finalization	Security + architecture + QA.
Privacy-impacting	New SDK, analytics, cloud service, new personal data field	DPIA/privacy policy/Data Safety review before merge/release.
Protocol-breaking	Envelope/message semantics	Compatibility ADR, migration/deprecation plan, cross-version test.
UI-only	Copy/layout not affecting permissions/data	Design/accessibility QA.
Dependency-only	Library update	Licence/security/regression review.

3. Maintenance cadence

- Monthly dependency/security review during active development.
- Immediate review of critical Android/Google Play policy deadlines.
- Quarterly re-validation of privacy policy and SDK inventory once public.
- Annual threat model/DPIA review or earlier after material feature change.

4. End-of-life

If Nod is discontinued, the operator should publish reasonable notice where practicable, explain which versions will stop receiving security updates, remove unsupported store listings when appropriate, and preserve users' ability to access locally stored files/contact information through ordinary Android storage/contacts where the app architecture allows. Because v1 has no mandatory cloud account, service shutdown should not remotely delete user-owned files.

5. Policy synchronization rule

One release, one truth

A release is blocked when code behavior, Privacy Policy, Play Data Safety answers, permissions documentation, OSS notices or protocol documentation disagree materially.