

PRO TIPS

from RStudio Customer Success



Creating Efficient Workflows with pins

When your workflow is clunky

- Does your workflow contain `read.csv()` for a data file that your colleague emails to you after every update?
- Are you working with ephemeral data that refreshes frequently?
- Do you need to redeploy your app every time the supporting data is updated?
- Do multiple apps you've created need to call a model that you developed?
- Are you saving `.R` or `.RData` objects to be called later?

These types of workflows can slow you down unnecessarily. Data scientists can struggle to share and reuse content; knowing how and where to store resources, especially resources that can't be put into a database, is a persistent problem.

This is where Pins come in. Here at RStudio, we developed Pins to make the process of discovering, caching, and sharing resources simpler, all with the ultimate aim of helping you create efficient data workflows.

If you're asking your colleagues to download files before running your code, redeploying an entire app just to update the model or data in it, or if many pieces of your content are pointed to the same dataset, you have a use case for pins.

What are Pins?

Pins are pretty much what they sound like: they're a way to store and then remotely access R and Python objects, just like you'd pin a sticky note to a (virtual) cork board.

You can take an object, like a model output, and "pin" it to your board, which can be RStudio Connect, S3, Google Cloud, or even your website.

Once you've Pinned a resource, other folks can discover them. This is great for two reasons: first, Pins on sites like Kaggle let you search well-known

data repositories that are guaranteed to contain datasets, instead of searching on the internet and hoping to find what you need. Secondly, Pins also enhance the discoverability of internally-created datasets with the same access controls you're accustomed to for any content published to Connect, which is great for learning more about what your colleagues are up to.

In the next section, you'll learn how to Pin your first resource using RStudio Connect. From there, you can check out this website <https://pins.rstudio.com> for further inspiration on how to use Pins to make your day-to-day life easier.

How to Use Pins / Example or walk me through my first pin

You can think of this process in four main steps: First, install the package. Second, get your R session to connect with your board. Third, and most excitingly, you Pin a resource. Finally, you can get resources that you or others have Pinned. Let's walk through each step using RStudio Connect as an example.

Before you begin, make sure you have all the resources you'll need to hand. Go ahead and pick out a data set you want to pin. Make sure you have the API key you'll need to use, as well as Publisher permissions on Connect.

That's all you need to get started!

First step: go ahead and install the pins package.

```
install.packages("pins")
```

Next, connect your R session to a board. Before you can publish your first pin to the RStudio Connect board, you have to get an API key from Connect and save this to your system environment variables. This is the best practice, instead of hard coding the API key into your script. Remember, your keys should be kept secure! This is not as intimidating as it sounds - let's walk through the steps.

Generate an API key in RStudio Connect.¹ Give this key any name you like, like `forusingpins` and be certain to copy the value to your clipboard.

¹for full instructions, see <https://docs.rstudio.com/connect/user/api-keys/>



PRO TIPS

from RStudio Customer Success



Save this API key to your system environment variables. You can do this by switching back to your RStudio IDE and run the following in the Console, pasting your API key value into the command:

```
Sys.setenv("RSC_API_KEY" = "key value")
```

“Register” the board.² Add the following to your script, inserting your own server address:

```
pins::board_register(  
  "rsconnect",  
  server = "https://rstudioconnect.example.com/",  
  key = Sys.getenv("RSC_API_KEY")  
)
```

The third step: you’re going to Pin your first resource. Put your object on the rsconnect board with:

```
pin(my_data, description = "Super Cool data set", board = "rsconnect")
```

Code to retrieve the pin will now be provided on the deployed content in RStudio Connect: `setsData <- pin_get("username/my_data", board = "rsconnect")`

You’re ready to publish your Pin. The first time you publish, it will fail saying “[Connect] Message: ‘Invalid API key, the API key is empty.’” because there is no key on the environment variable on connect. Go put RSC_API_KEY in environment variables and refresh.

How to share your pin with others

Retrieving a pin

Where do i go for help / other resources / are there any other considerations?

- current release version as of time of writing, where to get the package for a downloadable example that accompanies this Pro Tip, see: Should we add this in somehow? Go try on your own: Pins is particularly useful for sharing R objects when the objects are

²Don’t let the vocabulary throw you. This just means you’re identifying a location where you can store resources

