

Cedar Valley Reference Laboratory

4120 Meridian Park Blvd, Suite 200 · Austin, TX 78744
CLIA #45D0000000 · Director: Priya N. Raman, MD, PhD, FCAP · (512) 555-0148

LABORATORY REPORT

Accession: CVRL-26-0788143
Report Status: FINAL

PATIENT NAME	DATE OF BIRTH / AGE / SEX	MRN
Angulo, Sergio	1979-03-14 / 47 / M	OE-000023
ORDERING PROVIDER	SPECIMEN COLLECTED	SPECIMEN RECEIVED
A. Mercado, MD	2026-07-08 09:40	2026-07-08 15:12
REPORT RELEASED	SPECIMEN TYPE	FASTING
2026-07-09 07:05	Serum / Whole Blood (EDTA)	Yes

TEST	RESULT	FLAG	REFERENCE RANGE	UNITS	PRIOR (2026-01-06)
COMPREHENSIVE METABOLIC PANEL					
Glucose, Fasting	108	H	70–99	mg/dL	96
Sodium	140		136–145	mmol/L	139
Potassium	5.4	H	3.5–5.1	mmol/L	4.6
Chloride	104		98–107	mmol/L	102
Carbon Dioxide (CO2)	24		22–29	mmol/L	25
Urea Nitrogen (BUN)	27	H	7–20	mg/dL	18
Creatinine	1.44	H	0.70–1.30	mg/dL	1.06
eGFR (CKD-EPI 2021)	54	L	≥60	mL/min/1.73m²	78
BUN/Creatinine Ratio	19		9–20	—	17
Calcium	9.4		8.6–10.2	mg/dL	9.5
Total Protein	7.1		6.0–8.3	g/dL	7.0
Albumin	4.3		3.5–5.0	g/dL	4.4
Bilirubin, Total	0.6		0.2–1.2	mg/dL	0.5
Alkaline Phosphatase	78		40–129	U/L	72
AST (SGOT)	24		10–40	U/L	22
ALT (SGPT)	27		7–56	U/L	25
COMPLETE BLOOD COUNT WITH DIFFERENTIAL					
White Blood Cell Count	7.9		3.8–10.8	10³/µL	7.2
Red Blood Cell Count	4.92		4.20–5.80	10⁶/µL	4.88
Hemoglobin	15.1		13.2–17.1	g/dL	15.0
Hematocrit	44.5		38.5–50.0	%	44.1
MCV	90		80–100	fL	90
Platelet Count	262		140–400	10³/µL	254
Neutrophils	52		40–70	%	55
Lymphocytes	32		22–44	%	31
Monocytes	6		4–11	%	6
Eosinophils	9	H	0–5	%	6
Basophils	1		0–2	%	1
Eosinophils, Absolute	0.71	H	0.00–0.50	10³/µL	0.43

PERFORMING LABORATORY COMMENT

Renal function has declined since the prior draw: creatinine 1.06 → 1.44 mg/dL with eGFR 78 → 54 mL/min/1.73m² (now CKD stage G3a range), accompanied by potassium 5.4 mmol/L and BUN 27 mg/dL. Pattern is consistent with a pre-renal / NSAID-related effect; correlate with medications and consider repeat renal panel. Peripheral eosinophilia (9%, absolute 0.71 10³/µL) noted — correlate clinically with atopic/allergic history. Results reviewed and released by the performing laboratory.

Flag key: H = above reference range · L = below reference range. Reference ranges are method- and instrument-specific. Prior values shown for the same analyte from the most recent available prior specimen (2026-01-06).

Electronically signed: Priya N. Raman, MD, PhD, FCAP — Laboratory Director · 2026-07-09 07:05 CT