






O.G. Trading Ltd





The Home of all Doors

‘OG’ is the oldest and largest doors manufacturer in Israel and a daughter company of ‘Masonite Carmiel’ that belongs to ‘Masonite U.S’ one of the world’s most important and leading company in the doors area. Since its inception in 1996, ‘Open Gallery’ has been a prominent pioneer and innovator in the doors area. The company that owns 6 branches throughout the country including manufacturing facilities has genuinely revolutionized the way the market and industry have perceived doors. Under the same roof its chain of stores offers a large variety of security doors; exterior and interior doors yet addressing and accommodating a wide scope of requirements and desires.

Open Gallery’s R&D department staffed by a team of engineers and designers utilizes advanced materials, latest technologies and modern designs, but above all is responsible to maintain the highest quality in order to comply with the most stringent standards and requirements as demanded by local and international markets.

All this, while maintaining a deep thought and comprehension that a door is the house’s showcase and an essential part in the conceptual design approach of the house. Moreover, the company presents a breadth line of security doors, all local made (‘Blue & White production’) characterized by advanced developments such as fire proof doors, security doors for warehouses, custom made doors made to meet personal tastes, decorative glass lamination etc’.

‘Open Gallery’ maintains a logistic center to support its sales team including also the purchasing and customers support department. Company’s products are known for their highest reputation and became synonym for their top notch up-to-date design and impeccable quality.



Gallery View

Doors with Vision



Carolina

| | |
|--|---|
| Painted steel door with a variety of MR/ RAL colors. 2 panels framed in Aluminum, combined with 4 decorative frames. | |
| Interior decoration | 2 panels framed in Aluminum |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Manhattan

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



New York

Painted steel door with a variety of MR/RAL colors combined with six Triplex isolator glazed barred windows and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Dallas

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Alabama

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Gallery Silver


Doors with a Sparkle



Alaska

Aluminum circumferential profile inlaid with white painted aluminum panels between aluminum horizontal stripes.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |





Baltimore

| | |
|--|---|
| Aluminum circumferential profile inlaid with vertical black aluminum panels between vertical aluminum stripes. | |
| Interior decoration | Identical to exterior without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Missouri

| | |
|---|---|
| Aluminum circumferential profile inlaid with a black aluminum panel with horizontal aluminum stripes. | |
| Interior decoration | Identical to exterior without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors |



Vegas

| | |
|---|---|
| Aluminum circumferential profile inlaid with black and one white painted aluminum panels between aluminum horizontal stripes. | |
| Interior decoration | Identical to exterior without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors |



Las Vegas

Aluminum circumferential profile inlaid with white and one red painted aluminum panels between aluminum horizontal stripes.

| | |
|----------------------------|---|
| Interior decoration | One color without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Denver

Aluminum circumferential profile inlaid with a black painted aluminum panel with rows of stainless steel cubes.

| | |
|----------------------------|---|
| Interior decoration | Without stainless steel cubes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Utah

Aluminum circumferential profile inlaid with a black painted aluminum panel with rows of stainless steel cubes.

| | |
|----------------------------|---|
| Interior decoration | Without stainless steel cubes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Washington

Aluminum circumferential profile inlaid with painted aluminum panels +1 wood pattern panel and aluminum horizontal stripes.

| | |
|---------------------|---|
| Interior decoration | One color without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Vermont

| | |
|---|---|
| Aluminum circumferential profile inlaid with different painted aluminum panels. | |
| Interior decoration | One color without pattern |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Wyoming

| | |
|---|---|
| Aluminum circumferential profile inlaid with different painted aluminum panels. | |
| Interior decoration | One color without pattern |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



New Mexico

| | |
|---|---|
| Aluminum circumferential profile inlaid with different painted aluminum panels. | |
| Interior decoration | One color without pattern |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Damka

Aluminum circumferential profile inlaid with checkered aluminum panels in different colors.

| | |
|---------------------|---|
| Interior decoration | One color without pattern |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |





San Francisco

| | |
|--|---|
| 2 Horizontal painted aluminum panels with vertical silver aluminum panels between vertical aluminum stripes. | |
| Interior decoration | One color without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



Indiana

| | |
|---|---|
| Aluminum circumferential profile inlaid with painted aluminum panels between aluminum horizontal stripes. | |
| Interior decoration | One color without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |




Alaska 5 Panels

| | |
|---|---|
| Aluminum circumferential profile inlaid with painted aluminum panels between aluminum horizontal stripes. | |
| Interior decoration | One color without stripes |
| Wing Thickness | 60 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |

Gallery Wind

Doors that Blow your Mind



Miami sw

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed white barred window and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Miami

| | |
|---|---|
| Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed black barred window and decorative frames. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Bronx

| | |
|---|---|
| Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and with decorative elements and frames. | |
| Interior decoration | Two frames and window only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Orlando

| | |
|---|---|
| Painted steel door with a variety of MR/RAL colors combined with decorative frames - identical to Miami and without a window. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |
| Options | Aluminum panels in different colors are available |



ST7777

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and greek style decorative elements and frames.

| | |
|---------------------|---|
| Interior decoration | Window and two frames only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Bronx

| | |
|--|---|
| Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and with decorative frames. | |
| Interior decoration | Window and two frames only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Kansas

| | |
|---|---|
| Painted steel door with a variety or MR/RAL colors combined with a Triplex isolator glazed barred window and decorative frames. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Acropolis

| | |
|--|---|
| Painted steel door with a variety of MR/RAL colors combined with a greek style decorative elements and frames. | |
| Interior decoration | Window and two frames only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Broadway

Painted steel door with a variety of MR/RAL colors combined with decorative frames- Like Bronx without a window.

| | |
|---------------------|---|
| Interior decoration | Two frames only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |




Tennessee

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed white barred window and decorative frames.

| | |
|---------------------|---|
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Gallery Integral

Doors to feel Complete



Boston

Aluminum circumferential profile inlaid with an epoxy colored veneer decoration.

| | |
|---------------------|---|
| Interior decoration | Epoxy colored MDF/ veneer panel without pattern |
| Wing Thickness | 70 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Boston Dark

| | |
|--|---|
| Aluminum circumferential profile inlaid with six natural Wenge shade veneer panels and an epoxy colored MDF panel. | |
| Interior decoration | Epoxy colored MDF panel |
| Wing Thickness | 70 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Chicago

| | |
|---|---|
| Aluminum circumferential profile inlaid with an epoxy colored MDF decoration combined with 3 horizontal silver stripes. | |
| Interior decoration | Epoxy colored MDF panel |
| Wing Thickness | 70 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Gallery Decor

Doors with a Touch



Opal

Painted steel door with a variety of MR/RAL colors combined with decorative frames and a colorful mosaic.

| | |
|---------------------|---|
| Interior decoration | Two frames only |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Texas

Painted steel door with a variety of MR/RAL colors combined with a Triplex isolator glazed barred window and decorative frames.

| | |
|----------------------------|---|
| Interior decoration | Window and decorative Aluminum frame |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



California

Painted steel door with a variety of MR/RAL colors combined with three windows and a "L" shaped stainless steel cover.

| | |
|----------------------------|---|
| Interior decoration | Without the "L" shaped stainless steel cover. |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Florida

Painted steel door with a variety of MR/RAL colors combined with a stainless steel framed window.

| | |
|----------------------------|---|
| Interior decoration | Without stainless steel frame |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Sun

Painted steel door with a variety of RAL/ MR colors combined with apertures in a sun formation and a stainless steel stripe cover.

| | |
|---------------------|---|
| Interior decoration | Without stainless steel stroke |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Gallery Steel

Simple is beautiful



Saint Louis

| | |
|--|---|
| Steel door, covered with veneer wood in different colors, peripheral Aluminum profile. | |
| Interior decoration | Veneer without pattern |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Arizona

| | |
|--|---|
| Painted steel door with a variety of smooth/ granulated MR/RAL colors. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Illinois

| | |
|--|---|
| Galvanized stainless steel door, protected from corrosion, and painted with a variety of MR/RAL colors, with 4 horizontal aluminum stripes. Interior aluminum stripes are available. | |
| Interior decoration | Without aluminum stripes |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Michigan

| | |
|---|---|
| Galvanized stainless steel door, protected from corrosion, and painted with a variety of MR/RAL colors, with 2 horizontal aluminum stripes. | |
| Interior decoration | Without aluminum stripes |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Pentagon

| | |
|---|---|
| Painted steel door in a variety of MR/RAL colors combined with 1/3/5 lozenge-shaped windows in aluminum frames. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Nebraska

| | |
|--|---|
| Painted steel door with a variety of MR/RAL colors combined with two triplex glass windows in aluminum frames. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |




Queens cpl

| | |
|---|---|
| Aluminum circumferential profile inlaid with a CPL cover and two horizontal aluminum stripes. | |
| Interior decoration | Without aluminum stripes |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Gallery Basic

Doors to feel safe



Warehouse Door

| | |
|--|---|
| Institutional door with a 101 model lock, serrated cylinder and a PVC coating or MR/RAL paint. Painting and slats available for additional cost. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |



Public

| | |
|---|---|
| Galvanized steel door, protected from corrosion, and painted with a variety of MR/ RAL colors, or with a PVC coating. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |




Fire Door

| | |
|--|---|
| Fire door with two rounded fire proof windows. Fire resistance up to 1¼ hours. | |
| Interior decoration | Identical to exterior |
| Wing Thickness | 50 mm, galvanized steel |
| Lock | Multilock, sophisticated replication, 7 bolts |

Handles

Just reach out for them




Hadar



Nadav



Guy




Shahar



Inbar



Ariel



Tal



Eyal



Ofri



Sigal



Locks

You are the Key



Fingerprint Biometric Technology becomes part of our daily lives. With this technology, you never have to worry about carrying, losing or forgetting your keys.



Mercury locking system

Fast and accurate fingerprint identification recognizes your fingerprint in under a second

80 Fingerprint user capacity

80 Pin number users

4 AA batteries over 10,000 uses

Sliding cover

Stand alone (no PC required)

Last 1000 unlocking records display

Time and date modification

Validity settings for guests



Venus locking system

Fast and accurate fingerprint identification recognizes your fingerprint in under a second



150 Fingerprint user capacity

75 Pin number users

4 AA batteries over 10,000 uses

Lid cover

Stand alone (no PC required)



* The pictures, colors and handles are for illustration purposes only

