EXAMEN PRÁCTICO MÓDULO 1

1. Crear un par de claves nuevo



Key-pair 2





2. Lanzar una instancia de servidor web



Selección OS



Tipo de instancia y seleccionar key-pair



Configurar Networking



Secutity group





Configuración disco



User data

Lanzamiento de instancia





It works!


Instance summary for i-0e8188ca8e6adcb3b (examen-jose-manuel-cruz) Info
Connect
Instance state
Actions
Updated less than a minute ago
Instance ID
i-0e8188ca8e6adcb3b
Public IPv4 address
34.239.146.195 | open address
Private IPv4 addresses
172.31.13.206
IPv6 address
–
Instance state
Running
Public DNS
ec2-34-239-146-195.compute-1.amazonaws.com | open address
Hostname type
IP name: ip-172-31-13-206.ec2.internal
Private IP DNS name (IPv4 only)
ip-172-31-13-206.ec2.internal
Answer private resource DNS name
–
Instance type
t3.micro
Elastic IP addresses
–
Auto-assigned IP address
34.239.146.195 [Public IP]
VPC ID
vpc-00f479057476a2db8
AWS Compute Optimizer finding
User: arn:aws:iam::654654478122:user/students/manuelnago@gmail.com is not authorized to perform: compute-optimizer:GetEnrollmentStatus on resource: * because no identity-based policy allows the compute-optimizer:GetEnrollmentStatus action
Retry
IAM role
–
Subnet ID
subnet-00227b47a5f26ec04
Auto Scaling Group name
–
IMDSv2
Instance ARN
Managed

No seguro
34.239.146.195

It works!

3. Conectarse a la instancia de Linux via SSH

```
ED25519 key fingerprint is SHA256:uw8cBo0FQpDG2Yfh6Qjkb06sem9M1IPyhlA/yl5JNhY.
This host key is known by the following other names/addresses:
    C:\Users\ThinkPad/.ssh/known_hosts:8: 100.54.6.218
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '34.239.146.195' (ED25519) to the list of known hosts.
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Fri Feb 13 01:08:09 2026 from 45.65.235.37
[ec2-user@ip-172-31-13-206 ~]$ yum update -y
Error: This command has to be run with superuser privileges (under the root user on most systems).
[ec2-user@ip-172-31-13-206 ~]$ sudo su
[root@ip-172-31-13-206 ec2-user]# yum update -y
Last metadata expiration check: 0:51:30 ago on Fri Feb 13 00:55:15 2026.

Error encountered while trying to retrieve release update information: Unable to retrieve release i
nfo data. Curl error (28): Timeout was reached for https://al2023-repos-us-east-1-de612dc2.s3.duals
tack.us-east-1.amazonaws.com/core/releasemd.xml [Connection timed out after 30001 milliseconds]
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-13-206 ec2-user]#
[root@ip-172-31-13-206 ec2-user]# yum install -y httpd
Last metadata expiration check: 0:53:58 ago on Fri Feb 13 00:55:15 2026.
Package httpd-2.4.66-1.amzn2023.0.1.x86_64 is already installed.
Dependencies resolved.
Nothing to do.
Complete!
[root@ip-172-31-13-206 ec2-user]#
```

4. Crear un EBS con TAGS y asociarlo a la instancia



5.

Attach disco



4. Crear un bucket (S3) con TAGs y subir un archivo .TXT básico



Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

Object Ownership

- (●) **ACLs disabled (recommended)**
  All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.
- ( ) **ACLs enabled**
  Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

Object Ownership
Bucket owner enforced

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. Learn more

- [x] **Block *all* public access**
  Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.
  - [x] **Block public access to buckets and objects granted through *new* access control lists (ACLs)**
    S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.
  - [x] **Block public access to buckets and objects granted through *any* access control lists (ACLs)**
    S3 will ignore all ACLs that grant public access to buckets and objects.

jose-manuel	US East (N. Virginia) us-east-1	February 12, 2026, 20:31:24 (UTC-05:00)

Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDKs or Amazon S3 REST API. Learn more

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (1 total, 65.0 B)

Remove | Add files | Add folder

All files and folders in this table will be uploaded.

Find by name

1

Name	Folder	Type	Size
bucket modulo1.txt	-	text/plain	65.0 B

Destination Info

Destination
s3://jose-manuel

▶ **Destination details**
Bucket settings that impact new objects stored in the specified destination.

Archivo ya subido