




Radboud University Nijmegen

From Pattern Formation to Morphogenesis Multicellular Coordination in *Dictyostelium Discoideum* A.F.M. Marée (2000). PhD Thesis, UU.




 $\sum J_{\tau_{\sigma},\tau_{\text{median.}}} + \lambda (v_{\sigma} - V)^2, \quad (1.1)$

all σ, medium neighbours

all σ, σ' neighbours 2

Two-Scale Cellular Automata with Differential Adhesion


Mathematical model of Dictyostelium



From Pattern Formation to Morphogenesis

Multicellular Coordination in *Dictyostelium Discoideum* A.F.M. Marée (2000). PhD Thesis, UU.







Two-Scale Cellular Automata with Differential Adhesion

$$H_{\sigma} = \sum_{\text{all } \sigma, \sigma' \text{ neighbours}} \frac{J_{\tau_{\sigma}, \tau_{\sigma'}}}{2} + \sum_{\text{all } \sigma, \text{ medium neighbours}} J_{\tau_{\sigma}, \tau_{\text{nedium}}} + \lambda (v_{\sigma} - V)^2, \quad (1.1)$$

Spiral Breakup in Excitable Tissue due to Lateral Instability

Marée, A. F. M., & Panlov, A.V. (1997). *Physical Review Letters*, 78,1819-1822.





$$\frac{\partial e}{\partial t} = \Delta e - f(e) - g,$$

$$\frac{\partial g}{\partial t} = D_g \Delta g + \varepsilon(e, g)(ke - g),$$