




An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis



An n=1 Clinical Network Analysis of Symptoms and Treatment in Psychosis

	Betweenness	Closeness	Inward degree	Outward degree	Node strength
Stable state					
'Down'	5	0.032	0.78	0.92	1.70
'Loss of control'	0	0.015	0.45	0.31	0.76
'Paranoia'	4	0.026	0.87	0.62	1.48
'Hearing Voices'	0	0.015	0.51	0.39	0.90
'Relaxed'	1	0.036	0.61	0.98	1.59
Impending relapse					
'Down'	2	0.056	0.74	1.07	1.81
'Loss of control'	0	0.040	0.51	0.64	1.15
'Paranoia'	7	0.058	1.16	1.34	2.49
'Hearing Voices'	0	0.026	0.90	0.35	1.25
'Relaxed'	0	0.039	1.05	0.95	2.00
Full Relapse state					
'Down'	1	0.025	1.08	0.72	1.80
'Loss of control'	3	0.027	1.12	0.44	1.56
'Paranoia'	7	0.109	1.04	2.18	3.22
'Hearing Voices'	0	0.050	0.95	0.95	1.90
'Relaxed'	0	0.041	0.69	0.59	1.28

The Spearman correlations as suggested by reviewer #1

doi:10.1371/journal.pone.0162811.t002