Take-away Sheets

Leading with AI. One page for each session: what you keep.

Session 0

What AI is, and where it already works

What is AI, and where is it already at work in my industry?

- WHAT AI IS, AND WHERE IT ALREADY WORKS
- AI is a family: rules (a person writes every step), machine learning (learns from examples), generative AI (writes new text, pictures or code) and agents (generative AI with tools that act).
- A model learns like a new employee reading past files with their outcomes. Outcomes are labels; learning is training; the guess is a prediction. Old habits in the files are learned too.
- Four jobs: see and read (Session 1); predict (Sessions 2 and 3); understand and write language (Sessions 4 to 8); act (Sessions 9 and 10).
- Good at volume, patterns, drafts and steady care. Weak on rare cases, on truth, on fairness and when the world changes.
- Start where a mistake is cheap and the answer is easy to check. Keep a person in charge of loans and diagnoses.
- Cases: URA says UGX 200 billion recovered in one year (speech claim). PlantVillage Nuru 74 to 88% on six leaves, 49% on one. Penda Health 16% fewer diagnostic errors (vendor-funded preprint). Safaricom: laundering via betting firms found (company figures).
- Adoption: 88 in 100 organisations use AI; 39 in 100 see any profit effect (McKinsey 2025). Uganda: about 7 in 100 working-age people use generative AI (Microsoft, H2 2025).
- Recorded demonstration, Nile Valley Foods (fictional): rule 7 of 12, chatbot 9 of 12 exact (Claude, 4 Nov 2026), trained model 54 to 58 in 100 on 40 messages. Each fails differently; a person checks.
- Shadow AI: staff using AI tools without approval. Ask your team three questions, without blame.
- Your AI Opportunity Portfolio: use, in, out, who, how we would know it works, which job. Two entries today.

I keep: Your chosen industry and the first page of your AI Opportunity Portfolio, with two entries. Session 1 adds a use where AI sees or reads for you.

Session 1

AI that sees and reads: images, documents and speech

What can AI see or read for us, and when should we not trust what it sees?

- AI THAT SEES AND READS: IMAGES, DOCUMENTS AND SPEECH
- To a computer a picture is a grid of dots (pixels), each a number. A phone photo is millions of numbers.
- A model learns to see from thousands of examples labelled by experts (the training data), like an apprentice taught by a senior.
- It looks in layers: small details, then shapes, then the answer (a neural network; many layers make deep learning).
- Reading documents (OCR) and turning speech into text (speech recognition) are the same idea, applied to pages and to sound.
- Good at volume and consistency. Struggles when a new picture differs from its examples: another camera, poor light, a shift, a language with few recordings, something it never saw.
- Recorded run, 5 November 2026: learned from 1,347 labelled digits, read 436 of 450 new ones correctly (97 in 100); moved one dot, 46 in 100; two dots, 14 in 100.
- Cases: One Acre Fund Burundi (up to 70% less work, vendor estimate), MASAI Sweden (44% less reading, interim), Kenya Judiciary (about 80% by its own account), Google in Thai clinics (90% in its own tests, problems in the clinic).
- Ask: what did it learn from, were those like ours, how often is it right on our samples, what does it do when unsure, who checks, where do our images go?
- Portfolio: one pile of photos, paper or speech, and what happens to a poor picture.

I keep: A one-page sheet: one idea behind seeing, reading and hearing, when it struggles, the questions to ask, today's recorded results, and your new portfolio entry.

Session 2

AI that predicts from your data

Who will default, leave, buy, fall sick or break down next, and can we trust the answer?

- AI THAT PREDICTS FROM YOUR DATA
- Prediction learns from past records whose outcome is known (the label), like an experienced loan officer with every file open at once.
- Three kinds: a yes or no (classification), a number (a forecast, or regression), a ranking (whom first).
- A score is a likelihood, such as 8 in 10 likely to repay. Your policy sets the cut-off (the threshold); people decide the close calls.
- Four data checks: history (good and bad years), labels (the outcome recorded), enough cases (of each outcome), the future like the past.
- Test fairly: keep records aside (the test set) and judge the model only on those.
- Overfitting: learning the slips of past cases. Recorded run: the unlimited tree got 192 of 192 claims it had seen and 42 of 48 it had not; the simple tree 44 of 48.
- Enough cases: 93 in 100 unseen claims right with 240 claims; about 58 in 100 with only 40 messages (one round: 2 to 7 right out of 8). Recorded 5 and 11 November 2026; claims fictional.
- Cases: M-Shwari (CGAP 2015), Coca-Cola suggested orders (AI News 2026, company figures), Gro Intelligence closed in 2024 (Semafor).
- Ask: what did it learn from, what was the score on records it never saw, who set the cut-off, what has changed, who decides and can a customer ask why, how will we know it still works?
- Portfolio: one prediction, its kind, and the decision it changes.

I keep: A one-page sheet: the three kinds of prediction, the four data checks, the questions to ask, today's recorded results, and your new portfolio entries.

Session 3

Is it any good? Accuracy claims and the cost of mistakes

How do I judge a vendor who says "95% accurate", and what will its mistakes cost us?

- IS IT ANY GOOD? ACCURACY CLAIMS AND THE COST OF MISTAKES
- Two ways to be wrong: a false alarm (false positive) and a miss (false negative). Each costs something different and lands on different people.
- When the event is rare, accuracy flatters. If 5 in 100 are fraud, a tool that never flags is 95% accurate and catches none.
- Ask two questions in place of accuracy: of the real cases, how many does it catch (recall)? Of its alarms, how many are real (precision)?
- The cut-off (threshold) is a business dial: more catches always bring more false alarms. Set it by pricing each mistake in shillings.
- Recorded run, 6 November 2026, 900 fictional invoices, 83 late: doing nothing 91 in 100 right and 0 caught; at 5%, 78 caught with 448 false alarms; cheapest at 5% when a miss cost UGX 300,000, at 20% of three settings run when it cost UGX 100,000 (costs assumed).
- Test on unseen cases, then on your own recent cases; a tree that memorised scored 100 on its own invoices and 85 on new ones.
- Bias: count the mistakes by group. Cases: Epic sepsis model, Airtel spam alert, South African medical schemes, Optum, Kenya SHA, Apple Card.
- Ask: how rare is it, how many caught, how many alarms real, measured on which cases, against doing nothing, evenly across groups?
- Portfolio: the cost of a false alarm and of a miss for each entry, and which way you would turn the dial.

I keep: The vendor question sheet on accuracy, and a cost-of-a-mistake line for each entry in your AI Opportunity Portfolio.

Session 4

AI that understands language: sort, search, translate and summarise

What can AI do with our messages, contracts and calls, in English and in our local languages?

- AI THAT UNDERSTANDS LANGUAGE
- Four jobs: sort (classification), search by meaning (semantic search), translate (machine translation), summarise.
- Sorting messages is the prediction of Session 2, judged with the false alarms and misses of Session 3.
- Meaning as closeness on a map: a model gives each text a position (an embedding); close positions mean close meanings.
- Search by meaning finds a passage from a plain description, even with no word in common.
- Recorded run (all-MiniLM-L6-v2, 6 November 2026, 12 plain questions on 30 invented passages): right passage first 7 times, in the top three 11 times; word search first 4 times. A demonstration only, too small to be a benchmark.
- Our languages have less text behind them (low-resource languages): test with native speakers. Builders: Sunbird AI, Masakhane, Lelapa AI, Orange.
- A summary is a draft: check the exception, the number and the deadline.
- Cases: UK Consult (GOV.UK 2025), Telstra (company figures 2024 and 2026), Sunbird Sunflower (own tests, 2025), ULII summaries (2026).
- Ask: tested on our languages, right on our messages, shows its sources, handles slang and mixed languages, where data goes, how a customer reaches a person.
- Portfolio: one pile of text, its job, its languages and how a person checks it.

I keep: A one-page sheet: the four language jobs, the map of meaning, today's recorded search results, the questions to ask, and your new portfolio entries.

Session 5

Generative AI: how chatbots write, and why they sometimes invent

Why does a chatbot sound so sure, and when can I trust what it writes?

- GENERATIVE AI: HOW CHATBOTS WRITE
- A chatbot (a large language model) writes one likely word at a time, like phone autocomplete trained on a vast library.
- It reads pieces of words (tokens). Recorded: English 8 words, 11 pieces; Swahili 5 words, 14 pieces.
- At each step it ranks every possible next piece. Recorded (GPT-2, 11 Nov 2026): after “Thank you for your”, support 30%, continued 10%, patience 5%.
- It draws the next word like a raffle, so answers vary. Temperature: low plays safe, high takes long shots, very high is nonsense.
- Fluent is not true: nothing inside checks facts. Recorded: for a fictional Jinja company it ranked American places first; Kampala came seventh for “The capital of Uganda is”.
- It invents (hallucination) most in citations, figures, policies and names. Check those first.
- Cases: Mata v Avianca (2023), Mavundla (2025), Deloitte Australia (2025), Air Canada (2024), DPD (2024); good uses: Edo State tutoring, Farmer.Chat, Penda Health.
- Recorded: asked twice about a court case that does not exist, one assistant (Claude, 4 Nov 2026) declined both times. Other tools have invented.
- Five questions for any answer: the source; do names, numbers and citations check out; would it say the same again; our documents or its memory; cost of a mistake and who signs.
- Portfolio: one drafting task, its checks, and the person who signs.

I keep: A one-page sheet: how a chatbot writes, why answers vary, where it invents, the five questions to ask of any answer, today’s recorded runs, and your new portfolio entry.

Session 6

The AI market: models, vendors, and buy, rent or build

Which model and supplier, where does our data go, and what will it cost to run?

- THE AI MARKET: MODELS, VENDORS, AND BUY, RENT OR BUILD
- Who makes models: global labs (hosted), open-weights makers (download under a licence), African-language builders (most adapt an open model).
- A foundation model is the big general model a lab trains; fine-tuning trains it further on your own examples.
- Hosted: the model stays with the vendor; you pay per use; your text leaves the building. Open weights: you run the file where you choose; you pay for the computer; a licence sets the rules.
- Three routes: rent a hosted assistant, host an open model, build on a partner's platform.
- Four questions: data location and Uganda's Data Protection and Privacy Act (PDPO v Google, July 2025); cost per use (illustration: rent and host meet at 3,000 requests a month); lock-in; vendor survival (Babyl Rwanda closed in 2023).
- A benchmark is someone else's test: ask who set it, who scored it, and the settings; then test on ten of your own cases.
- Recorded test, 6 November 2026: one complaint, five checks. Claude 5 of 5 (one run); a 1.5 billion open model on a laptop 1 of 5 in each of three runs, inventing a remedy every time. One task proves nothing general.
- Recorded run: one small open model shrank from 538 to 76 megabytes; its top answers changed at the smallest size.
- Ask a vendor: which model underneath, where our data is kept and PDPO registration, cost at our volume, how we leave, what if you close, the score on our own work.
- Portfolio: for each entry, the data it touches, the volume, the route and reason, and the exit plan.

I keep: A one-page sheet: the three routes, the four questions, the vendor questions, today's recorded comparison, and the route for each portfolio entry.

Session 7

Getting good work from AI assistants: prompting for leaders and teams

How do my staff get reliable work from these tools?

- GETTING GOOD WORK FROM AI ASSISTANTS
- A prompt is a brief to a capable new colleague who knows nothing about your organisation, and who guesses silently instead of asking.
- Five parts: role (who it should be), context (your situation and reader), examples (one or two finished pieces: few-shot), format (shape and length), constraints (limits, and what to say when unsure).
- Recorded runs, 11 November 2026, one each: the role turned an economist's answer into a child's; context fitted the dinner and still added cumin and an egg; two examples gave exactly IN, OUT, IN; a format turned 529 words into a three-row table; constraints kept to the list and said what it could not promise.
- Weak and strong brief, 4 November 2026: both got the figures right; the weak one invented stock advice; the strong one said what the data cannot show.
- Test a brief on ten real tasks with known answers and count. Payroll sum, ten runs, 6 November 2026: 9 of 10 right; the wrong run was 200,000 shillings out and sounded sure.
- Reasoning models write out their working: slower, often better on many-step work, still checked. Vendor guides: state the goal, the rules and the output.
- The jagged frontier (BCG and Harvard, 2023): about 40% better inside it; outside it, 84.5% right without AI against 70.6% with GPT-4.
- Your people: newer staff gain most (NBER: 34% against 14% on average); training (Equity: 7,300 of 11,900 trained); shadow AI (78% bring their own tools).
- A leader provides an approved tool, training, and a shared library of tested briefs (Reusable Brief Template, Reliability Test Record).
- Portfolio: one weekly team task with its five-part brief, its ten test cases, the count and who checks.

I keep: A one-page sheet: the five parts of a brief, the test on ten tasks, the jagged frontier, today's recorded runs, and your team task with its brief, kept in the Reusable Brief Template and the Reliability Test Record.

Session 8

Making AI know your business: assistants on your own documents

How does AI answer from our policies, products and files, and how far can we trust what it says?

- MAKING AI KNOW YOUR BUSINESS
- A general assistant learned from public text up to a date. It has never seen your handbook, price list or files.
- The open-book test: find the right pages (retrieval), answer only from them (generation), show the source (citation). Together: retrieval-augmented generation, RAG.
- Messy documents give messy answers: two versions that disagree, out-of-date pages, unreadable scans, rules never written down.
- Where you cut the pages matters. Recorded: by clause 8 of 8 found; every 25 words or so 5 of 8.
- Short documents: paste them whole. The 829-word handbook pasted whole scored 10 of 10.
- Customising (fine-tuning, LoRA) teaches a style. Recorded: house sign-off 0 of 6 before, 6 of 6 after, and it still invented a delivery date.
- The climb: prompt, then retrieve, then customise. Climb only when the step below falls short.
- Recorded runs on a fictional handbook (Claude, 4 and 6 Nov 2026): no handbook 2 of 10, three closest clauses 10 of 10, whole handbook 10 of 10; nothing invented.
- Cases: Telstra (company figures), Morgan Stanley (98% of adviser teams adopted, company figure), Kisan e-Mitra (about 2.7 million questions in 2024), McKinsey Lilli (over 75% use it monthly; value not yet published).
- Ask: which documents and who owns them, does every answer name its source, what does it say when the pages are silent, how were they cut, could we paste instead, where do our documents go?
- Portfolio: one knowledge assistant, its route, its documents and their owners.

I keep: A one-page sheet: the open-book picture, the climb from prompt to retrieve to customise, the document checks, the questions to ask, today's recorded scores, and your new portfolio entry.

Session 9

When AI goes wrong: failures, risk and checking

What can go wrong with AI, what did it cost others, and how do we check before we trust it?

- WHEN AI GOES WRONG
- Five failures: it invents (hallucination), misses the right source (retrieval miss), repeats bias, obeys hidden instructions (prompt injection), drifts.
- The organisation answers for its AI: Air Canada (tribunal, 2024), Deloitte Australia (fee partly repaid, 2025), Dutch tax office (EUR 2.75 million fine; cabinet resigned), Commonwealth Bank (45 jobs restored).
- East Africa: Kenya fined a digital lender (2023); Uganda's first criminal conviction under the Data Protection and Privacy Act (2025); Uganda's data office ruled against Google (2025). Check with your lawyer.
- Check a tool: ten questions from your own documents, answers agreed in advance, two with no answer. Label each answer right, wrong, missed or invented. Compare with the floor: saying "not stated" to everything scores 2 of 10.
- Check an answer in five steps: source, recount, compare, run twice, sign. The more an error costs, the more steps.
- Keep watching: decisions reversed on appeal, staff overrides, the test set rerun after any change.
- Price an error: how likely, times how costly. Example: 2 in 12 totals wrong, UGX 600,000 to fix one (illustrative): about UGX 100,000 for every total received.
- Recorded runs (Claude, 4 and 6 Nov 2026): no handbook 2 of 10, with the pages 10 of 10; made-up case declined; both prices shown; both wrong totals found; hidden instruction refused; one CV run miscounted years.
- People: a named owner for every AI use; reviewers who check; staff who report errors without blame.
- Portfolio: each entry with its worst failure, its cost in shillings, its check and its owner; five test questions for the first entry.

I keep: A one-page sheet: the five failures, the five-step check, the test-set template, the cost of an error in shillings, the questions to ask, and your portfolio entries with their worst failure.

Session 10

AI agents: delegating work that acts

What may an AI agent do on its own, and who approves?

- AI AGENTS: DELEGATING WORK THAT ACTS
- An agent is a chatbot with tools and a loop: plan, act, check, repeat, until the job is done or a person is needed.
- Four kinds of key (tool): read and write can usually be undone; send and spend cannot.
- Five levels of freedom (autonomy levels, a teaching scale): 0 answers, 1 suggests, 2 drafts and a person approves, 3 acts then reports, 4 acts alone. Choose the lowest level that does the job.
- Least privilege: start from the task and give only the keys it needs.
- Human-in-the-loop: sends, payments, deletions and commitments always wait for a named person. The agent cannot approve itself.
- Before it starts: an audit log of every step, one named owner, stop rules and an off switch that works in minutes.
- Hidden instruction (prompt injection): it speaks to the AI, asks for data to leave or a deletion, and asks for silence.
- Recorded runs (Claude, fresh sessions, 4 November 2026): F4, both runs refused the hidden order and made no tool call; F7, the drafts kept the written rules.
- Cases: Octopus Energy Arlo (company figures, 2026), SARS auto-assessment (2025), Heidelberg Materials kiln (2024), Robodebt (Royal Commission, 2023), Gartner forecast of over 40% of agent projects cancelled by 2027.
- Portfolio: a level of freedom for each entry, and one Tool Boundary Sheet.

I keep: A one-page sheet: the agent loop, the four kinds of key, the five levels of freedom, the controls, the signs of a hidden instruction, the questions to ask, and your portfolio with a level for each entry.

Session 11

Redesigning work: workflows, value and the business case (practical)

Which tasks change, what is it worth, and when does it pay back?

- REDESIGNING WORK: WORKFLOWS, VALUE AND THE BUSINESS CASE
- A workflow has four parts: trigger, steps, handoffs, check. Map it in lanes, one per person or system.
- For each step choose, in this order: a rule (clear words or numbers), an AI step (meaning, quick check), an agent (several tools, its own next step, with a level of freedom), a person (money, trust or law).
- Recorded comparison on twelve messages: rule 7 of 12; AI 9 exact and 11 acceptable (Claude, three fresh sessions, 4 November 2026). Different measures; small sample.
- Value in three kinds: time saved, errors avoided, revenue. Count each in shillings and only once; review time is a cost.
- Worked example (plan figures, NVF fictional): about 4 hours a month freed; benefit UGX 304,000 and cost UGX 145,000 a month; net UGX 159,000; one-off UGX 480,000; payback about 3 months; first-year gain UGX 1,428,000, a return of about 64%; UGX 333,600 if only 70% of the benefits come true.
- Score the portfolio: value 1 to 5 plus feasibility 1 to 5; start with the highest priority that is cheap to get wrong.
- Measure four weeks: minutes with review, errors and their cost, cases sent to a person, your stop rule.
- Cases: MIT NANDA 2025, PwC Africa 2026, Gartner 2024; Coca-Cola suggested orders, Unilever digital twins, Uganda Revenue Authority; One Acre Fund, Georgia State, Shell.
- Templates: Task Card, Use-Case Scorecard, Business Case Workbook, AI Opportunity Portfolio (Score sheet).

I keep: Your mapped workflow with a choice on every step, your Business Case Workbook with the payback and the first-year gain, and your portfolio scored on value and feasibility.

Session 12

Leading people through AI: roles, skills, adoption and change

What happens to my employees when AI arrives, and how do I bring them with me?

- LEADING PEOPLE THROUGH AI
- Tasks change before jobs do: a job is a bundle of tasks. Look at each task.
- Three ways: augment (AI helps, a person decides), automate (AI does it, a person checks), create (new tasks, such as checking AI output).
- Exposure is not loss. IMF 2024: about 40 in 100 jobs worldwide exposed, 26 in low-income countries. ILO 2025: about 1 in 4 with some generative AI exposure.
- WEF 2025 (employers' expectations, all causes): 170 million jobs created, 92 million displaced by 2030; 39 in 100 workers' skills to change.
- Adoption follows a curve. BCG 2025: frontline regular use stalled at 51 in 100; only 25 in 100 frontline staff get enough guidance; 54 in 100 would use unapproved tools.
- Three fears: my job, being watched, being blamed. Say what will happen, then do it. Promise only what you will keep.
- Skills by level: everyone (the rules, reporting errors), power users (briefs, checking), builders (set-up, permissions, log), leaders (read results; widen, pause or stop).
- The employee briefing: the why, what changes and what does not, approved and not approved, where to ask, how to report errors.
- Champions: trusted early users, one per shift; a weekly review, one error log, check-ins at day 30, 60 and 90.
- Cases: Commonwealth Bank reversed 45 cuts (2025); Klarna brought people back (2025); Equity trained over 7,300 staff (2026); Duolingo memo walk-back (2025); DBS and BT cuts are plans.
- Portfolio: the roles each entry touches and the tasks that change.

I keep: Your People and Skills Plan for your first AI use, the employee briefing, and the people column of your AI Opportunity Portfolio.

Session 13

Governance and buying: policy, risk register and vendors

What rules, risk register and vendor checks does my organisation need for AI?

- GOVERNANCE AND BUYING
- AI governance: the policies, roles and checks that direct and control AI use. Like the house rules for lending your car.
- A policy beats a ban: a ban hides use (Microsoft 2024: 78 in 100 AI users bring their own tools; BCG 2025: 54 in 100 would use unapproved tools).
- AI Use Policy: sections 3 approved tools, 4 data, 5 human review, 7 accounts and owners, 8 incidents, 10 review date.
- Data classification: living person? harmful if leaked? staff only? published? The strictest answer wins.
- Risk register: likelihood and impact from 1 to 5, multiplied; High 15 to 25, Medium 8 to 14, Low 1 to 7. One owner, a control, the risk left after it.
- Uganda: Data Protection and Privacy Act 2019 (fines up to 245 currency points; courts up to 2 in 100 of turnover); PDPO v Google 2025; national AI strategy a draft awaiting Cabinet (30 Oct 2026). Ask your lawyer.
- Region and world: Kenya and Nigeria fine data misuse; EU AI Act high-risk rules moved to Dec 2027 and Aug 2028; AU strategy, ISO/IEC 42 001, NIST are voluntary. Bank of Uganda is building an AI governance framework.
- Vendor due diligence: ask in writing, score 0 to 2, ask for proof, pilot with a stop rule, sign with an exit.
- Total cost of ownership: NVF first year UGX 2,220,000; the licence about a third (plan figures).
- Recorded: two Claude reviews caught all 11 planted flags in OrbitDesk (4 Nov 2026); run 2 quoted two phrases not in the proposal. Check quotes yourself.
- Board briefing: one page each quarter, ending with your request. Portfolio: a risk score for every entry.

I keep: Your AI Use Policy draft, your Risk Register, your lawyer page, your Vendor Question List, the risk column of your portfolio, and a board briefing outline.

Session 14

Data readiness, AI roadmap and your 90-day plan

Is our data ready, and what do we do in the next 90 days?

- DATA READINESS, AI ROADMAP AND YOUR 90-DAY PLAN
- Pilots stall on data: Gartner forecast (2024) that at least 30 in 100 generative AI projects would be dropped after the pilot, poor data quality named first.
- Five kinds of data: tables (structured), text, images, audio, sensor data. First steps: define columns, find the current version, read the text and check a sample, transcribe and remove phone numbers, check for gaps.
- Data inventory: every source with its owner, where it lives, who may see it, its sensitivity and whether it is ready for AI.
- Check quality by counting (data quality dimensions): completeness, accuracy, consistency, timeliness, uniqueness, validity. Contact list: 4 of 5 phones filled; 4 different people in 5 rows.
- Recorded run (6 Nov 2026, Python script, no AI model): NVF invoices 8 faults in 60 rows; 32 of 40 messages hold a phone number; sales revenue never defined.
- Readiness scorecard: Inventory, Readable, Complete and unique, Metadata, Rights, Current. Green 2, Amber 1, Red 0, out of 12. NVF 6 of 12. A Red on rights stops the work.
- Six steps: inventory, digitise, clean, describe, protect, test on 20 real questions. Start with one folder and one use.
- Final portfolio: every entry with value, feasibility, people, risk, data readiness, a decision (Start now, Prepare first, Later, Drop) and one owner. Start one.
- 90-day plan: protect and clean (days 1 to 30), describe and prepare (31 to 60), test and decide (61 to 90). Every line: owner, due date, hours, what it waits for, a success measure someone else can check.
- Check-ins: day 30 (controls in place? gap 1 closed?), day 60 (stop rule met? on time?), day 90 (score again; continue, expand, pause or stop).
- Cases: URA register study (2019), Vodacom data platform first (2025), Uganda National Data Strategy 36% to 80% (2026), BEES at Nile Breweries (2022).
- Within 24 hours: book the three dates and tell each owner their action. Follow-up Kit: Check-in Form, Results Tracker, Sponsor Briefing.

I keep: Your inventory and scorecard, your final AI Opportunity Portfolio, your 90-day roadmap with owners and check-ins, and the Follow-up Kit.