

# **IOT BASED ENVIRONMENTAL MONITORING SYSTEM**

A Project report submitted in partial fulfillment of the requirements for the degree of B.TECH in  
Information Technology Engineering

By

A.Jotheeswaran (513221104011)

Under the supervision of professor & HOD department of Information technology.

## PHASE 4: Development of environmental monitoring system:

### Data Collection:

- Gather relevant environmental data,
- which might include temperature,
- humidity, air quality, and other factors.
- Ensure data quality, clean the data, and handle missing values if necessary.

### Feature Engineering:

- Extract meaningful features from the collected data.
- This may involve time-series analysis.
- statistical calculations, or domain-specific knowledge.
- Normalize or scale features to ensure they have a consistent range.

### Model Selection:

- Choose an appropriate machine learning model for your specific task.
- For environmental monitoring.
- time-series models like LSTM or traditional regression models may be suitable.

### Data Splitting:

- Split your dataset into training, validation, and test sets. ● This helps you assess your model's performance.

### Model Training:

- Train your selected model on the training data using Python libraries like scikit-learn or TensorFlow/Keras for deep learning.

- Tune hyperparameters to optimize model performance, e.g., learning rates, batch sizes, or network architectures.

#### Model Evaluation:

- Evaluate the model on the validation set using appropriate metrics such as Mean Absolute Error (MAE), Mean Squared Error (MSE), or Root Mean Squared Error (RMSE).
- Visualize the results to gain insights.

#### Fine-Tuning and Validation:

- Make necessary adjustments to the model based on the validation results.
- Repeat the training and evaluation steps if needed.

#### Testing:

- Assess the model's performance on the test set to ensure it generalizes well to unseen data.

#### Deployment:

- If the model meets your requirements, deploy it in a production environment for real-time monitoring.
- You can use libraries like Flask or Django to create a web application.

#### Monitoring:

- Continuously monitor your deployed model to ensure it remains accurate and up-to-date.

#### • Reporting and Visualization:

- Create reports and dashboards to communicate results to stakeholders.
- Python libraries like Matplotlib, Seaborn, or Plotly can help with data visualization.

#### Documentation:

- Maintain documentation for your project, including code comments, README files, and model documentation.

For example:

### 1. Collect Data:

- You'll need to interface with environmental sensors to gather data.
- For this example, let's assume you have a temperature and humidity sensor connected to your Raspberry Pi.

Input: `pip install time import board import adafruit_dht`

`dht_sensor = adafruit_dht.DHT22(board.D4) # GPIO pin`

where the sensor is connected while True:

try:

`temperature_c = dht_sensor.temperature humidity =`

`dht_sensor.humidity print(f"Temperature:`

`{temperature_c}°C, Humidity: {humidity}%") except`

`RuntimeError as e:`

`print(f"Error: {e}") time.sleep(60) # Collect data every 60`

`seconds` `adafruit-circuitpython-dht`

Create a Python script to collect sensor data:

Output:

Temperature: 25.0°C, Humidity: 50.0%

Temperature: 25.1°C, Humidity: 49.9%

Temperature: 25.2°C, Humidity: 50.2%

### 2. Data Processing and Analysis:

- You can perform data analysis on the collected data to identify
- trends or anomalies. For this example, let's calculate the average

Input:

```
import
```

```
time
```

```
data = []
```

```
while True:
```

```
try:
```

```
temperature_c =
```

```
dht_sensor.temperature humidity
```

```
= dht_sensor.humidity
```

```
data.append((temperature_c,
```

```
humidity)) time.sleep(60) except
```

```
RuntimeError as e:
```

```
print(f"Error: {e}")
```

```
if len(data) >= 10:
```

```
avg_temp = sum([temp for temp, _ in data]) / len(data)
```

```
avg_humidity = sum([hum for _, hum in data]) /
```

```
len(data) print(f"Average Temperature: {avg_temp}°C,
```

```
Average Humidity:
```

```
{avg_humidity}%")
```

```
data = [] # Reset
```

```
data
```

output:

Average Temperature: 25.0°C, Average Humidity: 50.0%