Rajalakshmi Engineering College

Name: Jothika k

Email: 241801110@rajalakshmi.edu.in

Roll no: 241801110 Phone: 8015818072

Branch: REC

Department: I AI & DS FB

Batch: 2028

Degree: B.E - AI & DS



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following:
- "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
 - If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d 1 h 3

```
241801110
Output: Adding Section: d
Adding Section: h
Enrolled 6
     Removing Section: h
     Enrolled Sections: d
     Exiting program
     Answer
     #include <stdio.h>
     #include <stdlib.h>
                                                                              241801110
     struct Node {
    char data;
       struct Node* next;
     struct Node* top = NULL;
     // You are using GCC
     void push(char value) {
       struct Node* newnode=(struct Node*)malloc(sizeof(struct Node));
       struct Node* pos=(struct Node*)malloc(sizeof(struct Node));
       newnode->data=value;
       newnode->next=NULL;
       if(top==NULL)
         top=newnode;
         printf("Adding Section: %c\n",newnode->data);
       }
       else
         pos=top;
         newnode->next=pos;
         top=newnode;
         printf("Adding Section: %c\n",newnode->data);
     }
void pop()
                                                                              241801110
```

```
241801110
برد.
if(top==NULL)
{
      //Type your code here
         printf("Stack is empty. cannot pop.\n");
      else
         struct Node* temp=(struct Node*)malloc(sizeof(struct Node));
         temp=top;
         top=temp->next;
         printf("Removing Section: %c\n",temp->data);
         free(temp);
void displayStack()
      struct Node* pos=(struct Node*)malloc(sizeof(struct Node));
      pos=top;
      if(top==NULL)
         printf("Stack is empty");
      else
      printf("Enrolled Sections: ");
      while(pos!=NULL)
         printf("%c ",pos->data);
         pos=pos->next;
      printf("\n");
    int main() {
      int choice;
      char value;
      do {
         scanf("%d", &choice);
        switch (choice) {
           case 1:
             scanf(" %c", &value);
```

```
24,180,11,10
                        241801110
                                                  24,80,110
             push(value);
             break;
          case 2:
             pop();
             break;
           case 3:
             displayStack();
             break;
           case 4:
             printf("Exiting program\n");
             break;
          default:
             printf("Invalid choice\n");
                                                                            241801110
                                                  24,80,110
while (choice != 4);
                                                                     Marks: 10/10
    Status: Correct
```

241801110

241801110

241801110

24,80,1,10

241801110

241801110

24,801,10

241801110