Rajalakshmi Engineering College

Name: Jothika k
Email: 241801110@rajalakshmi.edu.in
Roll no: 241801110
Phone: 8015818072
Branch: REC
Department: l AI & DS FB
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 4_COD_Question 3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Write a program to implement a queue using an array and pointers. The program should provide the following functionalities:

Insert an element into the queue.Delete an element from the queue.Display the elements in the queue.

The queue has a maximum capacity of 5 elements. If the queue is full and an insertion is attempted, a "Queue is full" message should be displayed. If the queue is empty and a deletion is attempted, a "Queue is empty" message should be displayed.

Input Format

Each line contains an integer representing the chosen option from 1 to 3.

Option 1: Insert an element into the queue followed by an integer representing the element to be inserted, separated by a space.

Option 2: Delete an element from the queue.

Option 3: Display the elements in the queue.

Output Format

For option 1 (insertion):-

1. The program outputs: "<data> is inserted in the queue." if the data is successfully inserted.
2. "Queue is full." if the queue is already full and cannot accept more elements.

For option 2 (deletion):-

1. The program outputs: "Deleted number is: <data>" if an element is successfully deleted and returns the value of the deleted element.
2. "Queue is empty." if the queue is empty no elements can be deleted.

For option 3 (display):-

1. The program outputs: "Elements in the queue are: <element1> <element2> ... <elementN>" where <element1>, <element2>, ..., <elementN> represent the elements present in the queue.
2. "Queue is empty." if the queue is empty no elements can be displayed.

For invalid options, the program outputs: "Invalid option."

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: 1 10

3
5
Output: 10 is inserted in the queue.
Elements in the queue are: 10
Invalid option.

Answer

```c
#include <stdio.h>
#include <stdlib.h>

#define max 5

int queue[max];
int front = -1, rear = -1;
int insertq(int *data)
{ if(rear==max-1)
{
    return 0;
}

 if(front==-1){
     front=0;
 }
 rear++;
 queue[rear]=*data;
return 1;
}

int delq()
{
    if(front==-1||front>rear){
        printf("Queue is empty.\n");
        return 0;
    }
    printf("Deleted number is: %d",queue[front]);
        front++;
    if(front>rear){
        front=rear=-1;
    }return 1;
```

```c
    }
    void display()
    {
        if(front==-1||front>rear){
            printf("Queue is empty.\n");
            return;
        }
        printf("Elements in the queue are: ");
        for(int i=front;i<=rear;i++){
            printf("%d ",queue[i]);
        }printf("\n");
    }

    int main()
    {
        int data, reply, option;
        while (1)
        {
            if (scanf("%d", &option) != 1)
                break;
            switch (option)
            {
                case 1:
                    if (scanf("%d", &data) != 1)
                        break;
                    reply = insertq(&data);
                    if (reply == 0)
                        printf("Queue is full.\n");
                    else
                        printf("%d is inserted in the queue.\n", data);
                    break;
                case 2:
                    delq();  //   Called without arguments
                    break;
                case 3:
                    display();
                    break;
                default:
                    printf("Invalid option.\n");
                    break;
            }
        }
    }
```

```
    return 0;
}
```

Status : Correct   **Marks : 10/10**