


WEB TECHNOLOGY AND MOBILE APPLICATION

EXPERIMENT 6


Session tracking Demo using HttpSession

CODE:



The screenshot shows the Eclipse IDE with the 'login.html' file open in the editor. The Project Explorer on the left shows the project structure: 'SessionTrackingApp' with sub-packages 'com.example' and 'com.example.webapp'. The 'com.example.webapp' package contains 'login.html'. The editor displays the following HTML code:

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>Login Page</title>
5 </head>
6 <body>
7 <h2>Login Form</h2>
8
9 <form action="login" method="post">
10   Username: <input type="text" name="username" required><br><br>
11   Password: <input type="password" name="password" required><br><br>
12   <input type="submit" value="Login">
13 </form>
14
15 </body>
16 </html>
17
```



The screenshot shows the Eclipse IDE with the 'DashboardServlet.java' file open in the editor. The Project Explorer on the left shows the project structure: 'SessionTrackingApp' with sub-packages 'com.example' and 'com.example.webapp'. The 'com.example.webapp' package contains 'DashboardServlet.java'. The editor displays the following Java code:

```
1 package com.example;
2
3 import java.io.IOException;
4
5 public class DashboardServlet extends HttpServlet {
6
7     protected void doGet(HttpServletRequest request,
8                           HttpServletResponse response)
9         throws ServletException, IOException {
10
11         HttpSession session = request.getSession(false);
12
13         if(session != null && session.getAttribute("username") != null) {
14
15             String username = (String) session.getAttribute("username");
16
17             response.getWriter().println("<h2>" + "Welcome " + username + "</h2>");
18             response.getWriter().println("<a href='logout'>Logout</a>");
19
20             response.setContentType("text/html");
21
22         } else {
23             response.sendRedirect("login.html");
24         }
25     }
26 }
27
28
29
30
31
32
```

```
1 package com.example;
2 import java.io.IOException;
3
4
5
6 public class LoginServlet extends HttpServlet {
7
8     protected void doPost(HttpServletRequest request,
9                             HttpServletResponse response)
10         throws ServletException, IOException {
11
12         String username = request.getParameter("username");
13         String password = request.getParameter("password");
14
15         // Hardcoded authentication
16         if(username.equals("jothika") && password.equals("2026")) {
17
18             HttpSession session = request.getSession();
19             session.setAttribute("username", username);
20
21             // Optional: Set session timeout (5 minutes)
22             session.setMaxInactiveInterval(300);
23
24             response.sendRedirect(request.getContextPath() + "/dashboard");
25
26         } else {
27             response.getWriter().println("<h3>Invalid Credentials!</h3>");
28             response.getWriter().println("<a href='login.html'>Try Again</a>");
29         }
30     }
31 }
32
```

```
1 package com.example;
2 import java.io.IOException;
3
4
5
6
7
8
9
10 /**
11  * Servlet implementation class LogoutServlet
12  */
13 @WebServlet("/LogoutServlet")
14
15 public class LogoutServlet extends HttpServlet {
16
17     protected void doGet(HttpServletRequest request,
18                           HttpServletResponse response)
19         throws ServletException, IOException {
20
21         HttpSession session = request.getSession(false);
22
23         if(session != null) {
24             session.invalidate();
25         }
26
27         response.sendRedirect(request.getContextPath() + "/login.html");
28     }
29 }
```

OUTPUT:

The image shows two screenshots of a web browser. The top screenshot displays the login form at the URL `http://localhost:8085/SessionTrackingApp/login.html`. The form includes a title "Login Form", a "Username:" label with a text input containing "jothika", a "Password:" label with a password input containing four dots and a toggle icon, and a "Login" button. The bottom screenshot displays the dashboard page at the URL `http://localhost:8085/SessionTrackingApp/dashboard`. The page shows a "Welcome jothika" message and a blue underlined "Logout" link. The browser's tab bar shows four tabs: "login.html", "DashboardServlet.java", "LoginServlet.java", and "LogoutServlet.java". The address bar shows the current page's URL.

login.html DashboardServlet.java LoginServlet.java LogoutServlet.java Login Page X

http://localhost:8085/SessionTrackingApp/login.html

Login Form

Username:

Password: 

Login

login.html DashboardServlet.java LoginServlet.java LogoutServlet.java localhost:8085... X

http://localhost:8085/SessionTrackingApp/dashboard

Welcome jothika

[Logout](#)