

Online Quiz Portal Using REST APIs.


Admin Login





User Login







Hey hi are you ready for the competition

Add all quizid, qusid


Quiz_competion:table




Display All the details




Add All User ,TableName:question




GET All User




Find User By id



Update the Questions By using Put method



Here I just update the optionB for this questions





o × MvSQL 8.0 Command Line Client - Unicode Database changed mysql> show tābles; Tables_in_quiz_app auestions quiz_competition rows in set (0.03 sec) mysql> select * from questions; id | answer | optiona | optionb | optionc optiond | question | None of the mentioned | Annotation added 1 | @PathVariable | @PathVariable | @Path | @PathLocale as an input parameter to the handler method? | 2 | All of the mentioned | { } | All of the mentioned | None of the mentioned | Notation for defi ning REST endpoints?


| 3 | getCurrentSession() method | getSession() method | getCurrentSessions() method | getCurrentSessions() method | getCurrentSession() method | None of the above owing method can be used to used to instantiate a method?

| 4 | All of the mentioned | @Before | @After | @AfterReturning | All of the mention owing is advice supported by Aspect Annotation?


| 5 | getCurrentSession() method | getSession() method | getCurrent() method | getCurrentSession() method | None of the above sionFactory can manage contextual sessions and allows to retrieve them by | | Which of the foll | All of the mentioned | Which of the foll | org.hibernate.Ses rows in set (0.01 sec) mysql> select * from quiz_competition; id | question_id | quiz_id rows in set (0.01 sec) mysql>









User Response







User Register

