7. Write a program to demonstrate a Session Tracking using URL Rewrite.

FirstServlet.java

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
public class FirstServlet extends HttpServlet {
     /**
           * /
     private static final long serialVersionUID =
1426642947413148526L;
     public void doGet(HttpServletRequest request,
HttpServletResponse response) {
          try {
               response.setContentType("text/html");
               PrintWriter out = response.getWriter();
               String n = request.getParameter("userName");
               out.println("Welcome " + n);
               // appending the username in the query string
               out.println("<a href='servlet2?uname=" + n +</pre>
"'>visit</a>");
               out.close();
          } catch (Exception e) {
               System.out.println(e);
     }
}
SecondServlet.java
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
```

```
public class SecondServlet extends HttpServlet {
public void doGet(HttpServletRequest request,
HttpServletResponse response) {
          try{
          response.setContentType("text/html");
          PrintWriter out = response.getWriter();
          //getting value from the query string
          String n=request.getParameter("uname");
          out.print("Hello "+n);
          out.close();
                }catch (Exception e) {System.out.println(e);}
     } }
index.html
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<form action="FirstServlet">
<h1>Url Rewriting </h1>
Name:<input type="text" name="userName"/><br/>
<input type="submit" value="Go"/>
</form>
</body>
```

</html>

web.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<web-app xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"</pre>
xmlns="http://java.sun.com/xml/ns/javaee"
xsi:schemaLocation="http://java.sun.com/xml/ns/javaee
http://java.sun.com/xml/ns/javaee/web-app 2 5.xsd"
id="WebApp ID" version="2.5">
  <display-name>UrlRewritting</display-name>
  <welcome-file-list>
    <welcome-file>index.html</welcome-file>
    <welcome-file>index.jsp</welcome-file>
    <welcome-file>index.htm</welcome-file>
    <welcome-file>default.html</welcome-file>
    <welcome-file>default.jsp</welcome-file>
    <welcome-file>default.htm</welcome-file>
  </welcome-file-list>
  <servlet>
    <description></description>
    <display-name>FirstServlet</display-name>
    <servlet-name>FirstServlet</servlet-name>
    <servlet-class>FirstServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>FirstServlet</servlet-name>
    <url-pattern>/FirstServlet</url-pattern>
  </servlet-mapping>
  <servlet>
    <description></description>
    <display-name>SecondServlet</display-name>
    <servlet-name>SecondServlet</servlet-name>
    <servlet-class>SecondServlet</servlet-class>
  </servlet>
  <servlet-mapping>
    <servlet-name>SecondServlet</servlet-name>
    <url-pattern>/servlet2</url-pattern>
  </servlet-mapping>
</web-app>
```

OUTPUT





Hello Aruljothi