

Web Technology MCQs [set-1]

Chapter: *JavaScript*

1. -----is a high-level scripting language that is synchronous with client-side scripting

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

2. ----- a versatile language of the front-end that is mainly used to make web pages interactive and dynamic

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

3. -----was originally developed to perform client-side functions

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

4. --- a versatile programming language which is specially designed to build interactive web interfaces to make websites look really good.

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

5. ----one of the most powerful programming languages used to create interactive effects within web browsers without interacting with the server side

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

6. -----is specifically designed to build interactive web interfaces and create network-specific applications without interacting with the server side

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

7. -----is the scripting language designed primarily for adding interactively to web pages and creating web applications

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

8. A -----scripting is a light weight programming language

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

9. -----is very fast because it can be run immediately within the client-side browser

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

10. -----is relatively simple to learn and implement.

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

11. Client side-----does not allow the reading and writing of files.

- A. java script
- B. php
- C. oracle
- D. none of these

Answer: A

12. In HTML, JavaScript code is inserted between-----and </script> tags

- A. script
- B. VER
- C. TITLE
- D. none of these

Answer: A

13. To access an HTML element, JavaScript can use the-----method.

- A. document.getElementById(id)
- B. CONSOLE
- C. COUT
- D. none of these

Answer: A

14. -----Is used to show the out put or give message

- A. document.write():
- B. printf
- C. COUT
- D. none of these

Answer: A

15. For debugging purposes, you can call the ----method in the browser to display data.

- A. document.write():
- B. CONSOLE.LOG()
- C. COUT()
- D. none of these

Answer: B

16. ----this key word is used to declared the variable in java script.

- A. document.write():
- B. CONSOLE.LOG
- C. var
- D. none of these

Answer: C

17. -----this key word is used to declared the constant in java script.

- A. document.write():
- B. CONST
- C. var
- D. none of these

Answer: B

18. -----it is assignment operator is used to assign value from right hand side to left hand side .

- A. document.write():
- B. CONST
- C. =
- D. none of these

Answer: C

19. -----it is assignment operator is used to not equal value.

- A. document.write():
- B. CONST
- C. =
- D. !==

Answer: D

20. in java script-----are written with quotes. You can use single or double quotes.

- A. document.write():
- B. STRING
- C. =
- D. !==

Answer: B

21. in java script-----items are separated by commas.

- A. document.write():
- B. STRING
- C. array
- D. !==

Answer: C

22. Which type of JavaScript language is ____

- A. Object-Oriented
- B. Object-Based
- C. Assembly-language
- D. High-level

Answer: B

23. Which one of the following also known as Conditional Expression:

- A. Alternative to if-else
- B. Switch statement
- C. If-then-else statement
- D. immediate if

Answer: C

24. The "function" and " var" are known as

- A. Keywords
- B. Data types
- C. Declaration statements
- D. Prototypes

Answer: C

25. Which of the following variables takes precedence over the others if the names are the same?

- A. Global variable
- B. The local element

C. The two of the above

D. None of the above

Answer: B
