
WTC OPEN

OPEN TERRAIN · MAP PACK 1.6 / AUG 2025

TERRAIN BY PART



L-ruin · WTC p. 5


L-ruin: upper level Vantage; walls Heavy; upper rampart Light. The small part marked Insignificant is ignored for climb/drop; a base cannot be placed on it.

L-ruin window: Heavy + Barred. Visibility only if the observer or what they are looking at is within 1″ horizontally of the window. No movement through windows.

Walls & pillars: Heavy. Windows allow visibility, not movement. No bases on top. Doorways Heavy + Accessible.

Panels: Heavy, side/bottom gaps Blocking. Barricades: Light; feet Insignificant + Exposed. Crates: Light, Accessible passage; no standing on top.

WTC MOVEMENT COSTS



Panel: ↑3″ / ↓1″



Wall: ↑3″ / ↓1″

These are vertical movement costs, not the full base path. Crate/door passage adds 1″ for Accessible. Physical dimensions are not specified in the pack.

DOOR FIGHT · 1 AP

Touch the door; choose an enemy on the other side within 2″ of the door. Count as in control range for this Fight. Cannot start in enemy control range or without touching the door. This is the WTC Open pack's own wording.

TERRAIN KEYWORDS

Heavy: cover; can obscure. Light: cover. Blocking: no visibility through the gap; it intervenes for cover/obscured like surrounding terrain. Accessible: move the base centre through, +1″. Insignificant: ignore for climb/drop. Exposed: never intervening. Ceiling: round bases ≤50 mm or oval 60×35 mm may pass underneath regardless of model height; the final position must accommodate the model.

CLIMB / DROP / JUMP

Start a climb within 1″ horizontally and 3″ vertically of visible terrain. Each climb costs at least 2″ vertically. Add horizontal movement separately. Dash cannot climb.

Vertical height	Climb ↑	Drop ↓
0 < h ≤ 2″	2″	0″
2 < h ≤ 3″	3″	1″
3 < h ≤ 4″	4″	2″
4 < h ≤ 5″	5″	3″
5 < h ≤ 6″	6″	4″

Single climb/drop, no discounts. Add vertical distances during the action before rounding up. Only 2″ of dropping is free per action, not per drop. Continuing a climb requires the next terrain within 1″ horizontally / 3″ vertically; rows above 3″ assume a legal continuation.

Jump: from Vantage more than 2″ above the floor, up to 4″ horizontally in one straight increment, then climb/drop. Climb the departure rampart first. At the destination, ignore height differences ≤1″, including its rampart.

Ladder: one climb counts as 1″ vertically, once per action, with the ladder in control range throughout. Always finish where the model can be placed.

VANTAGE & COVER

Vantage is also Light. Shooting an Engage target ≥2″ lower gives Accurate 1; ≥4″ gives Accurate 2. A Conceal target ≥2″ lower cannot use Light cover to avoid selection, but retains an improved cover save: one critical or two normal saves. Heavy cover still applies.

For obscured, ignore Heavy parts of the same feature as the Vantage occupied by the shooter or target. When shooting upwards, a rampart above the targeting line intervenes if within the target's control range (October FAQ). A feature cannot give both cover and obscured: the defender chooses.

KT COMPANION FAQ · LOCAL

#028 / House ruling: ruins have Ceiling; ignore doors for Control Range. Ruins: climb 3″, or 4″ from the rampart side. Drop without a rampart (including its gap): 1″. Across a rampart: climb 2″ + drop 2″. The first inch leaving cover follows the relevant cover line. Keep equipment terrain more than 2″ from Accessible crates.

#021 / RAW: going down is Drop, not Climb. Guard is not universal in Open.

VOLKUS

CITYFIGHT · CORE + FAQ OCT 2026

STRONGHOLDS A / B



A left, B right · E–H from Core FAQ p. 4

Upper levels: Vantage + Ceiling. Doors Heavy + Accessible. Fire steps: Vantage + Insignificant + Exposed. Broken vent Blocking; remaining parts Heavy.

E: three containers on A, Heavy + Blocking. F: small broken ramparts on A, Insignificant + Exposed + Ceiling. G: gap on B's lower Vantage, Accessible.

H: highest level of B: at most one friendly operative, placed on one side, never in the middle. Leave the other side available to the enemy. Move an oversized base as far on as possible, place it beside the feature and hold it in its actual position when checking rules.

For control-range visibility only, ignore doors and stronghold parts less than 2″ high. Being on a fire step does not let you ignore the whole stronghold for obscured.

RUINS / RUBBLE

Large ruin: upper level Vantage + Ceiling; treat it as level with the first upper stronghold level for targeting lines/intervening. Rampart Light; door Heavy + Accessible, viewpoint Blocking. Unbroken windows Heavy + Barred (visibility within 1″ horizontally). Other parts Heavy. Ignore the door for control-range visibility.

Small ruins / heavy rubble: Heavy. Light rubble: Light.

CITYFIGHT

Condensed Stronghold: Blast/Torrent/x″ Devastating gain Lethal 5+ against each target wholly inside a stronghold and on its floor/fire step. Check each target separately.

Garrisoned: a defender wholly inside retaliating against an attacker outside resolves first.

Door Fight · 1 AP: touch a door; target on the floor, other side, within 2″ of it. Treated as Fight; cannot start in enemy control range.

> Measure the actual height, including ramparts. Photos are not scale drawings. Normal Cityfight does not grant Guard.

CLIMB / DROP / JUMP

Start a climb within 1″ horizontally and 3″ vertically of visible terrain. Each climb costs at least 2″ vertically. Add horizontal movement separately. Dash cannot climb.

Vertical height	Climb ↑	Drop ↓
0 < h ≤ 2″	2″	0″
2 < h ≤ 3″	3″	1″
3 < h ≤ 4″	4″	2″
4 < h ≤ 5″	5″	3″
5 < h ≤ 6″	6″	4″

Single climb/drop, no discounts. Add vertical distances during the action before rounding up. Only 2″ of dropping is free per action, not per drop. Continuing a climb requires the next terrain within 1″ horizontally / 3″ vertically; rows above 3″ assume a legal continuation.

Jump: from Vantage more than 2″ above the floor, up to 4″ horizontally in one straight increment, then climb/drop. Climb the departure rampart first. At the destination, ignore height differences ≤1″, including its rampart.

Ladder: one climb counts as 1″ vertically, once per action, with the ladder in control range throughout. Always finish where the model can be placed.

VANTAGE & COVER

Vantage is also Light. Shooting an Engage target ≥2″ lower gives Accurate 1; ≥4″ gives Accurate 2. A Conceal target ≥2″ lower cannot use Light cover to avoid selection, but retains an improved cover save: one critical or two normal saves. Heavy cover still applies.

For obscured, ignore Heavy parts of the same feature as the Vantage occupied by the shooter or target. When shooting upwards, a rampart above the targeting line intervenes if within the target's control range (October FAQ). A feature cannot give both cover and obscured: the defender chooses.

TERRAIN KEYWORDS

Heavy: cover; can obscure. Light: cover. Blocking: no visibility through the gap; it intervenes for cover/obscured like surrounding terrain. Accessible: move the base centre through, +1″. Insignificant: ignore for climb/drop. Exposed: never intervening. Ceiling: round bases ≤50 mm or oval 60×35 mm may pass underneath regardless of model height; the final position must accommodate the model.

TOMB WORLD

CLOSE QUARTERS · RULES + FAQ AUG / OCT 2026

WALLS & HATCHWAYS

Heavy + Wall: no movement, climbing, visibility or measurements through/over it. Measure by the shortest route around, except distances to killzone areas. Breach markers do not override Wall.

Closed: Heavy + Wall. Open access point: Accessible + Insignificant + Exposed; +1″ to pass through. Use the walls at its sides for cover/obscured.

Operate Hatch · 1 AP: open/close an access point in control range. Can interrupt your Reposition/Dash and use the remaining movement afterwards. Cannot act in enemy control range, or close an open hatch whose access point is in enemy control range.

BREACH · 2 AP



Closed / open breach wall · Tomb World p. 4

Closed access point in control range; no enemy in control range. Remove the breached wall. The opening becomes Accessible + Insignificant + Exposed and cannot be closed again.

1 AP discount: datacard contains “breach marker”, “grenadier” or “mine”, or a weapon has Piercing 2 / Piercing Crits 2 without Blast/Torrent. No discount in an activation/counteraction with Charge or Shoot, in either order; paying 2 AP permits the combination.

Roll a separate D6 for each operative on the other side with the access point in control range. On 4+: -1 APL until the end of its next activation, plus half the roll in damage, rounded up: 4→2; 5–6→3.

TELEPORT PAD

One operative per pad; cannot also touch the floor. An operative whose base touches the pad is in control range of its occupant. Keep equipment terrain more than 2″ away.



Vantage + Insignificant + Exposed

From TP2, replace movement during Reposition / Charge / Fall Back with teleporting to the other pad. Swap occupants if occupied; the enemy player places their model. All action conditions still apply. Once per activation; not during Dash. Does not count as moving for distance-based rules; “cannot end closer” restrictions still apply.

GUARD · 1 AP

Requires Engage and no enemy in control range; treated as Shoot. After an enemy action during its activation, interrupt with one friendly operative on guard: free Shoot/Fight, including Hatchway Fight. One interrupt per enemy activation across all your guards.

Point-blank: shoot the enemy in your control range even if normally not a valid target. Worsen Hit by 1; cannot retaliate until that enemy activation ends.

Guard ends: any action, movement or set-up; an order change; next TP; or an enemy ends an action in control range and you do not interrupt. After interrupting, no Counteract that TP. Before interrupting, Counteract is allowed but ends guard.

Triggers include Operate Hatch during movement and the final action of an activation. No action means no trigger. Guard cannot be chosen for Counteract.

Becoming injured during an interrupt does not reduce movement already allocated. After Operate Hatch, remaining movement can continue only if still legal.

CLOSE QUARTERS

Condensed Environment: Blast / Torrent / x″ Devastating gain Lethal 5+. Devastating without a distance does not qualify.

Hatchway Fight · 1 AP: touch an open access point; choose an enemy on the other side within 2″ of it. You count as in control range for that Fight. Cannot start while already in enemy control range. Visibility is not required.

OTHER TERRAIN & KEYWORDS

Control range: visible and within 1″.

Sarcophagus and debris: Light terrain.


Climbing and dropping: other climbs cost at least 2″; start within 1″ horizontally / 3″ vertically. Ignore 2″ of dropping per action. Dash cannot climb.

Accessible: the base centre passes through; base size does not limit the opening. Insignificant: ignore climb/drop. Exposed: no cover/obscured. Vantage: can finish on top. Heavy can obscure; Light cannot.

WTC INTO THE DARK

GALLOWDARK + NARRATIVE · WTC v1.4 / 26 JUL 2026

NARRATIVE PARTS C1–C5



Part	Type
C1	Heavy + Blocking
C2, C3	Light + Blocking
C4, C5	Heavy + Blocking

Climb ↑ 2″
Drop ↓ 0″
All C1–C5

Climb over or go around. No ladders. Add horizontal movement. Not Vantage: do not finish on top.

WTC terrain key, p. 4

Version 1.3 removed Accessible from the marked parts. Do not treat C1–C5 as +1″ passages. Other pieces follow the map key: Light, or Insignificant + Exposed.

WALLS & HATCHWAYS

Heavy + Wall: no movement, climbing, visibility or measurements through/over it. Measure by the shortest route around, except distances to killzone areas. Breach markers do not override Wall.

Closed: Heavy + Wall. Open access point: Accessible + Insignificant + Exposed; +1″ to pass through. Use the walls at its sides for cover/obscured.

Operate Hatch · 1 AP: open/close an access point in control range. Can interrupt your Reposition/Dash and use the remaining movement afterwards. Cannot act in enemy control range, or close an open hatch whose access point is in enemy control range.

OPEN GALLOWDARK HATCH

The fully open hatch remains Heavy + Wall; its bottom gap is Blocking. Unlike Tomb World, the hatch stays on the board. Hatches start closed; no partially open state.

BOARD SIZE

606 × 703 mm; 6 × 7 grid. You cannot climb Wall terrain; you can climb C1–C5. Their 2″/0″ figures are fixed movement costs, not physical dimensions.

GUARD · 1 AP

Requires Engage and no enemy in control range; treated as Shoot. After an enemy action during its activation, interrupt with one friendly operative on guard: free Shoot/Fight, including Hatchway Fight. One interrupt per enemy activation across all your guards.

Point-blank: shoot the enemy in your control range even if normally not a valid target. Worsen Hit by 1; cannot retaliate until that enemy activation ends.

Guard ends: any action, movement or set-up; an order change; next TP; or an enemy ends an action in control range and you do not interrupt. After interrupting, no Counteract that TP. Before interrupting, Counteract is allowed but ends guard.

Triggers include Operate Hatch during movement and the final action of an activation. No action means no trigger. Guard cannot be chosen for Counteract.

CLOSE QUARTERS

Condensed Environment: Blast / Torrent / x″ Devastating gain Lethal 5+. Devastating without a distance does not qualify.

Hatchway Fight · 1 AP: touch an open access point; choose an enemy on the other side within 2″ of it. You count as in control range for that Fight. Cannot start while already in enemy control range. Visibility is not required.

QUICK DISTANCES

Control range	visible and within 1″
Operate Hatch	access point in control range
Hatchway Fight	target within 2″ of access point
Open access point	+1″ to pass through

Dash cannot climb. **Equipment terrain:** on the floor, wholly in your territory, more than 2″ from other equipment terrain, access points and Accessible terrain.

KEYWORDS

Blocking: gaps block visibility and intervene like surrounding terrain. Insignificant: ignore climb/drop. Exposed: no cover/obscured. Accessible: base centre through, +1″. Heavy can obscure; Light cannot.

KT COMPANION FAQ · #032

House ruling: in TTS, ignore visibility through the gap between the open ITD hatch and the wall. This local interpretation does not create a new passage.

OCTARIUS

TERRAIN RULES QUICK REFERENCE · ENGLISH

RAMSHACKLE WALLS

A. Upper level: Vantage + Ceiling.

B. Door: Accessible + Heavy. Ignore the door when checking visibility for control range.

C. Lower wall gap and all gaps in the upper floor: Blocking.

Upper rampart: Light. All other parts: Heavy.



Ramshackle walls · parts A–C

RAMSHACKLE BARRICADES

Heavy terrain.



Ramshackle barricades

SCRAP PILES

Light terrain.



Scrap piles

HEAVY

Can provide cover and obscure operatives.

LIGHT

Can provide cover; other rules, including Vantage, interact with it differently.

VANTAGE

An upper level on which operatives can be placed. Also Light terrain. Other terrain can be crossed, but is not a legal final position on top.

OIL PUMP

A. Upper level: Vantage + Ceiling.

B. Pumpjack horse head: Exposed.

C. Small spigot: Insignificant + Exposed.

All other parts: Heavy.



Oil pump · parts A–C

FRIENDLY OPERATIVE PLACEMENT

A. You cannot have more than one friendly operative on the highest upper level of Oil Pump at once, and that operative must be placed on one side or the other of that level; it cannot be placed in the middle (this means an enemy operative cannot be prevented from moving onto or being set up on the other side).

If an operative's base is too big to be placed there, it must move (or be set up) as far as possible (otherwise it cannot complete that move), then place it to one side instead and treat it as being there. Hold it as far on that level as possible when it matters for checking other rules (e.g. control range, visibility, distance to other operatives, etc.).

This takes precedence over the rules for bases and being in a location it can be placed.

CEILING

Round bases up to 50 mm, or oval 60×35 mm, can move underneath regardless of model height. End the action where the model can be placed.

BLOCKING

No visibility through the marked gaps. For cover and obscured, those gaps intervene like the surrounding terrain.

ACCESSIBLE

Move the centre of the base through the opening, regardless of base size. Add 1″ to the movement cost.

INSIGNIFICANT

Ignore for climbing and dropping.

EXPOSED

Never intervening for cover or obscured.

Source: supplied Octarius terrain reference; terrain traits checked against Approved Ops 2025 Tournament Companion, pp. 5–6.
KT Companion · 30 Oct 2026 · Unofficial reference · Images not to scale.

KT COMPANION TERRAIN / OCT

OCTARIUS

TERRAIN RULES QUICK REFERENCE · ENGLISH

RAMSHACKLE WALLS

A. Upper level: Vantage + Ceiling.

B. Door: Accessible + Heavy. Ignore the door when checking visibility for control range.

C. Lower wall gap and all gaps in the upper floor: Blocking.

Upper rampart: Light. All other parts: Heavy.



Ramshackle walls · parts A–C

RAMSHACKLE BARRICADES

Heavy terrain.



Ramshackle barricades

SCRAP PILES

Light terrain.



Scrap piles

HEAVY

Can provide cover and obscure operatives.

LIGHT

Can provide cover; other rules, including Vantage, interact with it differently.

VANTAGE

An upper level on which operatives can be placed. Also Light terrain. Other terrain can be crossed, but is not a legal final position on top.


OIL PUMP

A. Upper level: Vantage + Ceiling.

B. Pumpjack horse head: Exposed.

C. Small spigot: Insignificant + Exposed.

All other parts: Heavy.



Oil pump · parts A–C

FRIENDLY OPERATIVE PLACEMENT

A. You cannot have more than one friendly operative on the highest upper level of Oil Pump at once, and that operative must be placed on one side or the other of that level; it cannot be placed in the middle (this means an enemy operative cannot be prevented from moving onto or being set up on the other side).

If an operative's base is too big to be placed there, it must move (or be set up) as far as possible (otherwise it cannot complete that move), then place it to one side instead and treat it as being there. Hold it as far on that level as possible when it matters for checking other rules (e.g. control range, visibility, distance to other operatives, etc.).

This takes precedence over the rules for bases and being in a location it can be placed.

CEILING

Round bases up to 50 mm, or oval 60×35 mm, can move underneath regardless of model height. End the action where the model can be placed.

BLOCKING

No visibility through the marked gaps. For cover and obscured, those gaps intervene like the surrounding terrain.

ACCESSIBLE

Move the centre of the base through the opening, regardless of base size. Add 1″ to the movement cost.

INSIGNIFICANT

Ignore for climbing and dropping.

EXPOSED

Never intervening for cover or obscured.

Source: supplied Octarius terrain reference; terrain traits checked against Approved Ops 2025 Tournament Companion, pp. 5–6.
KT Companion · 30 Oct 2026 · Unofficial reference · Images not to scale.