VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

DOKUMENTACIJA

https://jovan-cmd.github.io/supplementshop/

Web Programiranje 1

Jovan Šinik 70/20

Smer: Internet tehnologije

Modul: Web Programiranje

Predmet: Web Programiranje 1

Sadržaj

Contents

Sadržaj	2
1.Uvod	3
1.1 Korišćeni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Template	3
2.Organizacija	4
2.1 Organizaciona šema	4
2.2 Mapa sajta	5
2.3 Slike stranica i opis funkcionalnosti	6
3.Kodovi	9
3.1 HTML – index-html	9
3.2 CSS-SASS	12
3.3 Javasript – main.js	25
Contact.js	26

1.Uvod

1.1 Korišćeni programski jezici

Jezici koji su korišćeni za izradu sajta su HTML, CSS(SASS), XML, JavaScript i jQuery biblioteka JavaScripta.

1.2 Opis funkcionalnosti

Stranica index.html


- Dinamički prikaz proizvoda iz prodavnice
- Dinamički prikaz konsultanata na stranici
- Dinamički ispisan "hamburger" na manjim
- Dinamički ispisana forma kao i njeni svi elementi
- Forma koja dinamički proverava da li je sadrzaj koji je zadat u formi dobro unesen, pomoću regularnih izraza i petlji, dugmad reset i submit

1.3 Template

Za izradu web stranice nije korišćen template.

2.Organizacija


2.1 Organizaciona šema



2.2 Mapa sajta

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
     xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
     xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
     http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
 <loc>https://jovan-cmd.github.io/supplementshop/</loc>
 <lastmod>2021-12-11T18:19:59+00:00</lastmod>
 <priority>1.00</priority>
</url>
<url>
 <loc>https://jovan-cmd.github.io/supplementshop/index.html</loc>
 <lastmod>2021-12-11T18:19:59+00:00</lastmod>
 <priority>0.80</priority>
</url>
</urlset>
```


2.3 Slike stranica i opis funkcionalnosti



U header-u stranice se nalazi navigacioni meni pomoću kojeg se korisnik može kretati na stranici.



Na sekciji Products se mogu videti proizvodi iz prodavnice. Dinamički se ispisuju preko Javascript-a.



U sekciji Our Staff se nalaze konsultanti koji su takođe dinamički ubačeni iz Javascript-a.
Oni se kasnije mogu birati u formi za prijavu.

ABOUT AUTHOR



Hello,my name is Jovan Sinik and I am 20 years old.I was born on 29th of April 2001 in Belgrade,Serbia.I gratuated Gymnasium in my hometown Obrenovac in 2020 and enrolled on ICT College of Vocational Studies in 2021.My love for web development and design began when I was on first year of high school and I proceeded to fullfill that dream through my education in this school. My goal is to specialize in domain of web designing,programming and SEO optimizing and managing data structures.I hope that I will finish my education as soon as possible so I can commit to my projects,as well as projects of my clients.For more information visit my Portfolio!

Sekcija autor sadrži sliku i kratki opis autora u koji je takođe ubačen i link koji vodi do autorovog portfolija.

First and last name	
E-mail	
Age	
Choose your consultant 🕶	
Order Appointment Reset	

Sekcija u kojoj je napravljena forma koja, ako korisnik želi da se registruje, traži od korisnika da unese korisničko ime koje mora imati jedno veliko, mala slova i brojeve kako bi bilo validno, e-mail mora da sadrži ime koje je korisnik zadao, @ znak i domen na kojem je sajt napravljen u formatu "something@domen.com". Forma za kraj zahteva od korisnika da upise njegove godine, ako unese manje od 16 godina, forma ce mu reci koliko godina mora da ima. Dugme Register i Reset su programirana u JavaScriptu, jedno da izbaci alert i kaže korisniku da se uspešno registrovao i resetuje stranu, dok drugo resetuje greške na ekranu.

3.Kodovi

3.1 HTML - index-html

```
<!DOCTYPE html>
chtml lang-"en"
                 <meta charset="UTF-8"/>
                 <meta http-equiv="X-UA-Compatible" content="IE-edge"/>
               cneta name="viewport" content="width-device-width, initial-scale=1.8"/>
cscript src="https://kit.fontawesome.com/59823f594a.js" crossorigin="anonymous"></script>
clink rel="preconnect" href="https://fonts.googleapis.com"/>
clink rel="preconnect" href="https://fonts.gsogleapis.com"/>
clink href="https://fonts.googleapis.com" crossorigin/>
clink href="https://fonts.googleapis.com/css2/family=Poppins:wght@200&display-swap" rel="stylesheet"/
clink href="https://fonts.googleapis.com/css2/family=Poppins:wght@200&display-swap"/
clink href="https://fonts.googleapis.com/css2/family=Poppins:wght@200&display-swap"/
clink href="https://fonts.googleapis.com/css2/family=Poppins:wght@200&display-swap"/
clink href="https:
               k rel-"stylesheet" href-"assets/scss/style.css"/>
k rel-"shortcut icon" href-"assets/images/favicon.ico" type-"image/x-icon"/>
               <title>Supplement Shop</title>
                   <div class="menu-links":</pre>
                                  <div class="button"</pre>
                                                     <a href="#" onclick="closeMenu()">X</a>
                                                   cli>ca href="index.html">Home</a>
cli>ca href="#products">Products</a>
cli>ca href="#author">Author</a>
cli>ca href="#contact">Contact</a>

                div)
                                   <div class="container";</pre>
                                                     <div class="logo</pre>
                                                                       <h1><a href="index.html"><span>S</span>upplement <span>S</span>hop</a></h1>
                                                      <a href="#" class="toggle-button" onclick="openMenu()">
                                                                <span class="bar"></span>
<span class="bar"></span>
                                                                                         <a href="index.html">Home</a>
                                                                                         cli>ca href="mercynout" >nome(a)
cli>ca href="mercynouts" >nome(a)
cli>ca href="mauthor">Author
/a>
cli>ca href="mecontact">Contact
/a>
```

```
<div class="container">
    <div class="logo"</pre>
       <h1><a href="index.html"><span>S</span>upplement <span>S</span>hop</a></h1>
   <a href="#" class="toggle-button" onclick="openMenu()">
     <span class="bar"></span>
<span class="bar"></span>
<span class="bar"></span>
<span class="bar"></span>
           cli><a href="index.html">Home</a>
<a href="#products">Products</a>
<a href="#author">Author</a>
<a href="#contact">Contact</a>

<div class="cover">
   WELCOME TO SUPPLEMENT SHOP
           </h2>
              Discover what's the best for you !
<div id="inner-products" class="inner-products">
       <!-- generated with javascript-->
<section class="staff">
   <div class="staff-heading"><h3>OUR STAFF</h3></div>
```

```
content class 'station' of 'content')

dir Class' testion request'

py case it to testistic it deals of a 28 years old of April 200 is holyanhyseria; i gatasted dynamic in sy bosetons thereous in 200 and encolled on ECT College of Westional Studies in 2011.

py case it to testistic in deals of absolute it is deal of a description request in 200 and encolled on ECT College of Westional Studies in 2011.

py case it to testistic in deals of a description request in 200 and encolled on ECT College of Westional Studies in 2011.

py case it to testion request in 200 and encolled on ECT College of Westional Studies in 2011.

py case it to testion request in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is to testion request in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is to testion request in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is to testion request in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is to testion request in 2012 and encolled on ECT College of Westional Studies in 2011.

py case it is a section of the description request in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is a section of the Ect College of Westional Studies in 2011 and encolled on ECT College of Westional Studies in 2011.

py case it is a section of the Ect College of Westional Studies in 2011.

py case it is a section of the Ect College of the Ect College of College of the Ect College of the Ect College of Col
```

3.2 CSS-SASS

```
nt-face {
  font-family: "myFont";
  src: url(../fonts/Poppins-Extralight.ttf);
       margin: 0px;
       padding: Opx;
box-sizing: border-box;
scroll-behavior: smooth;
overflow-x: hidden;
font-family: "myFont";
}
@mixin fleks{
    display: flex;
    flex-wrap: wrap;
 @mixin centriranje{
  width: 80%;
       margin: 0px auto;
       scroll-padding-top:65px;
  .menu-links-open{
display: flex !important;
      display: none;
position: absolute;
z-index: 999;
       justify-content: flex-start;
       align-items: center;
        top: 8;
       left: 0;
       width: 100%;
       height: 188vh;
background-color: #469cle;
flex-direction: column;
                     margin-bottom: 10px;
                          text-decoration: none;
font-size: 20px;
```

```
margin-top: 50px;
margin-bottom: 33vh;
                  text-decoration: none;
font-size: 40px;
toggle-button{
margin-top: 10px;
eader{
width: 100%;
   position: fixed;
z-index: 1;
background-color: white;
    .container(
   @include centriranje;
   @include fleks;
   justify-content: space-between;
            .logo{
                padding-top: 5px;
font-size: 18px;
width: 30%;
                 a{
text-decoration: none;
color: □rgb(26, 26, 26);
                         span{
color: □#d69cle;
                        color: □ #d59cle;
transition: 0.3s;
```

```
.toggle-button{
    position: absolute;
top:.7rem;
    right: 1rem;
    display: none;
flex-direction: column;
justify-content: space-between;
    width: 30px;
    height: 21px;
    .bar{
| height: 3px;
| 100%;
          width: 100%;
          background-color: □black;
         border-radius: 10px;
     width: 68%;
    ul{
@include fleks;
         justify-content: center;
text-transform: uppercase;
          width: 100%;
               padding:20px;
list-style-type: none;
               font-size: 18px;
font-weight: bold;
               :hover{
color: □#d69c1c;
transition: 0.3s;
                    text-decoration: none;
color:□rgb(26, 26, 26);
```

```
aff(
width: 100%;
@include fleks;
justify-content: center;
align-items: center;
text-align: center;
background-color: pgba(0,0,0,1);
 .staff-heading{
width: 100%;
        justify-content: center;
        text-align: center;
font-size: 30px;
padding: 20px;
.inner-staff{
    width: 90%;
         padding:20px;
         .staff-bio{
   width: 100%;
   display: flex;
   align-items: center;
   justify-content: space-around;
                           width:38%;
                          img{
border-radius: 18px;
box-shadow: Spx Spx Spx □ #d69clc;
box-shadow: Spx Spx Spx □ #d69clc;
```

```
width: 100%;
@include fleks;
justify-content: center;
text-align: center;
.author-heading{
     width: 188%;
     justify-content: center;
     text-align: center;
font-size: 30px;
      padding: 20px;
.author-wrapper{
width: 98%;
      padding:20px;
     display: flex;
justify-content:space-around;
      flex-wrap: wrap;
          width: 50%;
display: flex;
justify-content: center;
align-items: center;
            width:58%;
           display: flex;
justify-content: center;
align-items: center;
            font-size: large;
padding:0 0 0 20px;
                   text-align: left;
           a{
    color: □ #d69cle;
    text-decoration: none;
    font-weight: bold;
```

```
width: 100%;
@include fleks;
justify-content: center;
align-items: center;
text-align: center;
padding: 50px 0px;
 .contact-heading{
   width: 188%;
    justify-content: center;
text-align: center;
     font-size: 30px;
padding: 20px;
      display: flex;
flex-direction: column;
      flex-wrap: wrap;
width: 48%;
     input[type-text], input[type-email], input[type-tel],select{
    width: 100%;
    padding: 20px 10px;
    margin: 10px 0px;
    border: □rgb(26, 26, 26) 1px solid;
      .buttons{
margin-top: 30px;
           display: flex;
            justify-content: space-around;
            flex-wrap: wrap;
                  width: 48%;
       .error{
font-size: 12px;
           margin-top: 2px;
color: □ red;
```

```
@media screen and (max-width: 1824px) []
main .cover .cover-container .heading h2, header .container .logo a, main .cover .cover-container .heading p {
        font-size: 24px;
ı
@media screen and (max-width: 770px) {
    header .container .logo a{
        font-size: 21px;
    main .cover .cover-container {
   width: 88%;
     main .author .author-wrapper .text p {
        font-size: 12px;
     .toggle-button{
        display: flex !important;
        display: none;
     .cover{
            .heading{
                      font-size: 30px !important;
                      font-size: 28px !important;
     .products{
        .inner-products{
             .product-proteins{
                 flex-wrap: wrap !important;
                     width:48% !important;
text-align: center !important;
                          width: 50% !important;
```

```
.staff-heading{
   font-size: 25px !important;
    .inner-staff{
         .staff-bio{
width: 100%;
              display: flex;
align-items: center;
              flex-wrap: wrap;
justify-content: space-around;
               .mcmber(
  width: 48% !important;
  text-align: center !important;
                         width: 78% !important;
}
footer{
                    font-size: 18px !important;
    .author-wrapper{
         | font-size: 15px |important;
```

```
.contact-heading{
       font-size: 30px;
   form(
       width: 98% !important;
       input[type=text], input[type=email], input[type=tel],select{
          width: 188%;
          padding: 20px 10px;
          margin: 10px 0px;
          border: ☐ rgb(26, 26, 26) 1px solid;
          margin-top: 30px;
           display: flex;
           justify-content: space-around;
           flex-wrap: wrap;
               width: 48%;
       .error{
          font-size: 12px;
          margin-top: 2px;
           color: | red;
   display: block !important;
   padding: 0px 20px;
footer {
   width: 100%;
   display: -webkit-box;
   display: -ms-flexbox;
  display: flex;
   -webkit-box-pack: center;
   -ms-flex-pack: center;
   justify-content: center;
background-color: □ rgba(0, 0, 0, 0.1);
     flex-direction: column !important;
       text-align: center;
```

```
#media screen and (max-width: 380px) {
    header .container .logo a {
        font-size: 18px !important;
    }
    main .author .author-heading h3 {
        font-size: 16px !important;
    }
    main .author .contact-heading h3 {
        font-size: 16px !important;
    }
}

#media screen and (max-width: 325px) {
    header .container .logo a {
        font-size: 16px !important;
    }
    main .cover .cover-container .heading h2, header .container .logo a, main .cover .cover-container .heading p {
        font-size: 16px !important;
    }
    main .products .products-heading h3, main .staff .staff-heading h3 {
        font-size: 16px !important;
    }
}
```

3.3 Javasript - main.js

```
//product generation
let imagesArray = ["type2proteinIzmenjeno", "180whey", "proteinmass"];
let products = document.getElementById("inner-products");
let proteins = document.createElement("div");
proteins.setAttribute("class", "product-proteins");

for(image in imagesArray)[]
    let pictureDiv = document.createElement("div");
    pictureDiv.setAttribute("class", "picture");
    let pictureDivImg = document.createElement("img");
    pictureDivImg.arc = 'assets/images/${imagesArray[image]}.jpg';
    pictureDiv.appendChild(pictureDivImg);
    proteins.appendChild(pictureDivImg);
products.appendChild(proteins);
```

```
let pMember = ["Jack Hallow", "Maria Mill", "Bob Jackson"];
let members = document.getElementById("inner-staff");
let staff = document.createElement("div");
staff.setAttribute("class", "staff-bio");
    let memberDiv = document.createElement("div");
    memberDiv.setAttribute("class", "member");
    let memberDivImg = document.createElement("img");
    memberDivImg.src = 'assets/images/personal-trainer${i + 1}.jpg';
memberDivImg.alt = 'personal-trainer${i + 1}';
    let memberP = document.createElement("p");
    memberP.innerHTML - pMember[i];
    memberDiv.appendChild(memberDivImg);
    memberDiv.appendChild(memberP);
    staff.appendChild(memberDiv);
members.appendChild(staff);
var menuLinks = document.querySelector(".menu-links");
function openMenu(){
    menuLinks.classList.add("menu-links-open");
function closeMenu(){
    menuLinks.classList.remove("menu-links-open");
 /ar menuLinksA = document.querySelectorAll('.menu-links ul li a');
for (let i = 0; i < menutinksA.length; i++) {
  menutinksA[i].addEventListener('click', () => {
    if (menutinks.classList.contains('menu-links-open')) {
        menutinks.classList.remove('menu-links-open');
    }
}
```

Contact.js

```
let trainerArray = ["Choose your consultant" ,"Jack Hallow", "Maria Mill", "Bob Jackson"];
let selectTrainer = document.getElementById("trainer");
for(let i = 0; i < trainerArray.length; i++){</pre>
       var newOption = document.createElement("option");
      newOption.setAttribute("id", `${trainerArray[i]}`);
newOption.setAttribute("value", `${trainerArray[i]}`);
newOption.innerHTML = trainerArray[i];
       selectTrainer.appendChild(newOption);
let form = document.getElementById("form");
let nameSurname = document.getElementById("name");
let email = document.getElementById("email");
 let age = document.getElementById("age");
let trainer= document.getElementById("trainer");
let inputErrors = document.getElementsByClassName("error");
var mistakes;
let regexHane = /^[A-Z]{1}[a-z]{2,15}\s[A-Z]{1}[a-z]{2,15}$;
let regexEmail = /^[a-zA-Z0-9._%-]+@[a-zA-Z0-9.-]+.[a-zA-Z]{2,4}$/;
let regexAge = /^[0-9]{2}$/;
form.addEventListener("submit", (e) => {
      mistakes = 0;
       e.preventDefault();
      checkName(nameSurname, 0, "Your name is invalid, example: \"Name Surname\"");
checkEmail(email, 1, "Your email is invalid, example: \"something@domain.com\"");
checkAge(age, 2, "Please input a number of years", "Sorry, you need to be older to get a trainer");
checkTrainer(trainer, 3, "Please select a consultant.");
      if (mistakes == 0){
   alert("Thank you for ordering your training plan, we will contact you soon!");
   setTimeout("location.reload(true);",0);
 form.addEventListener("reset", () => {
    setTimeout("location.reload(true);",8);
```

```
let checkName = (id, i, message) => {
    if (!regexName.test(id.value)) {
        inputErrors[i].innerHTML = message;
        mistakes++;
    }
    else {
        inputErrors[i].innerHTML = "";
    }
};

let checkEmail = (id, i, message) => {
    if (!regexEmail.test(id.value)) {
        inputErrors[i].innerHTML = message;
        mistakes++;
    }
    else {
        inputErrors[i].innerHTML = "";
    }
};

let checkAge = (id, i, message, message2) => {
    if (!regexAge.test(id.value)) {
        inputErrors[i].innerHTML = message;
        mistakes++;
    }
    else if(parseInt(id.value) < 16) {
        inputErrors[i].innerHTML = message2;
        mistakes++;
    }
    else {
        inputErrors[i].innerHTML = "";
    }
};

let checkTrainer = (id, i, message) => {
        if [id.value == "choose your consultant"] {
            inputErrors[i].innerHTML = message;
            mistakes++;
    }
    else {
        inputErrors[i].innerHTML = message;
        inputErrors[i].innerHTML = "";
}
};
```