



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Sites: <https://accounts.google.com> <https://www.google.com>
<http://localhost:8080> <https://localhost:4202>

Generated on Sun, 21 Sept 2025 13:38:54

ZAP Version: 2.16.1

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	5
Low	4
Informational	3

Alerts

Name	Risk Level	Number of Instances
CSP: Failure to Define Directive with No Fallback	Medium	520
Content Security Policy (CSP) Header Not Set	Medium	3
Cross-Domain Misconfiguration	Medium	11
Directory Browsing	Medium	1
Missing Anti-clickjacking Header	Medium	2
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Low	11
Strict-Transport-Security Header Not Set	Low	13
Timestamp Disclosure - Unix	Low	1
X-Content-Type-Options Header Missing	Low	9
Information Disclosure - Suspicious Comments	Informational	4
Modern Web Application	Informational	2
Re-examine Cache-control Directives	Informational	2

Alert Detail

Medium	CSP: Failure to Define Directive with No Fallback
Description	The Content Security Policy fails to define one of the directives that has no fallback. Missing /excluding them is the same as allowing anything.

URL	http://localhost:8080/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/OTHER/network/other/proxy.pac/?apinonce=1eafee0834dcd737
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/action/addOptionToken/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/action/removeOptionToken/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/action/setOptionPartialMatchingEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/other/genForm/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/view/optionPartialMatchingEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/acsrf/view/optionTokensNames/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/addAllowedResource/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/addExcludedElement/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/modifyExcludedElement/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/removeAllowedResource/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/removeExcludedElement/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/scan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/scanAsUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setEnabledAllowedResource/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ajaxSpider/action/setOptionBrowserId/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionClickDefaultElems/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionClickElemsOnce/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionEnableExtensions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionEventWait/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionLogoutAvoidance/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionMaxCrawlDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionMaxCrawlStates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionMaxDuration/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionNumberOfBrowsers/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionRandomInputs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionReloadWait/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/setOptionScopeCheck/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/action/stop/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/allowedResources/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/excludedElements/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/fullResults/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/numberOfResults/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionBrowserId/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionClickDefaultElems/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ajaxSpider/view/optionClickElemsOnce/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionEnableExtensions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionEventWait/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionLogoutAvoidance/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionMaxCrawlDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionMaxCrawlStates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionMaxDuration/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionNumberOfBrowsers/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionRandomInputs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionReloadWait/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/optionScopeCheck/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/results/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ajaxSpider/view/status/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/addAlert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/deleteAlert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/deleteAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/deleteAllAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/updateAlert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/action/updateAlertsConfidence/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/alert/action/updateAlertsRisk/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/alert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/alertCountsByRisk/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/alerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/alertsByRisk/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/alertsSummary/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alert/view/numberOfAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/addAlertFilter/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/addGlobalAlertFilter/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/applyAll/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/applyContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/applyGlobal/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/removeAlertFilter/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/removeGlobalAlertFilter/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/testAll/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/testContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/action/testGlobal/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/view/alertFilterList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/alertFilter/view/globalAlertFilterList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ascan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/addExcludedParam/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/addScanPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/clearExcludedFromScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/disableAllScanners/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/disableScanners/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/enableAllScanners/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/enableScanners/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/excludeFromScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/importScanPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/modifyExcludedParam/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/pause/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/pauseAllScans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/removeAllScans/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/removeExcludedParam/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/removeScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/removeScanPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/resume/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/resumeAllScans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/scan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ascan/action/scanAsUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setEnabledPolicies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionAddQueryParam/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionAllowAttackOnStart/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionAttackPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionDefaultPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionDelayInMs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionEncodeCookieValues/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionHandleAntiCSRFTokens/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionHostPerScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionInjectPluginIdInHeader/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxAlertsPerRule/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxChartTimeInMins/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxResultsToList/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxRuleDurationInMins/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxScanDurationInMins/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionMaxScansInUI/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionPromptInAttackMode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionPromptToClearFinishedScans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionRescanInAttackMode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ascan/action/setOptionScanHeadersAllRequests/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionScanNullJsonValues/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionShowAdvancedDialog/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionTargetParamsEnabledRPC/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionTargetParamsInjectable/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setOptionThreadPerHost/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setPolicyAlertThreshold/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setPolicyAttackStrength/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setScannerAlertThreshold/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/setScannerAttackStrength/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/skipScanner/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/stop/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/stopAllScans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/action/updateScanPolicy/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/alertsIds/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/attackModeQueue/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/excludedFromScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/excludedParams/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/excludedParamTypes/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/messagesIds/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ascan/view/optionAddQueryParam/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionAllowAttackOnStart/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionAttackPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionDefaultPolicy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionDelayInMs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionEncodeCookieValues/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionExcludedParamList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionHandleAntiCSRFTokens/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionHostPerScan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionInjectPluginIdInHeader/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxAlertsPerRule/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxChartTimeInMins/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxResultsToList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxRuleDurationInMins/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxScanDurationInMins/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionMaxScansInUI/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionPromptInAttackMode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionPromptToClearFinishedScans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionRescanInAttackMode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionScanHeadersAllRequests/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/ascan/view/optionScanNullJsonValues/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionShowAdvancedDialog/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionTargetParamsEnabledRPC/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionTargetParamsInjectable/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/optionThreadPerHost/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/policies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/scanners/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/scanPolicyNames/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/scanProgress/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/scans/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ascan/view/status/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/action/setAuthenticationMethod/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/action/setLoggedInIndicator/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/action/setLoggedOutIndicator/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/view/getAuthenticationMethod/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/view/getAuthenticationMethodConfigParams/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/view/getLoggedInIndicator/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/view/getLoggedOutIndicator/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/authentication/view/getSupportedAuthenticationMethods/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/authorization/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/automation/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/downloadLatestRelease/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/installAddon/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionCheckAddonUpdates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionCheckOnStart/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionDownloadNewRelease/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionInstallAddonUpdates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionInstallScannerRules/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionReportAlphaAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionReportBetaAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/setOptionReportReleaseAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/action/uninstallAddon/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/installedAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/isLatestVersion/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/latestVersionNumber/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/localAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/marketplaceAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/newAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/autoupdate/view/optionAddonDirectories/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionCheckAddonUpdates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionCheckOnStart/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionDayLastChecked/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionDayLastInstallWarned/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionDayLastUpdateWarned/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionDownloadDirectory/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionDownloadNewRelease/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionInstallAddonUpdates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionInstallScannerRules/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionReportAlphaAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionReportBetaAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/optionReportReleaseAddons/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/autoupdate/view/updatedAddons/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/addHttpBreakpoint/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/break/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/continue/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/drop/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/removeHttpBreakpoint/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/break/action/setHttpMessage/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/action/step/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/pconn/waitForHttpBreak/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/view/httpMessage/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/view/isBreakAll/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/view/isBreakRequest/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/break/view/isBreakResponse/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/client/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/clientSpider/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/excludeAllContextTechnologies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/excludeContextTechnologies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/excludeFromContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/exportContext/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/importContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/includeAllContextTechnologies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/includeContextTechnologies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/includeInContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/newContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/removeContext/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/context/action/setContextCheckingStrategy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/setContextInScope/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/action/setContextRegexs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/context/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/contextList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/excludedTechnologyList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/excludeRegexs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/includedTechnologyList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/includeRegexs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/technologyList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/context/view/urls/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/accessUrl/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/addProxyChainExcludedDomain/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/clearExcludedFromProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/createSbomZip/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/deleteAlert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/deleteAllAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/deleteSiteNode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/disableAllProxyChainExcludedDomains/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/core/action/disableClientCertificate/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/enableAllProxyChainExcludedDomains/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/enablePKCS12ClientCertificate/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/excludeFromProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/generateRootCA/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/loadSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/modifyProxyChainExcludedDomain/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/newSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/removeProxyChainExcludedDomain/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/runGarbageCollection/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/saveSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/sendRequest/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setHomeDirectory/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setLogLevel/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setMode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionAlertOverridesFilePath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionDefaultUserAgent/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionDnsTtlSuccessfulQueries/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionHttpStateEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionMaximumAlertInstances/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/core/action/setOptionMergeRelatedAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainPassword/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainPort/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainPrompt/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainRealm/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainSkipName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionProxyChainUserName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionSingleCookieRequestHeader/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionTimeoutInSecs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionUseProxyChain/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionUseProxyChainAuth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/setOptionUseSocksProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/shutdown/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/action/snapshotSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/fileDownload/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/fileUpload/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/htmlreport/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/jsonreport/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/mdreport/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/core/other/messageHar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/messagesHar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/messagesHarById/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/proxy.pac/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/rootcert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/sendHarRequest/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/setproxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/other/xmlreport/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/alert/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/alerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/alertsSummary/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/childNodes/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/excludedFromProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/getLogLevel/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/homeDirectory/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/hosts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/message/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/messages/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/messagesById/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/mode/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/core/view/numberOfAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/numberOfMessages/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionAlertOverridesFilePath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionDefaultUserAgent/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionDnsTtlSuccessfulQueries/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionHttpState/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionHttpStateEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionMaximumAlertInstances/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionMergeRelatedAlerts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainPassword/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainPort/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainPrompt/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainRealm/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainSkipName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyChainUserName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyExcludedDomains/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionProxyExcludedDomainsEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionSingleCookieRequestHeader/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionTimeoutInSecs/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/core/view/optionUseProxyChain/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionUseProxyChainAuth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/optionUseSocksProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/proxyChainExcludedDomains/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/sessionLocation/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/sites/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/urls/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/version/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/core/view/zapHomePath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/exim/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/forcedUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/importFile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/importUrl/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionArgsType/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionLenientMaxQueryDepthEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionMaxAdditionalQueryDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionMaxArgsDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionMaxQueryDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionOptionalArgsEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/graphql/action/setOptionQueryGenEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionQuerySplitType/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/action/setOptionRequestMethod/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionArgsType/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionLenientMaxQueryDepthEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionMaxAdditionalQueryDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionMaxArgsDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionMaxQueryDepth/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionOptionalArgsEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionQueryGenEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionQuerySplitType/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/graphql/view/optionRequestMethod/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/addDefaultSessionToken/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/addSessionToken/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/createEmptySession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/removeDefaultSessionToken/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/removeSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/removeSessionToken/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/renameSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/httpSessions/action/setActiveSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/setDefaultSessionTokenEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/setSessionTokenValue/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/action/unsetActiveSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/view/activeSession/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/view/defaultSessionTokens/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/view/sessions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/view/sessionTokens/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/httpSessions/view/sites/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/hud/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/hudfiles/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/keyboard/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/localProxies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/localProxies/action/addAdditionalProxy/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/localProxies/action/removeAdditionalProxy/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/localProxies/view/additionalProxies/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/network/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/action/setActiveScanService/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/action/setBoastOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/oast/action/setCallbackOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/action/setDaysToKeepRecords/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/action/setInteractshOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getActiveScanService/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getBoastOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getCallbackOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getDaysToKeepRecords/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getInteractshOptions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/oast/view/getServices/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/openapi/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/openapi/action/importFile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/openapi/action/importUrl/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/params/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/postman/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/postman/action/importFile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/postman/action/importUrl/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/pscan/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/quickstartlaunch/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/quickstartlaunch/other/startPage/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/replacer/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/reports/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reports/action/generate/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reports/view/templateDetails/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reports/view/templates/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/retest/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reveal/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reveal/action/setReveal/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/reveal/view/reveal/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/ruleConfig/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearGlobalCustomVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearGlobalVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearGlobalVars/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearScriptCustomVar/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearScriptVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/clearScriptVars/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/disable/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/enable/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/load/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/remove/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/script/action/runStandAloneScript/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/setGlobalVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/action/setScriptVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/globalCustomVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/globalCustomVars/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/globalVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/globalVars/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/listEngines/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/listScripts/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/listTypes/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/scriptCustomVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/scriptCustomVars/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/scriptVar/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/script/view/scriptVars/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/search/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/addBrowserArgument/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/launchBrowser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/removeBrowserArgument/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setBrowserArgumentEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/selenium/action/setOptionChromeBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionChromeDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionEdgeBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionEdgeDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionFirefoxBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionFirefoxDefaultProfile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionFirefoxDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionLeDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionLastDirectory/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/action/setOptionPhantomJsBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/getBrowserArguments/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionBrowserExtensions/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionChromeBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionChromeDriverPath/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionEdgeBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionEdgeDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionFirefoxBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionFirefoxDefaultProfile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionFirefoxDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionIeDriverPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/selenium/view/optionLastDirectory/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/selenium/view/optionPhantomJsBinaryPath/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/sessionManagement/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/soap/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/soap/action/importFile/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/soap/action/importUrl/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/spider/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/action/clearStats/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/action/setOptionInMemoryEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/action/setOptionStatsdHost/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/action/setOptionStatsdPort/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/action/setOptionStatsdPrefix/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/allSitesStats/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/optionInMemoryEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/optionStatsdEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/optionStatsdHost/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/optionStatsdPort/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/optionStatsdPrefix/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/stats/view/siteStats/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.

URL	http://localhost:8080/UI/stats/view/stats/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/authenticateAsUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/newUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/pollAsUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/removeUser/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/setAuthenticationCredentials/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'

Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/setAuthenticationState/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/setCookie/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/setUserEnabled/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/action/setUserName/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/getAuthenticationCredentials/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/getAuthenticationCredentialsConfigParams/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/getAuthenticationSession/
Method	GET

Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/getAuthenticationState/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/getUserById/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/users/view/usersList/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:8080/UI/websocket/
Method	GET
Attack	
Evidence	default-src 'none'; script-src 'self'; connect-src 'self'; child-src 'self'; img-src 'self' data:; font-src 'self' data:; style-src 'self'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://localhost:4202/robots.txt
Method	GET
Attack	
Evidence	default-src 'none'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	https://localhost:4202/sitemap.xml
Method	GET
Attack	
Evidence	default-src 'none'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Instances	520

Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://web.dev/articles/csp#resource-options
CWE Id	693
WASC Id	15
Plugin Id	10055

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://www.google.com/async/foiae?async=_fmt:pb
Method	GET
Attack	
Evidence	
Other Info	
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Medium	Cross-Domain Misconfiguration
Description	Web browser data loading may be possible, due to a Cross Origin Resource Sharing (CORS) misconfiguration on the web server.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/favicon.ico
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/main.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/polyfills.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could

	be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/robots.txt
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/runtime.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/sitemap.xml
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/styles.css
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
URL	https://localhost:4202/styles.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.

URL	https://localhost:4202/vendor.js
Method	GET
Attack	
Evidence	Access-Control-Allow-Origin: *
Other Info	The CORS misconfiguration on the web server permits cross-domain read requests from arbitrary third party domains, using unauthenticated APIs on this domain. Web browser implementations do not permit arbitrary third parties to read the response from authenticated APIs, however. This reduces the risk somewhat. This misconfiguration could be used by an attacker to access data that is available in an unauthenticated manner, but which uses some other form of security, such as IP address white-listing.
Instances	11
Solution	Ensure that sensitive data is not available in an unauthenticated manner (using IP address white-listing, for instance). Configure the "Access-Control-Allow-Origin" HTTP header to a more restrictive set of domains, or remove all CORS headers entirely, to allow the web browser to enforce the Same Origin Policy (SOP) in a more restrictive manner.
Reference	https://vulncat.fortify.com/en/detail?category=HTML5&subcategory=Overly%20Permissive%20CORS%20Policy
CWE Id	264
WASC Id	14
Plugin Id	10098

Medium	Directory Browsing
Description	It is possible to view the directory listing. Directory listing may reveal hidden scripts, include files, backup source files, etc. which can be accessed to read sensitive information.
URL	https://localhost:4202/vendor.js/
Method	GET
Attack	https://localhost:4202/vendor.js/
Evidence	parent directory
Other Info	
Instances	1
Solution	Disable directory browsing. If this is required, make sure the listed files does not induce risks.
Reference	https://httpd.apache.org/docs/current/mod/core.html#options
CWE Id	548
WASC Id	48
Plugin Id	0

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	
Other Info	

URL	https://localhost:4202/
Method	GET
Attack	
Evidence	
Other Info	
Instances	2
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Low	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/favicon.ico
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/main.js
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	

URL	https://localhost:4202/polyfills.js
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/robots.txt
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/runtime.js
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/sitemap.xml
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/styles.css
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/styles.js
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	https://localhost:4202/vendor.js
Method	GET
Attack	
Evidence	X-Powered-By: Express
Other Info	
Instances	11

Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/08-Fingerprint_Web_Application_Framework https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10037

Low	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/favicon.ico
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/main.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/ng-cli-ws
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/polyfills.js
Method	GET

Attack	
Evidence	
Other Info	
URL	https://localhost:4202/robots.txt
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/runtime.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/sitemap.xml
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/styles.css
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/styles.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://localhost:4202/vendor.js
Method	GET
Attack	
Evidence	
Other Info	
URL	https://www.google.com/async/foiae?async=_fmt:pb
Method	GET
Attack	

Evidence	
Other Info	
Instances	13
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security-Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Low	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server. - Unix
URL	https://localhost:4202/vendor.js
Method	GET
Attack	
Evidence	1521486534
Other Info	1521486534, which evaluates to: 2018-03-19 20:08:54.
Instances	1
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497
WASC Id	13
Plugin Id	10096

Low	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/
Method	GET
Attack	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/favicon.ico
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/main.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/polyfills.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/runtime.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/styles.css
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/styles.js
Method	GET
Attack	
Evidence	

Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://localhost:4202/vendor.js
Method	GET
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	9
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	https://localhost:4202/main.js
Method	GET
Attack	
Evidence	user
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "/*! . /feature-modules/layout/user-data/user-data.component */", see evidence field for the suspicious comment/snippet.
URL	https://localhost:4202/polyfills.js
Method	GET
Attack	
Evidence	FROM
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE", see evidence field for the suspicious comment/snippet.
URL	https://localhost:4202/styles.js
Method	GET
Attack	
Evidence	FROM
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE", see evidence field for the suspicious comment/snippet.
URL	https://localhost:4202/vendor.js

Method	GET
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// Costs of shortest paths from s to all nodes encountered.", see evidence field for the suspicious comment/snippet.
Instances	4
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	615
WASC Id	13
Plugin Id	10027

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	<script src="runtime.js" type="module"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
URL	https://localhost:4202/
Method	GET
Attack	
Evidence	<script src="runtime.js" type="module"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	2
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://localhost:4202
Method	GET
Attack	
Evidence	
Other Info	

URL	https://localhost:4202/
Method	GET
Attack	
Evidence	
Other Info	
Instances	2
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015