




1	2	3	4	5	6
A	Left_side File: Schematics/Left_side.kicad_sch				A
B	voltage_source File: voltage_source.kicad_sch				B
C	3046 File: ledder.kicad_sch				C
D	Left_side_pt2 File: Left_side_pt2.kicad_sch				D
	ledder File: ledder_transistors.kicad_sch				
	Left_side_pt3 File: Left_side_pt3.kicad_sch				
	4007 File: 4007_mosfets.kicad_sch				
Merno–Informacioni sistemi Univerzitet u Novom Sadu Fakultet tehničkih nauka					
Sheet: / File: moog_prodigy_project.kicad_sch					
Title:					
Size: A4			Date:		Rev: Marjan Urekar
KiCad E.D.A. 9.0.7					Id: 1/8
1	2	3	4	5	6







NAPOMENA 1
 Kondenzatori:
 C71,C72,C73,C74,C75,C76,C77,C78
 su vrednosti 100n i oni su kvalitetniji

NAPOMENA 2
 Otpornici cija je vrednost:
 63K4, 18K2, 4K75, 6K81, 51M, 2.4M
 su otpornici iz E96 serije (1%)
 Ostali otpornici su iz serije E24 (5%)

Pontociometri:
 Linearni: RV12, RV15
 Logaritamski: RV14, RV16


Miodrag Babić E1 87/2023
 Merno-Informacioni sistemi
 Univerzitet u Novom Sadu
 Fakultet tehničkih nauka


Sheet: /3046/
 File: ledder.kicad_sch

Title: Dupli 3046

Size: A4 Date: 27.05.2026
 KiCad E.D.A. 9.0.7

Rev: Marjan Urekar
 Id: 5/8





Miodrag Babić E1 87/2023
 Merno-Informacioni sistemi
 Univerzitet u Novom Sadu
 Fakultet tehničkih nauka

Sheet: /voltage_source/
 File: voltage_source.kicad_sch

Title: Napajanje kola

Size: A4	Date: 27.05.2026	Rev: Marjan Urekar
KiCad E.D.A. 9.0.7		Id: 10/8