

DOKUMENTACIJA

Web Programiranje 1

Dinamički web sajt

https://jovanvvasic.github.io/myFitness/

Jovan Vasić 54/20

Internet Tehnologije

Contents

- 1. Uvod
 - a. Korišćeni alati
 - b. Opis funkcionalnosti
 - c. Template
 - d. Izgled sajta
- 2. Organizacija
 - a. Shema
 - b. Sitemap
 - c. Slike sa opisom funkcionalnosti
- 3. Kodovi
 - a. HTML
 - b. CSS
 - c. JavaScript

1 Uvod

1. a. Korišćeni alati

Za izradu sajta korišćeni su sledeci alati: HTML, CSS, JavaScript, jQuery i XML

1. b. Opis funkcionalnosti

- Plugin za slider
- Animiranje prilikom ulaska u polje vidljivosti
- Dinamčki iskačujući prozor
- Dinamička forma
- Provera unetih vrednosti za formu
- Poruka o uspešno poslatoj formi

1. c. Template

Template pravljen od strane autora

Dodat robots.txt

Dodat sitemap.xml

Dodat jQuery plugin

1. d. Izgled sajta







MY PROMISE TO YOU

Honesty between the coach and the student is very important. With your faith and my help, I am sure we can achieve great goals.



Will create a plan that is tailored to your situation and create your everyday nutrition strategies.



We will help you to be better organized and not only when





We will adjust the sports activities that go best with you and your physical condition.



According to your physical strength, we will make a special program with the appropriate weight of weights




Keep your body fit & strong to live longer


They also found a healthy spirit in a healthy body. In order to live longer, you must first believe in yourself and then train to maintain a healthy life. Being positive every day is another important factor to success.


See The Results and Feel the difference

After a very short period, you can see the results. But that should not deceive you, we are still far from the goal. The final success comes after a lot of hard work and works on yourself.













Sitemap

Robots


Documentation





2. Organizacija

2. a. Schema



2. b. Sitemap

2. c. Slike sa opisom funkcionalnosti



Header sa logom i navigacionom listom koja na klik vodi do odrađenog dela stranice. U zavisnosti od određene veličine menja pozadinsku boju



Početni div stranice koji blize određuje njen opis



Prikaz 3 vrste plana treninga koji na prvo skrolovanje na stranici nestaju na 1s i zatim se vraćaju posle 1s

MY PROMISE TO YOU


Honesty between the coach and the student is very important. With your faith and my help, I am sure we can achieve great goals.




Prikazivanje kompleta paketa koji prelaskom pointera dobija donju borduru








Na gore navedene 3 slike nalazi se slider za slike koje se menjaju nakon 4 s



Div sa dugmetom GET STARTED koji vodi do oređenog dela stranice



Div koji prikazuje cene paketa i prilikom klika na GET PLAN pojavljuje se iskačujuća dinamička forma



Dinamička forma sa proverama tačnosti upisanih podataka i ispisivanjem da li je uspravno uneta



Unosenje email adrese i njena provera tačnosti sa ispisivanjem poruke o ispravnosti



Footer sa podatcima o autoru i linkova sa svojim putanjama



Div sa putanjama ka sitemap, robts fajlu i dokumentaciji



Dugme koje prilikom klika na njega vodi na pocetak stranice. Prikazuje se na određenoj visini stranice

3. Kodovi

3. a. HTML

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8"/>
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
   <title>My Fitness</title>
   <link rel="stylesheet" href="css/style.css" type="text/css" />
   <script src="https://kit.fontawesome.com/7eae0ccb07.js"</pre>
crossorigin="anonymous"></script>
   <link rel="stylesheet" type="text/css" href="./js/slick/slick.css"/>
   <link rel="stylesheet" type="text/css" href="./js/slick/slick-theme.css"/>
   <link rel="stylesheet" href="css/responsive.css" type="text/css"/>
   <link rel="icon" type="image/x-icon" href="./images/favicon.ico"/>
   <meta name="keywords" content="HTML, CSS, JavaScript,jQuery, XML, Fitness,</pre>
running, waights, excercise, gym, CrossFit, workout, pain, muscle, training"/>
   <meta name="description" content="We'll prove what the ral strenght is. Come</pre>
and join us!"/>
   <meta name="copyright" content="High ICT School" />
   <meta name="abstract" content="Place to train and work on yourself"/>
   <meta name="author" content="Jovan Vasić"/>
</head>
<body>
       <div id="logo"><a href="#"><i class="fas fa-running"></i></i></div>
       <nav>
           <l
              <a href="#">Home</a>
              <a href="#info">Classes</a>
              <a href="#promise">Features</a>
              <a href="#strong">Reviews</a>
              <a href="#packages">Pricing</a>
              <a href="#conainer">Contact</a>
           </nav>
   </header>
   <div id="begin">
       <div class="begin-style">
```

```
<div class="inside">
               <h1>HEALTH - POWER - HAPPINESS</h1>
               Don't let laziness win - strength is an important factor in
life
               <div class="get-started"><a href="#info">GET STARTED</a></div>
           </div>
       </div>
   </div>
   <div id="info">
       <div class="info-style">
           <h1>EVERYTHING IS POSSIBLE WITH ME</h1>
           Discover new types and methods of training that can
help you feel healthier
           <div class="info-style-more">
               <div class="icon-info">
                  <i class="far fa-check-circle"></i></i>
              </div>
              <div class="text-info">
                  <h2>PERSONAL TRAINING</h2>
                  A type of training that is done
under the supervision of a personal trainer. A type of training that helps people
be more productive.
               </div>
           </div>
           <div class="info-style-more">
              <div class="icon-info">
                  <i class="fas fa-seedling"></i></i>
               </div>
              <div class="text-info">
                  <h2>SPORT NUTRITION</h2>
                  If you want better results, eat
smart! A balanced diet is the most important factor in maintaining human and
athletes health.
               </div>
           </div>
           <div class="info-style-more">
               <div class="icon-info">
                  <i class="fas fa-running"></i></i></or>
              </div>
              <div class="text-info">
                  <h2>CROSSFIT</h2>
                  A form of high intensity
interval training, CrossFit is a strength and conditioning workout that is made
up of functional movement performed at a high intensity level.
```

```
</div>
           </div>
           <div class="cleaner"></div>
       </div>
    </div>
    <div id="promise">
       <h1>MY PROMISE TO YOU</h1>
        Honesty between the coach and the student is very important. With your
faith and my help, I am sure we can achieve great goals.
           <div class="promise-style">
               <div class="promise-style-more left-inside">
                   <div class="more shadow">
                       <div class="more-icon left">
                           <i class="fas clr fa-clipboard-list"></i></i>
                       </div>
                       <div class="more-text left">
                           Will create a plan that is tailored
to your situation and create your everyday nutrition strategies.
                       </div>
                   </div>
                   <div class="more shadow">
                       <div class="more-icon left">
                           <i class="far clr fa-clock"></i>
                       </div>
                       <div class="more-text left">
                           We will help you to be better
organized and not only when it comes to exercise.
                       </div>
                   </div>
                   <div class="more shadow last-of">
                       <div class="more-icon left">
                           <i class="fas clr fa-heartbeat"></i></i>
                       </div>
                       <div class="more-text left">
                           With special technology, we monitor
your health during and after training.
                       </div>
                   </div>
               </div>
               <div class="promise-style-more hide-this">
                   <img id="photo-style" src="images/boy-girll.png"</pre>
alt="photo"/>
               </div>
               <div class="promise-style-more right-inside">
```

```
<div class="more shadow">
                       <div class="more-icon">
                           <i class="fas clr fa-football-ball"></i></i>
                       </div>
                       <div class="more-text right">
                          We will adjust the sports activities
that go best with you and your physical condition.
                       </div>
                   </div>
                   <div class="more shadow">
                       <div class="more-icon">
                           <i class="fas clr fa-dumbbell"></i></i>
                       <div class="more-text right">
                           According to your physical strength,
we will make a special program with the appropriate weight of weights.
                       </div>
                   </div>
                   <div class="more shadow">
                       <div class="more-icon">
                           <i class="fas clr fa-balance-scale"></i></i>
                       </div>
                       <div class="more-text right">
                           Our essence is to create the right
balance between energy and fatigue.
                       </div>
                   </div>
               </div>
           </div>
   </div>
   <div id="strong">
       <div class="strong-style">
           <div class="strong-style-more left your-class">
               <div class="photo1">
               </div>
               <div class="photo2">
               </div>
           </div>
           <div class="strong-style-more right">
               <h1>Keep your body fit & strong to live longer</h1>
               They also found a healthy spirit in a healthy
body. In order to live longer, you must first believe in yourself and then train
```

```
to maintain a healthy life. Being positive every day is another important factor
to success.
           </div>
       </div>
   </div>
   <div id="difference">
       <div class="difference-style">
           <div class="difference-style-more">
               <h1>See The Results and Feel the difference</h1>
               After a very short period, you can see the
results. But that should not deceive you, we are still far from the goal. The
final success comes after a lot of hard work and works on yourself.
           </div>
           <div class="difference-style-more your-class">
              <div class="photo3">
              </div>
              <div class="photo4">
              </div>
           </div>
       </div>
   </div>
   <div id="strong">
       <div class="strong-style">
           <div class="strong-style-more left your-class">
               <div class="photo5">
               </div>
               <div class="photo6">
               </div>
           </div>
           <div class="strong-style-more right">
               <h1>Command Performance - You deserve it</h1>
               Set your goals. No one should set your goal for
yours, because only you can reach your goal. That is why you should try to be
better and better.
```

```
</div>
      </div>
   </div>
   <div id="bfr-connect">
      <div class="bfr-connect-inside">
         <h1>If it's not personal, It's not possible! See The Results and Feel
the difference immediatly.</h1>
         <div class="bfr-connect-btn"><a href="#packages">GET STARTED</a></div>
      </div>
   </div>
   <div id="packages">
      <div class="packages-info">
          <h1>PACKAGES</h1>
      Below you can see our offers. Please be realistic, do
not overestimate yourself or underestimate yourself. Choose below what suits you
best.
      </div>
      <div class="packages-more">
         <div class="packages-more-text">
            <h2 class="p-clr">For Beginners</h2>
            49.50 $
            Start feeling better
            Easier type of training
            Acquiring new skills
            <div id="open-1" class="get-plan">GET PLAN</div>
         </div>
         <div class="packages-more-text">
         <h2 class="p-clr">For Professionals</h2>
          99.50 $
          Continue with continuity
          Heavier type of training
          Improving old skills
          <div id="open" class="get-plan">GET PLAN</div>
         </div>
      </div>
   </div>
   <div id="conainer">
      <div class="color-blue">
          <div class="conainer-style">
             <h1>Sign Up to Our Newsletter and get exciting offers</h1>
```

```
Enter your email address we promise, never disclose or sell
your email address.
              <div class="email">
                  <form class="edit-form" action="" method="post">
                      <div class="label-div">
                         <input id="text-box" type="text" placeholder="Write</pre>
an email:" class="email-style"/>
                         <span id="span"></span>
                      </div>
                      <div class="btn-email">
                         <button type="button" id="button"</pre>
value="Send">Send</button>
                      </div>
                  </form>
              </div>
           </div>
       </div>
   </div>
   <footer>
      <div class="footer-inside">
       <div class="left-footer">
           <div class="author">
              <div class="a-image"></div>
              <div class="a-text">
                  Jovan Vasić 54/20
                  Second year student of the ICT High School
in the field of Internet technology. Born 20.01.2000. Lives in Belgrade.
                  Life goal: to be happy and healthy.
                  Hobbies: programming, sports,
socializing.
              </div>
           </div>
           <div class="social">
              Social
              <a
href="https://www.facebook.com/jovanpfk.vasic">Facebook</a>
                  <a href="https://www.linkedin.com/in/jovan-vasi%C4%87-
976813198/">LinkedIn</a>
                      <a
href="https://www.instagram.com/joca va/">Instagram</a>
           </div>
       </div>
       <div class="right-footer">
          Contact Us
```

```
Contact our 24/7 customer support if you have any
questions. We'll help you out.
href="mailto:jovan.vasic.54.20@ict.edu.rs">jovan.vasic.54.20@ict.edu.rs</a>
       </div>
      </div>
   </footer>
   <div class="to-up">
       <i class="far fa-arrow-alt-circle-up"></i></i>
   </div>
   <div id="links">
       <div class="links-center">
           <a href="./sitemap.xml">Sitemap</a>
           <a href="./robots.txt">Robots</a>
           <a href="">Documentation</a>
       </div>
   </div>
   <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
   <script src="js/main.js" type="text/javascript"></script>
```

```
margin: 0px;
    padding: 0px;
    font-family: sans-serif;
html{
    scroll-behavior: smooth;
body{
    background-color: rgb(60, 60, 60);
header{
   width: 100%;
  /* background-color: rgba(0, 174, 218, 1); */
   display: flex;
    justify-content: space-between;
   font-size: 15px;
   position: fixed;
header nav{
   margin-top: 40px;
   margin-right: 200px;
   margin-bottom: 10px;
header nav ul li{
   display: inline-block;
   margin: 0px 20px;
header nav ul li a {
   color: white;
   text-decoration: none;
.active{
   border-bottom: 3px solid rgb(60, 60, 60);
header #logo{
   margin-left: 200px;
   margin-top: 15px;
    font-size: 22px;
    color: white;
```

```
.scrolling-active{
    background-color: rgba(0, 174, 218, 1);
    transition: 2s;
    z-index: 999;
header nav ul li a:hover{
   color: black;
    transition: 0.6s;
#begin{
   width:100%;
   height: 800px;
    background-image: url(../images/begin.jpg);
    background-size: cover;
    background-attachment:fixed;
#begin .begin-style{
   width: 90%;
   height: 70%;
   /* border: 1px solid yellow; */
   position: relative;
   top: 20%;
    left: 5%;
#begin .begin-style .inside{
   margin: 0px auto;
   width: 80%;
   height: 60%;
    /* border: 1px solid yellow; */
    position: relative;
    top: 40%;
    color: white;
#begin .begin-style .inside h1{
    text-align: center;
    font-size: 50px;
#begin .begin-style .inside p{
   text-align: center;
    margin-top: 30px;
    font-size: 20px;
#begin .begin-style .inside .get-started{
```

```
width: 20%;
    height: 15%;
    background-color: rgba(0, 174, 218, 1);
    margin: 0px auto;
    position: relative;
    top: 10%;
    border-radius: 40px;
    text-align: center;
#begin .begin-style .inside .get-started a{
    text-decoration: none;
    color: white;
    font-size: 20px;
    position: relative;
    top: 30%;
#begin .begin-style .inside .get-started:hover{
    background-color: rgb(60, 60, 60);
    transition: 0.6s;
#begin .begin-style .inside .get-started a:hover{
    color: rgba(0, 174, 218, 1);
    transition: 0.6s;
#info{
   width: 100%;
    height: 700px;
    background-color: rgb(60, 60, 60);
    color: white;
#info .info-style{
   width: 85%;
   height: 90%;
    /* border: 1px solid yellow; */
   margin: 0px auto;
    position: relative;
    top: 5%;
    text-align: center;
#info .info-style h1{
    margin-top: 10%;
#info .info-style p{
    margin-top: 3%;
```

```
.cleaner{
    clear: both;
#info .info-style .info-style-more{
    width: 30%;
    height: 70%;
   /* border: 1px solid yellow; */
   float: left;
   margin: 0px 1%;
    margin-top: 90px;
#info .info-style .info-style-more .icon-info{
    width: 25%;
    height: 20%;
    background-color: rgba(0, 174, 218, 1);
    border-radius: 60px;
    margin: 0px auto;
#info .info-style .info-style-more .text-info{
   width: 100%;
   height: 49%;
   /* border:1px solid white; */
#info .info-style .info-style-more .text-info{
   margin-top: 1%;
.fas, .far{
   font-size: 40px;
    margin-top: 25px;
    color: white;
#info .info-style .info-style-more .text-info h2{
    margin-top: 20%;
#info .info-style .info-style-more .icon-info:hover{
    background-color: rgb(60, 60, 60);
    color: rgba(0, 174, 218, 1);
    transition: 0.6s;
#promise {
   width: 100%;
    height: 1000px;
    background-color: white;
    text-align: center;
```

```
#promise h1{
    position: relative;
    top: 100px;
#promise p{
   margin-top: 120px;
    margin-bottom: 40px;
    color: gray;
#promise .promise-style{
   width: 90%;
   height: 70%;
    margin: 0px auto;
    display: flex;
    justify-content: space-around;
#promise .promise-style .promise-style-more{
    width: 30%;
    height: 100%;
       border: 1px solid black;
#promise .promise-style .promise-style-more .more{
   width: 100%;
   height: 32%;
   margin-top: 1%;
    /* border: 1px solid black; */
#promise .promise-style .promise-style-more .more .more-icon{
   width: 15%;
   height: 25%;
   /* border: 1px solid black; */
   border-radius: 50px;
.left{
   float:right;
    text-align: right;
.right{
    text-align: left;
.clr{
    color: rgba(0, 174, 218, 1);
/* #promise .promise-style .promise-style-more .more .more-text{
```

```
border: 1px solid black;
#promise .promise-style .promise-style-more .more .more-text p{
    position: relative;
    top: -60px;
    color: gray;
#strong{
    width: 100%;
    height: 520px;
    background-color: rgb(240, 240, 240);
#strong .strong-style{
   width: 80%;
   height: 80%;
   margin: 0px auto;
    position: relative;
   top: 60px;
    display: flex;
    justify-content: space-around;
#strong .strong-style .strong-style-more{
   width: 45%;
   height: 100%;
   /* border: 1px solid black; */
.photo1, .photo2, .photo3, .photo4, .photo5, .photo6{
    width: 100%;
    height: 400px;
    background-repeat: no-repeat;
    background-size: cover;
.photo1{
    background-image: url('../images/girl-exc.png');
.photo2{
    background-image: url('../images/girlexc.png');
.photo3{
    background-image: url('../images/boy-exc.jpg');
.photo4{
    background-image: url('../images/boyexc.jpeg');
```

```
photo5{
    background-image: url('../images/girl-exc-2.png');
    background-position: center;
.photo6{
    background-image: url('../images/girlexc2.jpg');
#strong .strong-style .strong-style-more h1, #strong .strong-style .strong-style-
more p, #strong .strong-style .strong-style-more ul{
    margin-top: 11%;
    margin-right: 30%;
#strong .strong-style .strong-style-more ul{
    margin-left: 5%;
#difference{
    width: 100%;
    height: 550px;
    background-color:white;
#difference .difference-style{
    width: 80%;
   height: 80%;
    margin: 0px auto;
    /* border: 1px solid black; */
    position: relative;
    top: 60px;
    display: flex;
    justify-content: space-around;
#difference .difference-style .difference-style-more{
    width: 45%;
    height: 100%;
#difference .difference-style .difference-style-more h1, #difference .difference-
style .difference-style-more p, #difference .difference-style .difference-style-
more ul{
    margin-top: 11%;
    margin-left: 30%;
#difference .difference-style .difference-style-more ul{
    margin-left: 35%;
```

```
#bfr-connect{
    width: 100%;
    height: 600px;
    background-image: url(../images/to-connect.jpg);
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    color: white;
#bfr-connect .bfr-connect-inside{
    width: 70%;
   height: 50%;
   margin: 0px auto;
    /* border: 1px solid yellow; */
    text-align: center;
    position: relative;
    top: 10%;
#bfr-connect .bfr-connect-inside .bfr-connect-btn{
    position: relative;
   top: 4%;
    font-size: 20px;
    width: 20%;
   height: 13%;
    background-color: rgba(0, 174, 218, 1);
    margin: 0px auto;
    border-radius: 40px;
#bfr-connect .bfr-connect-inside .bfr-connect-btn a{
   text-decoration: none;
    color: white;
    position: relative;
    top: 20%;
#bfr-connect .bfr-connect-inside .bfr-connect-btn:hover{
    background-color: black;
    transition: 0.6s;
#bfr-connect .bfr-connect-inside .bfr-connect-btn a:hover{
    color: rgba(0, 174, 218, 1);
    transition: 0.6s;
#packages{
    width: 100%;
    height: 800px;
```

```
color: white;
#packages .packages-info{
   width: 60%;
   height: 20%;
   margin: 0px auto;
    /* border: 1px solid yellow; */
    text-align: center;
#packages .packages-info h1{
   margin-top: 5%;
#packages .packages-info p{
    margin-top: 5%;
#packages .packages-more{
   width: 80%;
   height: 70%;
   margin: 0px auto;
    /* border: 1px solid yellow; */
    display: flex;
    justify-content: space-around;
#packages .packages-more .packages-more-text{
    width: 40%;
    height: 100%;
    background-color: rgb(37, 35, 35);
    border-radius: 100px;
    text-align: center;
#packages .packages-more .packages-more-text h2{
    margin-top: 25%;
.price{
   font-size: 50px;
    margin: 40px 0;
.last-p{
    margin-bottom: 70px;
#packages .packages-more .packages-more-text .get-plan{
    width: 40%;
    height: 10%;
    background-color: rgba(0, 174, 218, 1);
```

```
margin: 0px auto;
    border-radius: 20px;
    font-size: 20px;
#packages .packages-more .packages-more-text .get-plan p{
    position: relative;
    top: 31%;
#packages .packages-more .packages-more-text .get-plan:hover{
    background-color: rgb(37, 35, 35);
    color: rgba(0, 174, 218, 1);
    transition: 0.6s;
#conainer{
    width: 100%;
   height: 450px;
    background-image: url(../images/ball.jpg);
    background-size: cover;
#conainer .color-blue{
    background-color: rgba(0, 174, 218, 0.5);
    width: 100%;
    height: 100%;
#conainer .color-blue .conainer-style{
   width: 60%;
   height: 50%;
   margin: 0px auto;
    /* border: 1px solid yellow; */
    position: relative;
    top: 25%;
#conainer .color-blue .conainer-style h1{
    color: white;
    text-align: center;
#conainer .color-blue .conainer-style p{
    color: white;
    text-align: center;
    margin-top: 2%;
#conainer .color-blue .conainer-style .edit-form{
    width: 60%;
   margin: 0px auto;
    /* border: 1px solid red; */
```

```
display: flex;
    justify-content: space-around;
#conainer .color-blue .conainer-style .edit-form .label-div{
    width: 70%;
    height: 100%;
   /* border: 1px solid red; */
    display:flex;
    flex-direction: column;
#conainer .color-blue .conainer-style .edit-form .label-div .email-style{
    height: 30px;
    border-radius: 20px;
    padding-left: 4px;
    border: 1px solid white;
#conainer .color-blue .conainer-style .edit-form .btn-email{
   width: 25%;
    height: 100%;
    /* border: 1px solid red; */
#conainer .color-blue .conainer-style .edit-form .btn-email #button{
    width: 100%;
   height: 30px;
    background-color: rgba(0, 174, 218, 1);
    border: 1px solid rgba(0, 174, 218, 1);
    color: white;
    border-radius: 20px;
#conainer .color-blue .conainer-style .edit-form .btn-email #button:hover{
    color: rgba(0, 174, 218, 1);
    background-color: white;
    border: 1px solid rgba(0, 174, 218, 1);
    transition: 0.6s;
footer{
    width: 100%;
    height: 250px;
    background-color: rgb(37, 35, 35);
footer .footer-inside{
   width: 95%;
    height: 80%;
   margin: 0px auto;
   /* border: 1px solid red; */
```

```
position: relative;
    top: 10%;
    display: flex;
    justify-content: space-between;
footer .left-footer{
   width: 60%;
   height: 100%;
    /* border: 1px solid yellow; */
    display: flex;
    justify-content: space-around;
footer .right-footer{
   width: 30%;
   height: 100%;
  /* border: 1px solid yellow; */
   color: white;
footer .left-footer .author{
   width: 60%;
   height: 100%;
  /* border: 1px solid yellow; */
   display: flex;
   justify-content: space-around;
footer .left-footer .social{
   width: 30%;
   height: 100%;
    /* border: 1px solid yellow; */
    color: white;
footer .left-footer .author .a-image{
   width: 30%;
    height: 100%;
    /* border: 1px solid red; */
    background-image:url(../images/author.jpg);
    background-size: cover;
    border-radius: 50px;
footer .left-footer .author .a-text{
   width: 65%;
   height: 100%;
    color: white;
```

```
footer .left-footer .author .a-text p{
    padding: 5px;
footer .left-footer .social .social-first{
   margin-bottom: 20px;
footer .left-footer .social p{
   margin: 10px;
footer .left-footer .social p a{
    text-decoration: none;
    color: rgba(0, 174, 218, 1);
footer .left-footer .social p a:hover{
    color: white;
footer .right-footer p{
   margin: 10px;
footer .right-footer p a{
   text-decoration: none;
    color: rgba(0, 174, 218, 1);
.p-clr{
   color: gray;
.on-focus{
   background-color: rgb(60, 60, 60);
.b-shadow{
   border-bottom: 3px solid rgb(60, 60, 60);
#vratiGore{
    position: fixed;
    right: 5%;
   bottom: 5%;
   border-radius: 50px;
   width: 50px;
   height: 50px;
  .sakrijBackToTop{
   visibility: hidden;
```

```
#vratiGore i{
  color: #009933;
 font-size: 50px;
.style-this {
    display: block;
    position: fixed;
    z-index: 1;
   left: 0;
   top: 0;
   width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgb(0, 0, 0);
    background-color: rgba(0, 0, 0, 0.5);
    text-align: center;
    display: flex;
    align-content: center !important;
    align-items: center;
   width: 100%;
  .center-mid{
   width: 100%;
    display: flex;
   flex-direction: row;
    align-items: center !important;
    justify-content:center;
 #myModal{
   display: none;
    align-content: center !important;
    align-items: center;
  .stilModalContent {
   margin: auto;
    display: block;
   width: 80%;
   max-width: 500px;
    background-color: white;
.fade-left{
 height: inherit !important;
```

```
.stilCaption,
.stilNaslov {
  margin: auto;
  display: block;
  text-align: center;
  color: #ccc;
  padding: 10px 0;
.relativno{
  position: relative;
.style-this,
.stilCaption,
.stilNaslov {
  animation-name: zoom;
  animation-duration: 0.6s;
.fade-right-right{
  position: absolute !important;
  right: -550px;
  top:0px;
.fade-right-right-500{
  right:0px;
@keyframes zoom {
  from {
    transform: scale(0);
  to {
    transform: scale(1);
.close {
  position: absolute;
  top: 15px;
  right: 35px;
  color: #f1f1f1;
  font-size: 40px;
  font-weight: bold;
  transition: 0.3s;
```

```
.close:hover,
.close:focus {
 color: #bbb;
 text-decoration: none;
 cursor: pointer;
.img-close {
 display: none !important;
.style-div-2{
  padding:70px 20px 70px 20px;
 background-color: rgba(0, 174, 218, 0.8);
 display: flex;
 border-radius: 20px;
 flex-direction: column;
 justify-content: space-between;
 width: 400px;
#div-cont>input, #div-cont>option{
 margin-bottom: 20px;
.crveni0kvir{
 border:1px solid red;
#meeting{
 width: 100%;
 display: flex;
 flex-direction: column;
 align-items: stretch !important;
 justify-content:center;
#meeting select, input{
 margin-bottom: 20px;
#meeting input{
 padding:5px;
#upozorenjeEmail{
 height: 21px;
.text-form-sent{
 color: white;
 text-align: center;
```

```
font-size: 25px;
    margin-top: 30px;
  #uspesnoPoslato{
    margin-top: 30px;
  .hide{
    visibility: hidden;
    padding-left: 30px;
.pozX{
    position: relative;
    top: -280px;
    right: 10px;
.pozX:hover{
    color: rgba(0, 174, 218, 1);
.clr-word{
    color:white;
.to-up{
    position: fixed;
    bottom: 50px;
    right: 50px;
.fa-arrow-alt-circle-up{
    color: rgba(0, 174, 218, 1);
    font-size: 50px;
.fa-arrow-alt-circle-up:hover{
    color: black;
    transition: 0.6s;
#links{
    width: 100%;
    height: 30px;
    text-align: center;
#links .links-center{
    width: 40%;
    height: 20px;
    margin: 0px auto;
```

```
display: flex;
  flex-direction: row;
  /* border: 1px solid yellow; */
  padding: 5px;
}
#links .links-center p{
   margin: 0px auto;
}
#links .links-center p a{
   text-decoration: none;
   color: white;
}
#links .links-center p a:hover{
   color: rgba(0, 174, 218, 1);
}
```

CSS Responsive design

```
@media only screen and (max-width: 1025px){
    header{
        font-size: 12px;
}
header nav ul li{
        margin: 0px 15px;
}
#begin{
        background-position: center;
}
#begin .begin-style .inside .get-started a{
        font-size: 17px;
}
#photo-style{
        width: 300px;
        height: 600px;
}
#promise .promise-style .promise-style-more .more{
        margin-top: 0px;
        /* height: 25%; */
}
#promise .promise-style .promise-style-more .more .more-text p{
```

```
top: -100px;
    /* .last-of{
       position: relative;
        top: -100px;
   .photo1, .photo2, .photo3, .photo4{
       background-position: center;
   #bfr-connect{
       background-position: center;
   #bfr-connect .bfr-connect-inside .bfr-connect-btn a{
       font-size: 17px;
   #conainer{
       background-position: center;
   .a-image{
       background-position: center;
@media only screen and (max-width: 769px){
    header nav{
        margin-right: 100px;
    header nav ul li{
        margin: 0px 5px;
    header #logo{
        margin-left: 100px;
    #begin .begin-style .inside .get-started a{
        font-size: 13px;
    .hide-this{
        visibility: hidden;
    .b-shadow{
        border-bottom: 0px;
    #bfr-connect .bfr-connect-inside .bfr-connect-btn a{
        font-size: 13px;
```

```
#packages .packages-more .packages-more-text .get-plan{
        font-size: 15px;
    }
    .pozX{
        right: 60px;
        top: -240px;
        font-size: 30px;
    .p-clr{
        font-size: 12px;
    .fa-arrow-alt-circle-up{
        font-size: 30px;
@media only screen and (max-width: 426px){
    footer .right-footer p a{
        font-size: 8px;
    footer .left-footer .social p a{
        font-size: 8px;
    .p-clr{
        font-size: 8px;
    header nav{
        margin-right: 30px;
    header nav ul li{
        margin: 0px 2px;
    header #logo{
        margin-left: 20px;
    header{font-size: 10px;}
    #begin .begin-style .inside h1{
        font-size: 20px;
    #begin .begin-style .inside p{
        font-size: 15px;
    #begin .begin-style .inside .get-started a{
        font-size: 9px;
        position: relative;
        top: 2px;
```

```
#info .info-style{
    display: flex;
    flex-direction: column;
#info .info-style .info-style-more{
    margin: 0px auto;
    width: 400px;
    height: 28%;
.fas, .far{
   font-size: 25px;
   position: relative;
    top: -17px;
.icon-info{
    position: relative;
   top:50px;
.left-inside{
    position: relative;
    left: 40px;
.right-inside{
   position: relative;
   right: 40px;
.strong-style-more h1{
    font-size: 20px;
.difference-style-more h1{
    font-size: 20px;
#bfr-connect .bfr-connect-inside .bfr-connect-btn{
   width: 100px;
#bfr-connect .bfr-connect-inside .bfr-connect-btn a{
    font-size: 11px;
   position: relative;
    top: 5px;
.price{
   font-size: 30px;
```

```
position: relative;
        top: 160px;
    .get-plan{
        position: relative;
        top: 160px;
    #packages .packages-more .packages-more-text .get-plan p{
        position: relative;
        top: 13px;
        font-size: 12px;
    .pozX{
        top: -200px;
    .fa-arrow-alt-circle-up{
        right:10px;
    #links .links-center p a{
        font-size: 10px;
@media only screen and (max-width: 376px){
    #info .info-style .info-style-more{
        width: 300px;
    #logo{
        visibility: hidden;
    header{
        width: 375px;
    header nav{
        margin-right: 30px;
    #begin .begin-style{
       display: none;
    .fa-arrow-alt-circle-up{
        display: none;
```

3. c. JavaScript

```
window.addEventListener('scroll', function () {
    let header = this.document.querySelector("header");
    let windowPosition = window.scrollY > 0;
    header.classList.toggle('scrolling-active', windowPosition);
})
let begin = document.querySelector("#begin");
let promise = document.querySelector("#promise");
let strong = document.querySelector("#strong");
let packages = document.querySelector("#packages");
let container = document.querySelector("#conainer");
const section = [begin, promise, strong, packages, container];
const navLi = document.querySelectorAll('header nav ul li');
let finish = false;
window.addEventListener('scroll', () => {
    let current = '';
    section.forEach(section => {
        const secTop = section.offsetTop;
        const secHeight = section.clientHeight;
        if (pageYOffset >= secTop - secHeight / 3) {
            current = section.getAttribute('id');
        navLi.forEach(li => {
            li.classList.remove("active");
            if (li.classList.contains(current)) {
                li.classList.add("active");
        })
    })
    $(function () {
        if (finish==false){
            $(".info-style-more").fadeOut(1000).fadeIn(2000);
            finish=true;
```

```
})
})
let box = document.getElementsByClassName("shadow");
for (let i = 0; i < box.length; i++) {
    box[i].addEventListener("mouseover", () => {
        box[i].classList.add("b-shadow");
    box[i].addEventListener("mouseout", () => {
        box[i].classList.remove("b-shadow");
$(document).ready(function () {
    $('.your-class').slick({
        autoplay: true,
        autoplaySpeed: 2000,
        arrows: false
    });
});
let emailSample = /^[\w-.]+@([\w-]+.)+[\w-]{2,4}$/;
let button = document.getElementById('button').addEventListener('click', () =>{
    let email = document.getElementById('text-box');
    let span = document.getElementById('span');
    let em=email.value;
    if (!emailSample.test(em)){
        span.innerHTML='Wrong email...'
    else{
        span.innerHTML='Email sent!'
```

```
});
let nameSapmle = /^[A-ZČĆŠĐŽ][a-zčćšđž]{2,15}(\s[A-ZČĆŠĐŽ][a-
z\check{c}\check{s}d\check{z} [2,15})?(\s[A-Z\check{c}\check{S}D\check{z}][a-z\check{c}\check{s}d\check{z}]{2,20})\s*$/;
var jumpThis = document.getElementById("open");
let openThis = false;
jumpThis.addEventListener("click", () => {
    if (!openThis) {
        openThis = true;
        let div = document.createElement("div");
        let div2 = document.createElement("div");
        div2.setAttribute("class", "clr-back")
        div2.setAttribute("id", "div-cont");
        let centerDiv = document.createElement("div");
        let title = document.createElement("h2");
        title.textContent = "Schedule the training";
        let from = document.createElement("form")
        from.setAttribute("method", "post");
        from.setAttribute("id", "meeting");
        let close = document.createElement("i")
        close.setAttribute("class", "fas fa-times pozX")
        let txtBox = document.createElement("input");
        txtBox.setAttribute("type", "text");
        txtBox.setAttribute("placeholder", "Full name:");
        txtBox.setAttribute("class", "form-control");
        txtBox.setAttribute("id", "txtBoxModal")
        let x1 = document.createElement("span");
        x1.setAttribute("class", "clr-word hide");
```

```
x1.setAttribute("id", "d-name")
x1.textContent = "Wrong name!"
let x2 = document.createElement("span");
x2.setAttribute("class", "clr-word hide");
x2.textContent = "Choose the date!"
let x3 = document.createElement("span");
x3.setAttribute("class", "clr-word hide");
x3.textContent = "Choose the time!"
let x4 = document.createElement("p");
x4.setAttribute("class", "hide text-form-sent")
x4.innerHTML = "Training is scheduled!";
let btn = document.createElement("button")
btn.setAttribute("type", "button")
btn.setAttribute("class", "btn-form")
btn.setAttribute("value", "Send")
btn.textContent = "Send"
let mainDate = new Date();
let year = mainDate.getFullYear();
let month = mainDate.getMonth() + 1;
let day = mainDate.getDate() + 1;
let maxMonth = mainDate.getMonth() + 2;
let maxYear = mainDate.getFullYear();
if (month == 12) {
    maxYear++;
    maxMonth = "01";
if (month + 1 < 10)
    month = `0${month}`;
if (month + 2 < 10)
    maxMonth = `0${month}`
if (day < 10)
    day = `0${day}`;
/* console.log(year + "-" + month + "-" + day)
console.log(maxYear + "-" + maxMonth + "-" + day) */
let combo1 = document.createElement("input");
```

```
combo1.setAttribute("value", year + "-" + month + "-" + day)
combo1.setAttribute("id", "scheduleTime");
combo1.setAttribute("type", "date");
combo1.setAttribute("class", "form-control")
combo1.setAttribute("min", year + "-" + month + "-" + day);
combo1.setAttribute("max", maxYear + "-" + maxMonth + "-" + day);
let combo2 = document.createElement("select");
combo2.setAttribute("id", "meeting-1");
combo2.setAttribute("class", "form-control")
let op = document.createElement("option");
op.setAttribute("value", "Choose your time");
op.innerHTML = "Choose your time";
combo2.appendChild(op);
let h = [10, 11, 12, 13, 14, 15, 16, 17, 18, 19];
let min = [0];
for (let i = 0; i < h.length; i++) {
    let op1 = document.createElement("option");
    op1.setAttribute("value", `${h[i]}:${min[0]}`);
    op1.innerHTML = `${h[i]}:${min[0]}0`;
    combo2.appendChild(op1);
div.classList.add("style-this");
div.classList.add("center-mid");
centerDiv.classList.add("center-mid")
div2.classList.add("style-div-2")
div.appendChild(div2)
div.appendChild(centerDiv);
```

```
div.appendChild(close);
centerDiv.appendChild(div2)
div2.appendChild(title);
div2.appendChild(from);
from.appendChild(x1)
from.appendChild(txtBox);
from.appendChild(x2)
from.appendChild(combo1);
from.appendChild(x3)
from.appendChild(combo2);
from.appendChild(btn);
from.appendChild(x4);
/* from.appendChild(cBox); */
document.body.appendChild(div);
close.addEventListener("click", () => {
    div.classList.add("img-close");
    document.body.removeChild(div);
    openThis = false;
})
btn.addEventListener("click", () => {
    if (combo2.value == "Choose your time") {
        x3.classList.remove("hide");
    if (combo2.value != "Choose your time") {
        x3.classList.add("hide");
    let name = txtBox.value;
    name.replace(/\s\s+/g, ' ');
    if (!nameSapmle.test(name)) {
        let namePlace = document.getElementById('d-name');
        if (name == "" || !name.trim()) {
            namePlace.innerHTML = "Write the name!";
        else {
            namePlace.innerHTML = "Wrong name entry!";
```

```
namePlace.classList.remove('hide');
            if (nameSapmle.test(name)) {
                let namePlace = document.getElementById('d-name');
                namePlace.classList.add('hide');
            if (isNaN(combo1.valueAsNumber)) {
                x2.classList.remove("hide")
            if (!isNaN(combo1.valueAsNumber)) {
                x2.classList.add("hide");
            if (combo2.value != "Choose your time" && nameSapmle.test(name) &&
!isNaN(combo1.valueAsNumber)) {
                x4.classList.remove("hide");
            else {
                x4.classList.add("hide");
        })
});
var jumpThis1 = document.getElementById("open-1");
let openThis1 = false;
jumpThis1.addEventListener("click", () => {
    if (!openThis1) {
        openThis1 = true;
        let div = document.createElement("div");
        let div2 = document.createElement("div");
        div2.setAttribute("class", "clr-back")
        div2.setAttribute("id", "div-cont");
        let centerDiv = document.createElement("div");
        let title = document.createElement("h2");
        title.textContent = "Schedule the training";
```

```
let from = document.createElement("form")
from.setAttribute("method", "post");
from.setAttribute("id", "meeting");
let close = document.createElement("i")
close.setAttribute("class", "fas fa-times pozX")
let txtBox = document.createElement("input");
txtBox.setAttribute("type", "text");
txtBox.setAttribute("placeholder", "Full name:");
txtBox.setAttribute("class", "form-control");
txtBox.setAttribute("id", "txtBoxModal")
let x1 = document.createElement("span");
x1.setAttribute("class", "clr-word hide");
x1.setAttribute("id", "d-name")
x1.textContent = "Wrong name!"
let x2 = document.createElement("span");
x2.setAttribute("class", "clr-word hide");
x2.textContent = "Choose the date!"
let x3 = document.createElement("span");
x3.setAttribute("class", "clr-word hide");
x3.textContent = "Choose the time!"
let x4 = document.createElement("p");
x4.setAttribute("class", "hide text-form-sent")
x4.innerHTML = "Training is scheduled!";
let btn = document.createElement("button")
btn.setAttribute("type", "button")
btn.setAttribute("class", "btn-form")
btn.setAttribute("value", "Send")
btn.textContent = "Send"
```

```
let mainDate = new Date();
let year = mainDate.getFullYear();
let month = mainDate.getMonth() + 1;
let day = mainDate.getDate() + 1;
let maxMonth = mainDate.getMonth() + 2;
let maxYear = mainDate.getFullYear();
if (month == 12) {
    maxYear++;
    maxMonth = "01";
if (month + 1 < 10)
    month = `0${month}`;
if (month + 2 < 10)
    maxMonth = `0${month}`
if (day < 10)
    day = 0 \{day\};
/* console.log(year + "-" + month + "-" + day)
console.log(maxYear + "-" + maxMonth + "-" + day) */
let combo1 = document.createElement("input");
combo1.setAttribute("value", year + "-" + month + "-" + day)
combo1.setAttribute("id", "scheduleTime");
combo1.setAttribute("type", "date");
combo1.setAttribute("class", "form-control")
combo1.setAttribute("min", year + "-" + month + "-" + day);
combo1.setAttribute("max", maxYear + "-" + maxMonth + "-" + day);
let combo2 = document.createElement("select");
combo2.setAttribute("id", "meeting-1");
combo2.setAttribute("class", "form-control")
let op = document.createElement("option");
op.setAttribute("value", "Choose your time");
op.innerHTML = "Choose your time";
combo2.appendChild(op);
let h = [10, 11, 12, 13, 14, 15, 16, 17, 18, 19];
let min = [0];
```

```
for (let i = 0; i < h.length; i++) {
    let op1 = document.createElement("option");
    op1.setAttribute("value", `${h[i]}:${min[0]}`);
    op1.innerHTML = `${h[i]}:${min[0]}0`;
    combo2.appendChild(op1);
div.classList.add("style-this");
div.classList.add("center-mid");
centerDiv.classList.add("center-mid")
div2.classList.add("style-div-2")
div.appendChild(div2)
div.appendChild(centerDiv);
div.appendChild(close);
centerDiv.appendChild(div2)
div2.appendChild(title);
div2.appendChild(from);
from.appendChild(x1)
from.appendChild(txtBox);
from.appendChild(x2)
from.appendChild(combo1);
from.appendChild(x3)
from.appendChild(combo2);
from.appendChild(btn);
from.appendChild(x4);
/* from.appendChild(cBox); */
document.body.appendChild(div);
close.addEventListener("click", () => {
    div.classList.add("img-close");
    document.body.removeChild(div);
   openThis1 = false;
})
```

```
btn.addEventListener("click", () => {
            if (combo2.value == "Choose your time") {
                x3.classList.remove("hide");
            if (combo2.value != "Choose your time") {
                x3.classList.add("hide");
            let name = txtBox.value;
            name.replace(/\s\s+/g, ' ');
            if (!nameSapmle.test(name)) {
                let namePlace = document.getElementById('d-name');
                if (name == "" || !name.trim()) {
                    namePlace.innerHTML = "Write the name!";
                else {
                    namePlace.innerHTML = "Wrong name entry!";
                namePlace.classList.remove('hide');
            if (nameSapmle.test(name)) {
                let namePlace = document.getElementById('d-name');
                namePlace.classList.add('hide');
            if (isNaN(combo1.valueAsNumber)) {
                x2.classList.remove("hide")
            if (!isNaN(combo1.valueAsNumber)) {
                x2.classList.add("hide");
            if (combo2.value != "Choose your time" && nameSapmle.test(name) &&
!isNaN(combo1.valueAsNumber)) {
                x4.classList.remove("hide");
            else {
                x4.classList.add("hide");
        })
```

```
const toTop = document.querySelector(".to-up");
function heightCheck() {
    if (window.scrollY > 800) {
       toTop.style.display = "flex";
       toTop.style.display = "none";
window.addEventListener('scroll', heightCheck)
toTop.addEventListener('click', () => {
    window.scrollTo({
        top: 0
    })
```