Visoka škola strukovnih studija za informacione i komunikacione tehnologije u Beogradu

Visoka ICT škola

Predmet: Praktikum iz PHP-a

Ime I prezime studenta: Jovana Ćirić

Broj indeksa: 110/21

Jun 2023, Beograd

Sadržaj:

- 1. Uvod
 - 1.1. Korišćeni programski i markup jezici
 - 1.2. Opis funkcionalnosti
 - 1.3. Template
- 2. Organizacija
 - 2.1. Organizaciona šema
 - 2.2. Mapa sajta
 - 2.3. Šema Baze Podataka
 - 2.4. Organizacija Foldera

- 3. JS kod
- 4. Php Kod-Funkcionalnosti

1. Uvod

Sajt je rađen za predmet Praktikum iz PHP-a. Dizajn sajta je preuzet sa sajta: https://www.free-css.com/freecss-templates/page284/pet-shop, pa dodatno uređen.

1.1 Za potrebe sajta korišćene su sljedeće tehnologije:

HTML CSS + SCSS

Bootstrap + Font Awsome JavaScript + jQuery XML(sitemap) Owl Carousel, Alertify,

PHP

Okruženje:

Visual Studio Code.

1.2 Opis funkcionalnosti

STRANICA "Home"

Pojava modala sa snimkom prilikom klika na "Play Video" dugme, dok dugme "Read More" vodi na ostatak stranice sa tekstom koji se smenjuje u zavisnosti od klika na dugme "Our Mission" ili "Our Vission".

STRANICA "SERVICES"

Svi divovi sa tekstom uneti dinamički putem PHP-a, pomoću baze podataka.

Stranica "PRODUCTS"

Na gornjoj polovini stranice Products se dinamički prikazuju proizvodi koji su na Akciji, Bibliotekom Owl Carousel se stilizovala sekcija gde se omogućilo slajdovanje proizvoda levo-desno.

Na donjoj polovini stranice se prikazuju svi proizvodi, gde imamo mogućnost sortiranja po nazivu I ceni, opadajućem ili rastućem redosledu. Takođe je moguće filtriranje: Po kategoriji ili pretraživanju putem unosa teksta u polje za pretragu. Svaki filter I sort je sinhronizovan. Takođe postoji dugme "Clear All Filters" sa kojim se poništava svaki filter.

Svi podaci o proizvodu na ovoj stranici se nalaze u bazi podataka I prikazuju se dinamički putem JS-a. O svakom proizvodu je moguće pogledati više informacija klikom na ikonicu "Show More" koja se prikazuje prilikom hover-a na proizvod. Prilikom klika ukoliko niste ulogovani bićete redirektovani na stranicu login.php. U suprotnom naći ćete se na stranici details.php gde ćete videti više informacija o proizvodu I imati mogućnost da proizvod dodate u korpu. Uradjena je paginacija u zavisnosti od toga koliko proizvoda je prikazano po strani.

Stranica "Pricing Plan"

Na ovoj stranici se nalaze tri diva gde imamo različite pakete usluga koji Pet Shop nudi, svaki div je prikazan dinamički putem PHP-a, gde su korišćeni podaci iz baze podataka, Na donjoj sekciji stranice postoji test sa linkom ka stranici "Contact".

Stranica "Autor"

Na ovoj stranici se nalazi fotografija, osnovni podaci o autoru sajta kao I link koji vodi ka portfolio autora.

Stranica "Contact"

Informacije koje postoje u bazi podataka fajlovima su unete dinamički. Na ovoj stranici korisnik moze stupiti u kontak I poslati željenu poruku samo ukoliko je ulogovan, sa upisivanjem traženih informacija. Na ovoj stranici postoji validiranje unešenih podataka na klijentskoj I serverskoj strani I ukoliko neki od njih nije unet po pravilu korisniku izlazi poruka sa uputstvom o ispravnom unosu. Greške su obrađivane statusnim kodovima I

prikazuju se korisniku na prikladan način. Ukoliko je sve uneto kako treba korisniku ispod forme izlazi poruka:

Gde FullName zamenjuje ime korisnika koje je uneto.

Poslata poruka se čuva u bazi I prikazuje na admin panelu.

Takođe ukoliko korisnik nije ulogovan prikazaće mu se informacije o sajtu kao I mapa, u suprotnom prikazuje mu se anketa. Ukoliko korisnik nije glasao prikazuje mu se pitanje I ponuđeni odgovori, a ako jeste pokazuju mu se rezultati glasanja.

[&]quot;Thanks \$FullName, we will reach You as soon as possible!"

Stranica "login.php"

Na stranici login.php korisnik se može regostrovati ili ulogovati. Ukoliko korisnik nije registrovan a pokuša da se uloguje dobiće poruku o grešci da kredencijali ne postoje u bazi. Kada se korisnik registruje validacija podataka se vrši I na serverskoj I na klijentskoj strani. Ukoliko je registracija uspešno prošla korisnik dobija poruku da će mu pristići verifikacioni mail. Na email stiže poruka sa linkom na koji je potrebno da se klikne kako bi nalog postao verifikovan. Nakon toga korisnik je u mogućnosti da se uloguje. Ukoliko email već postoji u bazi, korisnik će dobiti poruku o tome. Ukoliko korisnik pokuša da se uloguje a prethodno nije verifikovao email, dobiće poruku da email nije verifikovan. Ukolikos e lozinka pogreši 3x korisniku se nalog blokira I dobija na mejl informaciju o tome. Greške su o brađivane statusnim kodovima I ispisane pomoću alertify biblioteke. Kada se korisnik uloguje, u zavisnosti od uloge koju ima, meni ce se promeniti I dobice funkciju za logout I pristup "cart" stranici ukoliko je uloga korisnik, odnosno za admin panel I logout ukoliko je uloga admin. Kada se korisnik izloguje meni se vraca u prvobitan oblik.

Stranica admin.php

Na ovoj stranici su dinamički preko PHP-a uz pomoć baze podataka ispisane tabele sa podacima o proizvodu, kategoriji, tipu, korisnicima, rezultatima ankete I poslatim porukama. Takođe postoji mogućnost za dodavanje novog, izmeni I brisanju postojećeg proizvoda. Za kategoriju I tip je omogućeno brisanje I dodavanje. Mogućnost brisanja korisnika, kao I odblokiranje istog. Imamo prikazanu statistiku pristupa stranicama na sajtu u prethodnih 24h, informacije se skladište u txt fajlu. Postoji I ispisan podatak o broju ulogovanih korisnika u prethodnih 24h.

Na svakoj od stranica je Meni I futer uneti dinamički putem PHP-a, gde se potrebni podaci učitavaju putem baze podataka. Na dnu stranice se nalazi Newsletter, gde postoji forma sa unosom email adrese koja takodje ima validaciju radi ispravnog unosa, ukoliko je adresa uneta ispravno ivice forme će postati zelene boje, ukoliko je uneta neispravno, ivice postaju crvene boje. Na svakoj od stranica prilikom skrola se pojavljuje strelica koja olakšava povratak na vrh strane. Prilikom logovanja meni se menja u zavisnosti od uloge. Takođe stranice imaju zaštićen pristup u zavisnoti od uloge I od toga da li je korisnik ulogovan.

Logout.php

Klikom na link logout, postojeci korisnik se izloguje odnosno brise iz sesije I ta sesija se unistava. I tako se korisnik odjavljuje sa sajta.

Stranica cart.php


Ukoliko se nijedan proizvod ne nalazi u korpi na stranici se nalazi poruka da je korpa prazna. Ukoliko se neki od proizvoda nalazi u korpi, poruku zamenjuje tabela sa podacima o proizvodu, izračunatom ukupnom cenom svakog od proizvoda kao I konačna suma cele kupovine. Takođe postoje I dugmići:

- 1."Remove" postoji pored svakog proizvoda I klikom na njega brisemo proizvod koji je označen.
- 2."Clear Cart" nalazi se ispod tabele I klikom na njega brisemo sve proizvode iz tabele I pojavljuje se obavestenje da je korpa prazna, dok tabela nestaje.
- 3. "Order" nalazi se ispod tabele I klikom na njega se brisu svi artikli iz tabele I korisniku izlazi poruka o uspešnom poručivanju I podacima porudzbine.

Svaka poruka je stilizovanja Alertify bibliotekom.

1.3 Template

Home.php




```
<!-- Hero Start -->
      <div class="container-fluid bg-primary py-5 mb-5 hero-header">
        <div class="container py-5">
            <div class="row justify-content-start">
               <div class="col-lg-8 text-center text-lg-start">
                  <h1 class="display-1 text-uppercase text-dark mb-lg-4">Pet Shop
Ari</h1>
                  <h1 class="text-uppercase text-white mb-lg-4">Make Your Pets
Happy</h1>
                  Pure & natural holistic pet
foods for a long and healthy life.
                  <div class="d-flex align-items-center justify-content-center"</pre>
justify-content-lg-start pt-5">
                     <a href="#about" class="btn btn-outline-light border-2 py-</pre>
md-3 px-md-5 me-5">Read More</a>
                     <button type="button" class="btn-play" data-bs-</pre>
toggle="modal"
                        data-src="https://www.youtube.com/embed/DWRcNpR6Kdc"
data-bs-target="#videoModal">
                     <span></span>
                     </button>
                     <h5 class="font-weight-normal text-white m-0 ms-4 d-none d-
sm-block">Play Video</h5>
                  </div>
               </div>
            </div>
         </div>
      </div>
      <!-- Hero End -->
      <!-- Video Modal Start -->
      <div class="modal fade" id="videoModal" tabindex="-1" aria-</pre>
labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog">
            <div class="modal-content rounded-0">
               <div class="modal-header">
                  <h5 class="modal-title" id="exampleModalLabel">Youtube
Video</h5>
```

```
<button type="button" class="btn-close" data-bs-dismiss="modal"</pre>
aria-label="Close"></button>
              </div>
              <div class="modal-body">
                 <div class="ratio ratio-16x9">
                    <iframe width="560" height="315"</pre>
src="https://www.youtube.com/embed/ncyqXudOyrc"
                       title="YouTube video player" frameborder="0"
allow="accelerometer; autoplay; clipboard-write; encrypted-media; gyroscope;
picture-in-picture; web-share"
                       allowfullscreen></iframe>
                 </div>
              </div>
           </div>
        </div>
     </div>
     <!-- Video Modal End -->
     <!-- About Start -->
     <diy class="container-fluid py-5" id="about">
        <div class="container">
           <div class="row gx-5">
              <div class="col-lg-5 mb-5 mb-lg-0" style="min-height: 500px;">
                 <div class="position-relative h-100">
                    <img class="position-absolute w-100 h-100 rounded"</pre>
src="img/about.jpg" style="object-fit: cover;">
                 </div>
              </div>
              <div class="col-lg-7">
                 <div class="border-start border-5 border-primary ps-5 mb-5">
                    <h6 class="text-primary text-uppercase">About Us</h6>
                    <h1 class="display-5 text-uppercase mb-0">We Keep Your Pets
Happy All Time</h1>
                 </div>
                 <h4 class="text-body mb-4">"Dogs are not our whole life, but
they make our lives whole."</h4>
                 <div class="bg-light p-4">
                    id="pills-tab" role="tablist">
                       <button class="nav-link text-uppercase w-100 active"</pre>
id="pills-1-tab" data-bs-toggle="pill"
```


```
data-bs-target="#pills-1" type="button" role="tab"
aria-controls="pills-1"
                            aria-selected="true">Our Mission
                      <button class="nav-link text-uppercase w-100"</pre>
id="pills-2-tab" data-bs-toggle="pill"
                            data-bs-target="#pills-2" type="button" role="tab"
aria-controls="pills-2"
                            aria-selected="false">Our Vission</putton>
                      <div class="tab-content" id="pills-tabContent">
                       <div class="tab-pane fade show active" id="pills-1"</pre>
role="tabpanel" aria-labelledby="pills-1-tab">
                         Our mission is to provide innovative,
high-quality, consistent, value-for-money, pet friendly health care that will
make your pet want to come back again...and again, to provide a range of products
and services that help pet owners to care for their pets and to create a safe,
happy, and healthy environment for animals.
                      </div>
                      <div class="tab-pane fade" id="pills-2" role="tabpanel"</pre>
aria-labelledby="pills-2-tab">
                         Our vision for our pet shop is to
create a community of passionate and knowledgeable pet owners who share our
commitment to providing a safe, healthy, and happy environment for animals. We
strive to be the go-to destination for all pet-related needs and to be recognized
for our exceptional customer service and dedication to animal welfare.
                         </div>
                    </div>
                 </div>
              </div>
           </div>
        </div>
     </div>
     <!-- Back to Top -->
     <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
```


Services.php



```
<h1 class="display-5 text-uppercase mb-0">Our Excellent Pet Care
Services</h1>
            </div>
            <div class="row g-5" id="services">
                  include "views/pomocni/serviceList.php"
            </div>
         </div>
      </div>
      <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
      <!-- JavaScript Libraries -->
      <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
      <script src="lib/easing/easing.min.js"></script>
      <script src="lib/waypoints/waypoints.min.js"></script>
      <script src="lib/owlcarousel/owl.carousel.min.js"></script>
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
      <script src="js/main.js"></script>
   </body>
</html>
```

Product.php







```
</div>
      </div>
      <!-- Products End -->
      <!-- All Product Start -->
      <div>
         <div id="products">
            <div class="border-start border-5 border-primary ps-5 mb-5">
               <h6 class="text-primary text-uppercase">Products</h6>
               <h1 class="display-5 text-uppercase mb-0">All Products</h1>
            </div>
            <div id="sort">
               <select name="selectedProduct" id="selectedProduct">
                  <option value="">Sort</option>
                  <option value="1">Price:Low To Hight</option>
                  <option value="2">Price:Hight To Low</option>
                  <option value="3">Name: A-Z</option>
                  <option value="4">Namw: Z-A</option>
               </select>
            </div>
            <div id="categoriesFlex">
               <div>
                  <div class="mb-5">
                     <div class="input-field">
                        <h6 class="text-uppercase border-start border-5 border-</pre>
primary ps-3 mb-4">Search</h6>
                        <input type="text" id="search" placeholder="e.g. Cat</pre>
Snack">
                     </div>
                  </div>
                  <div id="categories" class="mb-5">
                     <h6 class="text-uppercase border-start border-5 border-</pre>
primary ps-3 mb-4">Filter By Categories</h6>
                        include "views/pomocni/categories.php";
                  </div>
                  <button id="reset" class="btn">Clear All Filters
               <div id="allProducts">
               </div>
            </div>
         </div>
      </div>
```

```
<div id="paginacija">
      </div>
      <!-- All Product End -->
      <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
      <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
      <script src="lib/easing/easing.min.js"></script>
      <script src="lib/waypoints/waypoints.min.js"></script>
      <script src="lib/owlcarousel/owl.carousel.min.js"></script>
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
      <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
      <script src="js/main.js"></script>
      <script src="js/product.js"></script>
   </body>
</html>`
```


Price.php






```
<!-- Pricing Plan Start -->
      <div class="container-fluid py-5">
         <div class="container">
            <div class="border-start border-5 border-primary ps-5 mb-5"</pre>
style="max-width: 600px;">
               <h6 class="text-primary text-uppercase">Pricing Plan</h6>
               <h1 class="display-5 text-uppercase mb-0">Complete Pricing For Pet
Services</h1>
            </div>
            <div class="row g-5" id="price">
                  include "views/pomocni/priceList.php"
            </div>
         </div>
      </div>
      <!-- Offer Start -->
      <div class="container-fluid bg-offer my-5 py-5">
         <div class="container py-5">
```

```
<div class="row gx-5 justify-content-start">
              <div class="col-lg-7">
                 <div class="border-start border-5 border-dark ps-5 mb-5">
                    <h6 class="text-dark text-uppercase">Are you looking for a
reliable and affordable pet service?</h6>
                   <h1 class="display-5 text-uppercase text-white mb-0">Look no
further than our pet services!</h1>
                </div>
                 Our team of experienced and
dedicated pet care professionals is committed to providing the highest level of
care for your pet.
                 py-md-3 px-md-5">Contact us</a>
              </div>
           </div>
        </div>
     </div>
     <!-- Offer End -->
     <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
     <!-- JavaScript Libraries -->
     <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
     <script src="lib/easing/easing.min.js"></script>
     <script src="lib/waypoints/waypoints.min.js"></script>
     <script src="lib/owlcarousel/owl.carousel.min.js"></script>
     <script
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
     <!-- Template Javascript -->
     <script src="js/main.js"></script>
  </body>
</html>
```



```
<?php include "views/pomocni/writingAuthor.php";?>
         </div>
      </div>
      <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
      <!-- JavaScript Libraries -->
      <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
      <script src="lib/easing/easing.min.js"></script>
      <script src="lib/waypoints/waypoints.min.js"></script>
      <script src="lib/owlcarousel/owl.carousel.min.js"></script>
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
      <!-- Template Javascript -->
      <script src="js/main.js"></script>
   </body>
</html>
```

Contact.php



Anketa:

TAKE SURVEY How do You like our products? O Very bad O Bad O Good O Very good Excellent SUBMIT

```
<div class="container-fluid pt-5">
         <div class="container">
            <div class="border-start border-5 border-primary ps-5 mb-5"</pre>
style="max-width: 600px;">
               <h6 class="text-primary text-uppercase">Contact Us</h6>
               <h1 class="display-5 text-uppercase mb-0">Please Feel Free To
Contact Us</h1>
            </div>
            <div class="row g-5">
               <div class="col-lg-7">
                  <form action="#" method="post" class="contact-form" id="form"</pre>
role="form" data-aos="fade-up">
                     <div class="row">
                         <div class="col-lg-12 col-12 formDesigneTitle">
                            <label class="form-label">Full Name <sup class="text-</pre>
danger">*</sup></label>
```

```
<input type="text" name="name" id="name" class="form-</pre>
control bg-light border-0 px-4" placeholder="Your Name" style="height: 55px;"
required />
                          </div>
                       <div class="col-lg-6 col-6 formDesigneTitle">
                          <label class="form-label">Email <sup class="text-</pre>
danger">*</sup></label>
                         <input type="email" name="email" id="email"</pre>
class="form-control bg-light border-0 px-4" placeholder="Your mail"
style="height: 55px;" required />
                          </div>
                       <div class="col-lg-6 col-6 formDesigneTitle">
                          <label class="form-label">Mobile Phone<sup</pre>
class="text-danger">*</sup></label>
                         <input type="text" name="phone"</pre>
id="phone" class="form-control bg-light border-0 px-4" placeholder="Your Mobile
Phone" style="height: 55px;" required />
                         </div>
                       <div class="col-12 my-4 formDesigneTitle">
                         <label class="form-label">How can we help?</label>
                          <textarea name="message" rows="2" id="message"</pre>
class="form-control bg-light border-0 px-4 py-3" placeholder="Message"
required></textarea>
                         </div>
                       <div class="col-lg-12 col-12 formDesigneTitle">
                          <label class="form-label">What type of pet do you
have?<sup class="text-danger">*</sup></label>
                       <div class="col-lg-12 col-12 formDesigneTitle"</pre>
id="ddlTypeStyle">
                       <select id="ddlType">
                       <option value="0">Choose..</option>
                         $upit = "SELECT * FROM tip";
                         $rezultat = $konekcija->query($upit);
                         foreach($rezultat as $rez){
                            echo"<option value='$rez->id'>$rez-
>naziv</option>";
                          }
                       </select>
```

```
</div>
                     </div>
                     <div class="col-lg-5 col-12 mx-auto mt-5">
                        <input type="button" id="btnSend" class="btn btn-primary</pre>
w-100 py-3" value="Send Message" />
                     </div>
                  </form>
                  </div>
                  if(isset($ SESSION["korisnik"])){
                     include "views/pomocni/survey.php";
                  } else{
                     echo "<div class='col-lg-5' >
                     <div class='bg-light mb-5 p-5'>
                        <div class='d-flex align-items-center mb-2'>
                           <i class='bi bi-geo-alt fs-1 text-primary me-3'></i>
                          <div class='text-start'>
                              <h6 class='text-uppercase mb-1'>Our Office</h6>
                              <span>123 Street, New York, USA</span>
                          </div>
                        </div>
                        <div class='d-flex align-items-center mb-2'>
                           <i class='bi bi-envelope-open fs-1 text-primary me-</pre>
3'></i>
                          <div class='text-start'>
                              <h6 class='text-uppercase mb-1'>Email Us</h6>
                              <span>infopetshop@gmail.com</span>
                          </div>
                        </div>
                        <div class='d-flex align-items-center mb-4'>
                           <i class='bi bi-phone-vibrate fs-1 text-primary me-</pre>
3'></i>
                           <div class='text-start'>
                              <h6 class='text-uppercase mb-1'>Call Us</h6>
                              <span>+012 345 6789</span>
                           </div>
                        </div>
                        <div>
                           <iframe class='position-relative w-100'</pre>
                              src='https://www.google.com/maps/embed?pb=!1m18!1m1
2!1m3!1d3001156.4288297426!2d-
78.01371936852176!3d42.72876761954724!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3
```

```
!1m2!1s0x4ccc4bf0f123a5a9%3A0xddcfc6c1de189567!2sNew%20York%2C%20USA!5e0!3m2!1sen
!2sbd!4v1603794290143!5m2!1sen!2sbd'
                              frameborder='0' style='height: 205px; border:0;'
allowfullscreen='' aria-hidden='false'
                              tabindex='0'></iframe>
                        </div><br/>
                        <div class='text-start'>
                           <h6 class='text-uppercase mb-1'><a</pre>
href='index.php?page=login'>Log In</a> to take a survey.</h6>
                        </div>
                     </div>
                  </div>";
            </div>
         </div>
      </div>
      <!-- Contact End -->
      <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
      <!-- JavaScript Libraries -->
      <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
      <script src="lib/easing/easing.min.js"></script>
      <script src="lib/waypoints/waypoints.min.js"></script>
      <script src="lib/owlcarousel/owl.carousel.min.js"></script>
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
      <!-- Template Javascript -->
      <script src="js/main.js"></script>
      <script src="js/contact.js"></script>
   </body>
</html>
```

Admin.php

Products

ID	Name	Price	IMAGE	ON SALE	CATEGORY NAME	UPDATE	Delete
1	Bows-BaW	34.99	ING/ALLPRODUCTE/BOWL.JPG	0	Bowls	UPGATE	DELETE
2	BOWL FOR FOOD AND WATHER	49.99	ша/ицРеориста/вомц-2pg	0	Bowle	UPBATE	DELETE
3	Bows Fox Food	54.99	ма/ишРиовиста/коми-3pa	0	Bowls	UPBATE	DELETE
4	BOWL WITH EARS	49.99	ма/ишРиовистя/комь-4pa	0	Bowls	UPGATE	DELETE
5	Bowt-Brus	49.99	ма/ишРиовистя/комц-5.лга	0	Bowce	UPBATE	DELETE
6	Вию Росо	25.99	высільь Рисористи і вико Росов дис	0	Food	UPGATE	DELETE
7	WET CAT FOOD	35.99	ниа/кшРжовистя/слтFоов.леа	0	Food	UPBATE	DELETE
0	CAT SWACK	10.99	IMID/ALLPRODUCTS/CATFOOD-2_IPO	0	Food	UPGATE	DELETE
9	Wet Dog Food	5.99	IMG/ALLPWODUCTE/DOGFOODJPG	0	Food	UPBATE	DELETE
10	Day Dog Food	59.99	видільь Риповисти і вод Росов-2 шил	0	Food	UPBATE	DELETE
11	FLUFFY Dog Toy	45.99	імаїли Рясонствіров Тоу лев	0	Tova	UPGATE	DELETE
12	Dog Chewing Toy	25.99	вма/иц.Ржовистя/воаТоу-2.ига	0	Tova	UPBATE	DELETE
13	HAPPY BIRTHAY TOY	30.99	вма/иц.Ржовиста/роаТоу-3.ига	0	Tova	UPGATE	DELETE
14	FEATHER CAT TOY	15.99	ING/ALLPWODUCTE/CATTOY.JPG	0	Tova	UPGATE	DELETE
15	NATURAL CATRIP TOY	45.99	виальцРиориста/ситТоу-2 цеа	0	Tova	UPBATE	DELETE
16	CAT SKATEBOARD	60.99	виальцРиористијелтТоу-3 цва	0	Tova	UPBATE	DELETE
17	CAT COLLAR-BLACK	30.99	ING/ALLPRODUCTS/CATCOLLAR.JPG	0	COLLARS	UPBATE	DELETE
10	Dog Collan-White	20.99	ны інц Риссисть і вос Соцья про	0	COLLARS	UPBATE	DELETE
19	Dog Collan-Rep	30.99	ινα/κιμΡπορμετα/ροφθομίλη-2.μΡα	0	COLLARS	UPGATE	DELETE
20	Dog Collan-Black	20.99	ING/ALLPRODUCTE/DOGCOLLAR-3.JPG	0	COLLARS	UPGATE	DELETE
21	Wavez	250.99	avaireaguet-1.eva	1	Food	UPGATE	DELETE
22	Proto	179.99	ма іткарист-2 тир	1	Food	UPGATE	DELETE
23	Hyper	199.99	вка іткарист-3, тка	1	Food	UPGATE	DELETE
24	Suce	109.99	ма інкарист-і, яка	1	Food	UPGATE	DELETE
25	PRIMA	279.99	ма іткарист-5 люз	1	Food	UPGATE	DELETE

New Proudct

NAME:	
Proce:	
Оваскиток	
On Sale:	



<u>Users</u>

lo	FIRST NAME	LAST NAME	EMAIL	DATE OF REGISTRATION	DELETE
79	STEPHAN	King	user123@gmail.com	2023-03-16 21:15:31	DELETE
80	HARRY	POTTER	harry80@gmail.com	2023-03-16 21:16:50	DELETE
82	JAMES	Bond	JAMES007@GMAIL.COM	2023-03-16 21:39:15	DELETE
97	Damnjan	ĆIRIĆ	ракс1998@нотмац.сом	2023-06-08 22:47:47	DELETE

Number of users logged in within the last 24 hours : 2.

Blocked Users

lo	FIRST NAME	LAST NAME	EMAIL	UNBLOCK
82	JAMES	Bond	JAMES007@GMAIL.COM	UNBLOCK

Statistics In Last 24 Hours

Page	NUMBER OF VISITS	Percentage	
/INDEX.PHP?PAGE=PRODUCT	27	51.92%	
/INDEX.PHP?PAGE=LOGIN	16	30.77%	
/INDEX.PHP?PAGE=SERVICE	3	5.77%	
/INDEX.PHP?PAGE=HOME	6	11.54%	

Categories

lp	CATEGORY NAME	DELETE
1	Food	DELETE
2	Toys	DELETE
3	Bowls	DELETE
4	Collars	DELETE

New Category

NAME:	INSERT

Types

lo	TYP NAME	DELETE
1	CAT	DELETE
2	Dog	DELETE
3	BIRD	DELETE

New Type



Survey Results

FIRST NAME	LAST NAME	Answer	
Morgan	FREEMAN	EXCELLENT	
STEPHAN	King	EXCELLENT	

Messages Results

lo	FULL NAME	EMAIL	PHONE	Message	DATE OF MESSAGE	TYPE
82	JAMES BOND	JAMES007@GMAIL.COM	0612345678	My name is Bond. James Bond.	2023-03-16 21:40:56	CAT
78	Jovana Čirić	JOVANACIRIC701@GMAIL.COM	0616363269	TEST	2023-06-04 02:09:42	CAT

```
include once "models/functions.php";
if (isset($ SESSION["korisnik"]) && $ SESSION["korisnik"]->id uloga == 2) {
echo"
<body>
     <!-- about Start -->
     <div class='container py-5 moja'>
       <div class='row'>
          <div class='border-start border-5 border-primary ps-5 mb-5'</pre>
style='max-width: 600px;'>
            <h6 class='text-primary text-uppercase'>Informations About Website
Data</h6>
            <h1 class='display-5 text-uppercase mb-0'>Admin Panel</h1>
          </div>
          <div>
          <h3 class='nasloviAdmin'>Products</h3>
         >
                                 Id
                                 <th
class='tabelaNazivProizvodi'>Name
                                 <th
class='tabelaCenaProizvodi'>Price
                                 <th
class='tabelaPutanjaSlikeProizvodi'>Image
                                 On
Sale
                                 <th
class='tabelaKategodijaProizvodi'>Category Name
                                 Update
                                 Delete
                             ";
                                $upit = "SELECT *,p.id as pId, p.naziv as
nazivP, k.naziv as nazivK FROM proizvodi as p INNER JOIN kategorija as k ON
p.id_kategorija=k.id ORDER BY p.id";
                                $proizvodi = $konekcija->query($upit);
                                 foreach($proizvodi as $proizvod){
                                    echo "
                                    <td
class='tabelaIdProizvodi'>$proizvod->pId
class='tabelaCenaProizvodi'>$proizvod->cena
```

```
<td
class='tabelaPutanjaSlikeProizvodi'>$proizvod->slika
class='tabelaIdProizvodi'>$proizvod->istaknut
class='tabelaKategodijaProizvodi'>$proizvod->nazivK
                                     <a
href='index.php?page=izmeni&id=$proizvod->pId'><button class='btn btn-primary'</pre>
type='submit' name='izmeni'>Update</button></a>
                                     <a
href='models/izbrisi.php?id=$proizvod->pId'><button class='btn btn-primary'</pre>
type='submit' name='izbrisi'>Delete</button></a>
                                     ";
                           echo "
                           <h3 class='nasloviAdmin'>New Proudct</h3>
                           <form action='models/unesi.php'</pre>
name='formaDodaj' method='POST' enctype='multipart/form-data'>
                           >
                                 Name:
                                 <input type='text' required
pattern='^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})* title='Example: Royal Canin'
name='naziv'>
                              Price:
                                 <input type='number' required
pattern='^d+(.\d{1,2})'$' title='Example: 12.50' name='cena'>
                              Description:
                                 <input type='text' required
title='Tell us something about your Product.' name='opis'>
                              On Sale:
                                 <input type='text' required
pattern='^[0-1]{1}$' title='0 OR 1' name='istaknut'>
                              Previous Price <br/>(If product is on
sale):
                                 <input type='text'
pattern='^\d+(.\d{1,2})?$' title='Example: 12.50' name='prethpdnaCena'>
```

```
Image:
                                <input type='file' id='slika'
required name='slika'>
                             Category:
                                <select class='listaKategorija'
id='ddlKategorija' name='listaKategorija'>
                                <option value='0'>Choose
Category</option>";
                                $upit2 = "SELECT * FROM kategorija";
                                $rezultat2 = $konekcija->query($upit2);
                                $rez2 = $rezultat2->fetchAll();
                                foreach ($rez2 as $kat) {
                                    echo "<option value='" . $kat->id .
"'>" . $kat->naziv . "</option>";
                                echo "</select>
                                <input class='btn</pre>
btn-primary' id='btnUnesi' value='Insert' type='submit' name='unesi'>
                                 </form>
                                <h3 class='nasloviAdmin'>Users</h3>
                                 <th
class='tabelaIdProizvodi'>Id
                                       <th
class='tabelaNazivProizvodi'>First Name
                                       <th
class='tabelaNazivProizvodi'>Last Name
                                       <th
class='tabelaPutanjaSlikeProizvodi'>Email
class='tabelaPutanjaSlikeProizvodi'>Date Of Registration
                                       Delete
                                    ";
```

```
$upit3 = "SELECT * FROM korisnik"
WHERE id_uloga = 1";
                                  $rezultat3 = $konekcija-
>query($upit3);
                                  foreach ($rezultat3 as $kor) {
                                     echo "
                                        <td
class='tabelaIdProizvodi'>$kor->id
                                        <td
class='tabelaNazivProizvodi'>$kor->ime
                                        <td
class='tabelaNazivProizvodi'>$kor->prezime
                                        <td
class='tabelaPutanjaSlikeProizvodi'>$kor->email
<a
href='models/izbrisiKorisnike.php?id=$kor->id'><button class='btn btn-primary'
";
                                  echo "
                                  <h3 class='nasloviAdmin'>Number of
users logged in within the last 24 hours : <span style='color:#656565;'>".
brojUlogovanihKorisnikaUPoslednjih24h()
.".</span></h3>
                                  <h3 class='nasloviAdmin'>Blocked
Users</h3>
                                  >
                                        <th
class='tabelaIdProizvodi'>Id
                                        <th
class='tabelaNazivProizvodi'>First Name
                                        <th
class='tabelaNazivProizvodi'>Last Name
                                        <th
class='tabelaPutanjaSlikeProizvodi'>Email
                                        <th
class='taster'>Unblock
                                     ";
```

```
$upit4 = "SELECT * FROM korisnik"
WHERE blokiran = 1";
                                      $rezultat4 = $konekcija-
>query($upit4);
                                      foreach ($rezultat4 as $kor) {
                                         echo "
                                             <td
class='tabelaIdProizvodi'>$kor->id
                                             <td
<td
class='tabelaNazivProizvodi'>$kor->prezime
                                             <td
class='tabelaPutanjaSlikeProizvodi'>$kor->email
                                             <a
href='models/odblokiraj.php?id=$kor->id'><button class='btn btn-primary'</pre>
type='submit' name='odblokiraj'>Unblock</button></a>
                                         ";
                                      }
                                      echo "
                                      <h3 class='nasloviAdmin'>Statistics
In Last 24 Hours</h3>
                                      <th
class='tabelaNazivProizvodi'>Page
                                             <th
class='tabelaNazivProizvodi'>Number of visits
                                             <th
class='tabelaNazivProizvodi'>Percentage
                                         ";
                                      $log = fopen("data/log.txt", 'r');
                                      $redovi = file("data/log.txt");
                                      $prethodniDan = strtotime('-1 day',
time());
                                      $statistika = [];
                                      $brojRedova = count($redovi);
                                      for ($i = 0; $i < $brojRedova; $i++)</pre>
```

```
$red = explode("\t",
$redovi[$i]);
                                              $stranica = $red[0];
                                              $vreme = strtotime($red[1],
time());
                                              if($vreme > $prethodniDan){
(array_key_exists($stranica, $statistika)) {
                                                      $statistika[$stranica]++;
                                                  } else {
                                                      $statistika[$stranica] =
1;
                                              }
                                          $ukupanBrojPoseta =
array sum($statistika);
                                          foreach ($statistika as $stranica =>
$brojPoseta) {
                                              $procenat = round(($brojPoseta /
$ukupanBrojPoseta) * 100, 2);
                                              echo "
                                                  <td
class='tabelaNazivProizvodi'>$stranica
                                                  <td
class='tabelaNazivProizvodi'>$brojPoseta
                                                  <td
class='tabelaNazivProizvodi'>$procenat%
                                              ";
                                          }
                                          fclose($log);
                                          echo "
                                          <h3
class='nasloviAdmin'>Categories</h3>
                                          <table class='tabelaProizvodi'
id='tabelaKategorije'>
                                              <th
class='tabelaIdProizvodi'>Id
```

```
Category
Name
                                         <th
class='taster'>Delete
                                      ";
                                   $upit3 = "SELECT * FROM kategorija";
                                   $rezultat3 = $konekcija-
>query($upit3);
                                   foreach ($rezultat3 as $kat) {
                                      echo "
                                         <td
class='tabelaIdProizvodi'>$kat->id
                                         $kat-
>naziv
                                         <a
href='models/izbrisiKategorije.php?id=$kat->id'><button class='btn btn-primary
";
                                   }
                                   echo "
                                   <h3 class='nasloviAdmin'>New
Category</h3>
                                   <form
action='models/unesiKategorijuTip.php' name='formaDodaj' method='POST'>
                                      <table class='insertTabela
tabelaTip'>
                                         Name:
                                            <input type='text'
required pattern='^[A-Z][a-z]\{1,11\}(\s[A-Z][a-z]\{1,11\})*' title='Example:
Blanket' name='nazivKategorija'>
                                            <input
class='btn btn-primary' value='Insert' type='submit' name='unesiKategoriju'>
                                         </form>";
(isset($_SESSION['alert_message'])) {
                                      echo '<script>alert("' .
$_SESSION['alert_message'] . '");</script>';
```


```
unset($_SESSION['alert_message'])
                                   }
                                   echo "<h3
class='nasloviAdmin'>Types</h3>
                                   <table class='tabelaProizvodi
tabelaTip'>
                                       <th
class='tabelaIdProizvodi'>Id
                                          Typ
Name
                                          <th
class='taster'>Delete
                                       ";
                                   $upit3 = "SELECT * FROM tip";
                                   $rezultat3 = $konekcija-
>query($upit3);
                                   foreach ($rezultat3 as $tip) {
                                       echo "
                                          <td
class='tabelaIdProizvodi'>$tip->id
                                          $tip-
>naziv
                                          <a
href='models/izbrisiTip.php?id=$tip->id'><button class='btn btn-primary mojbtn'</pre>
";
                                   }
                                   echo "
                                   <h3 class='nasloviAdmin'>New
Type</h3>
                                   <form
action='models/unesiKategorijuTip.php' name='formaDodaj' method='POST'>
                                      <table class='insertTabela
tabelaTip'>
                                          Name:
                                             <input type='text'
required pattern='^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})*' title='Example:
Rabbit' name='nazivTip'>
```

```
<input
class='btn btn-primary' value='Insert' type='submit' name='unesiTip'>
                                       </form>
                                 <h3 class='nasloviAdmin'>Survey
Results</h3>
                                 <table class='tabelaProizvodi
tabelaTip'>
                                    First
Name
                                       Last
Name
                                       <th
class='taster'>Answer
                                    ";
                                 $upit4 = "SELECT k.ime as ime,
k.prezime as prezime, o.odg as odgovor From korisnik k inner join
korisnik_odgovor ko ON k.id = ko.id_korisnika INNER join odgovor o ON
ko.id_odgovora = o.id";
                                 $rezultat4 = $konekcija-
>query($upit4);
                                 foreach ($rezultat4 as $ank) {
                                    echo "
                                       <td
class='tabelaIdProizvodi'>$ank->ime
                                       $ank-
prezime
                                       $ank-
odgovor
                                    ";
                                 echo "
                                 <h3 class='nasloviAdmin'>Messages
Results</h3>
                                 <th
class='tabelaIdProizvodi'>Id
                                       Full
Name
```

```
<th
class='tabelaPutanjaSlikeProizvodi'>Email
                                  Phone
                                  <th
class='tabelaPutanjaSlikeProizvodi'>Message
                                  Date of
Message
                                  Type
                               ";
                             $upit5 = "SELECT *, p.id as pId, t.id
as tId FROM poruka as p INNER JOIN tip as t ON p.id_tip=t.id ORDER BY p.id";
                             $rezultat5 = $konekcija-
>query($upit5);
                             foreach ($rezultat5 as $mess) {
                               echo "
                                  <td
$mess-
>ime prezime
class='tabelaPutanjaSlikeProizvodi'>$mess->email
                                  $mess-
>telefon
$mess-
>datum_poruke
                                  $mess-
>naziv
                               ";
                             echo "";
                             else{
                               echo "<h4 class='text-body m-
5'>You do not have access to this page</h4>";
                             </div>
                             </div>
                             </div>
```

Izmeni.php

UPDATE PRODUCT



```
require_once "setup/konekcija.php";
if(!isset($_SESSION["korisnik"])){
    header("location: index.php");
} else{
    if($_SESSION["korisnik"]->id_uloga == 1){
        header("location: index.php");
    }
}

if (isset($_SESSION['alert_message'])) {
    echo '<script>alert("' . $_SESSION['alert_message'] . '");</script>';
```

```
unset($ SESSION['alert message']);
     <div class="container py-5">
        <div class="row authorSection">
           <div class="border-start border-5 border-primary ps-5 mb-5"</pre>
style="max-width: 600px;">
              <h1 class="display-5 text-uppercase mb-0">Update Product</h1>
           </div>
if (isset($_GET["id"]))
   $id = $_GET["id"];
   $upit = "SELECT * FROM proizvodi WHERE id=:id";
   $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id);
   $rezultat = $priprema->execute();
   $rez = $priprema->fetch();
   if ($priprema->rowCount() == 1)
       $upit2 = "SELECT * FROM kategorija";
       $rezultat2 = $konekcija->query($upit2);
       $rez2 = $rezultat2->fetchAll();
       echo "
                              <form action = 'models/izmeniProizvod.php?id=$id'</pre>
method='POST' enctype='multipart/form-data'>
                              Name:
                                     <input type='text' required
pattern='^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})* title='Example: Royal Canin'
name='naziv' value='$rez->naziv'>
                                 Price:
                                     <input type='number' required
pattern='^\d+(.\d{1,2})?$' title='Example: 12.50' name='cena' value='$rez-
cena'>
```

```
Description:
                                  <textarea required title='Tell us
something about your Product.' name='opis' rows='3'>$rez->opis</textarea>
                               On Sale:
                                  <input type='text' required
pattern='^[0-1]{1}$' title='0 OR 1' name='istaknut' value='$rez->istaknut'>
                               Previous Price <br/>(If product is on
sale):
                                  <input type='text'
pattern='^\d+(.\d{1,2})?$' title='Example: 12.50' name='prethodnaCena'
value='$rez->prethodna_cena'>
                               Image:
                                  <input type='file' id='slika'
name='slika'><img id='slikaUpd' src='$rez->slika'>
                               Category
                               <select class='listaKategorija'
name='listaKategorija'>";
      $i = 1;
      foreach ($rez2 as $kat)
       {
          if ($i == $rez->id_kategorija)
             echo "<option value='$kat->id' selected='$i'>$kat-
>naziv</option>";
             echo "<option value=$kat->id>$kat->naziv</option>";
          $i++;
      echo "</select>
```

```
<input class='btn btn-
primary' id='btnUnesi' value='Update' type='submit' name='izmeni'>
                                   </form>";
       echo "<h1 class='display-5 text-uppercase mb-0 notfound'>PRODUCT NOT
FOUND.</h1>";
        </div>
     </div>
     <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
     <!-- JavaScript Libraries -->
     <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js
"></script>
     <script src="lib/easing/easing.min.js"></script>
     <script src="lib/waypoints/waypoints.min.js"></script>
     <script src="lib/owlcarousel/owl.carousel.min.js"></script>
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
     <!-- Template Javascript -->
     <script src="js/main.js"></script>
   </body>
</html>
```

Details.php



ABOUT PRODUCT

Proto

Price: \$179.99



Our premium pet food for cats is made with high-quality ingredients to provide your fetine friend with a balanced and mutritious diet. We understand that cats have unique dietary needs, which is why our food is carefully furnitated to provide all the essential nutrients your cat needs to trive. Our pet food for cats is made with real meat as the first ingredient, providing a rich source of protein that supports healthy muscle development and overall wellbeing. We also include a blend of vitamins and minerals to support healthy digestion, a strong immune system, and healthy skin and coat.

```
if(isset($_SESSION["korisnik"])){
echo"<body>
      <!-- Navbar End -->
      <!-- about Start -->
      <div class='container py-5'>
         <div class='row authorSection'>";
                if(isset($_GET["id"])){
                    $id = $_GET["id"];
                    $upit="SELECT * from proizvodi where id=$id";
                    $rezultat = $konekcija->query($upit);
                    $rez = $rezultat->fetch();
                    echo "
                    <div class='container-fluid py-5'>
         <div class='container'>
            <div class='row gx-5'>
               <div class='col-lg-5 mb-5 mb-lg-0' style='min-height: 500px;'>
                  <div class='position-relative h-100'>
                     <img class='position-absolute w-100 h-100 rounded' src='$rez-</pre>
>slika' style='object-fit: cover;' alt='$rez->alt'>
                  </div>
               </div>
```

```
<div class='col-lg-7'>
                  <div class='border-start border-5 border-primary ps-5 mb-5'>
                    <h6 class='text-primary text-uppercase'>More Details About
Product</h6>
                    <h1 class='display-5 text-uppercase mb-0'>About Product</h1>
                  </div>
                  <h3 class='text-body mb-4'>$rez->naziv</h3>
                  <h4 class='text-body mb-4'>Price: $$rez->cena</h4>
                  <form action='models/korpa.php' method='POST'>
                     <input type='hidden' name='proizvod id' value='$rez->id'>
                     <input type='number' class='mb-2' style='width:15%;border-</pre>
radius: 0px; ' name='kolicina' value='1' min='1'>
                     <input type='submit' class='btn btn-primary' value='Dodaj u</pre>
korpu' name='dodaj u korpu'>
                  </form>
                  <div class='bg-light p-4'>
                     <div class='tab-content' id='pills-tabContent'>
                        <div class='tab-pane fade show active' id='pills-1'</pre>
role='tabpanel' aria-labelledby='pills-1-tab'>
                           $rez->opis
                        </div>
                     </div>
                  </div>
               </div>
            </div>
         </div>
      </div>";
}}
else{
   echo "<h4 class='text-body m-4'>To access the page, you need to<a
href='index.php?page=login'> log in.</a></h4>";
         </div>
      </div>
      <!-- Back to Top -->
      <a href="#" class="btn btn-primary py-3 fs-4 back-to-top"><i class="bi bi-</pre>
arrow-up"></i></a>
      <!-- JavaScript Libraries -->
      <script src="https://code.jquery.com/jquery-3.4.1.min.js"></script>
      <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"
></script>
```

Cart.php

CART

PRODUCT	PRICE	QUANTITY	TOTAL
You have no p	RODUCTS ADDED IN YOUR	SHOPPING CART	

ORDER CLEAR CART

CART

PRODUCT			PRICE	QUANTITY	TOTAL
=0	BOWL FOR FOOD	REMOVE	\$54.99	1	\$54.99
6	Ркото	REMOVE	\$179.99	2	\$359.98

ORDER CLEAR CART

```
$products_in_cart = isset($_SESSION['cart']) ? $_SESSION['cart'] : array();
$products = array();
subtotal = 0.00;
if ($products_in_cart) {
   $array_to_question_marks = implode(',', array_fill(0,
count($products_in_cart), '?'));
   $stmt = $konekcija->prepare('SELECT * FROM proizvodi WHERE id IN (' .
$array_to_question_marks . ')');
   $stmt->execute(array keys($products in cart));
   $products = $stmt->fetchAll(PDO::FETCH_ASSOC);
   foreach ($products as $product) {
      $subtotal += (float)$product['cena'] *
(int)$products_in_cart[$product['id']];
if (!isset($ SESSION['korisnik'])) {
   echo "<h4 class='text-body m-4'>To access the page, you need to <a
href='index.php?page=login'>log in.</a></h4>";
} else {
<body>
   <div class="container">
      <div class='border-start border-5 border-primary ps-5 mb-5'>
          <h1 class='display-5 text-uppercase mb-0'>Cart</h1>
      </div>
       <form action="models/order.php" method="post">
          <thead>
                 Product
                    Price
                    Quantity
                    Total
                 </thead>
             <?php if (empty($products)): ?>
                        You have no
products added in your Shopping Cart
```

```
<?php foreach ($products as $product): ?>
                       href="index.php?page=details&id=<?=$product['id']?>">
                                  <img src="<?=$product['slika']?>"
width="50" height="50" alt="<?=$product['naziv']?>">
                              </a>
                           href="index.php?page=details&id=<?=$product['id']?>"><?=$product['naziv']?></a>
                              <br>
                           href="index.php?page=cart&remove=<?=$product['id']?>" class="remove">Remove</a>
                           <td
class="price">$<?=$product['cena']?>
                           <?=$product['id']?>"><?=$products_in_cart[$product['id']]?>
                           $<?=$product['cena'] *
<?php endforeach; ?>
                 <?php endif; ?>
             <div class="timetable sub" colspan="5" style="text-align:right;">
             <span class="text">Subtotal</span>
             <span class="price">&dollar;<?=$subtotal?></span>
          </div>
          <div class="buttons">
             <button type="submit" name="update" class="btn" style="background-</pre>
color: #7AB730;">
                 <a style="color:white;" href="models/order.php">Order</a>
             </button>
             <button type="submit" name="update" class="btn" style="background-
color: #7AB730;">
```

```
<a style="color:white;" href="index.php?page=cart&clearCart=1"</pre>
class="remove">Clear Cart</a>
                </button>
            </div>
        </form>
    </div>
    <script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"
></script>
      <script src="lib/easing/easing.min.js"></script>
      <script src="lib/waypoints/waypoints.min.js"></script>
      <script src="lib/owlcarousel/owl.carousel.min.js"></script>
      <script
src="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/alertify.min.js"></script>
      <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
</body>
</html>
if (isset($_GET['message']) && $_GET['message'] === 'success') {
    echo "<div class='alert alert-success mt-4'>Order
has been placed successfully!</div>";
if (isset($_GET['remove']) && isset($_SESSION['cart']) &&
isset($ SESSION['cart'][$ GET['remove']])) {
    unset($_SESSION['cart'][$_GET['remove']]);
    echo '<script>window.location.href = "index.php?page=cart";</script>';
    exit();
if (isset($_GET['clearCart']) && isset($_SESSION['cart'])) {
   unset($ SESSION['cart']);
    echo '<script>window.location.href = "index.php?page=cart";</script>';
    exit();
```

2. Organizacija

2.1. Organizacija Sajta


Sajt je višestraničan, svaki link vodi na određenu stranicu.

2.2. Mapa Sajta


```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=home</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>1.00</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=service</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.60</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=product</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.80</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=price</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.40</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=about</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.30</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=login</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.50</priority>
    </url>
    <url>
        <loc>https://aripetshop.000webhostapp.com/index.php?page=admin</loc>
        <lastmod>2023-06-09</lastmod>
        <priority>0.80</priority>
```

```
</url>
<url>
<url>
<url>
<url>
<loc>https://aripetshop.000webhostapp.com/index.php?page=contact</loc>
<lastmod>2023-06-09</lastmod>
<priority>0.60</priority>
</url>
<url>
<url>
<url>
<loc>https://aripetshop.000webhostapp.com/index.php?page=details</loc>
<lastmod>2023-06-09</lastmod>
<priority>0.50</priority>
</url>
<url>
<loc>https://aripetshop.000webhostapp.com/index.php?page=cart</loc>
<lastmod>2023-06-09</lastmod>
<priority>0.50</priority>
</url>
</url>
</url>
</url>
</url>
```

2.3 Šema Baze Podataka



2.4 Organizacija Foldera



3. JS kod

Main.js

```
(function (≸) {
  "use strict";
  var currentPage = window.location.href.split("=").pop();
  var page = window.location.href.split("=")[1];
 $(document).ready(function () {
    console.log(page);
  console.log(currentPage);
   function toggleNavbarMethod() {
      if ($(window).width() > 992) {
       $(".navbar .dropdown")
          .on("mouseover", function () {
            $(".dropdown-toggle", this).trigger("click");
          .on("mouseout", function () {
            $(".dropdown-toggle", this).trigger("click").blur();
            var myDiv = document.getElementById("#menu");
          });
      } else {
        $(".navbar .dropdown").off("mouseover").off("mouseout");
   toggleNavbarMethod();
   $(window).resize(toggleNavbarMethod);
   // News Letter Validation
   document
      .getElementById("btnMailNL")
      .addEventListener("click", checkNewLetterEmail);
   function checkNewLetterEmail() {
      let email = document.getElementById("mailNL");
      var reEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
      console.log(email.value);
      if (!reEmail.test(email.value)) {
        email.style.border = "1px solid red";
      } else {
```

```
email.style.border = "1px solid green";
   }
  }
  if (currentPage == "product") {
    console.log("uso");
    $(owlContainer).owlCarousel({
      autoplay: true,
      smartSpeed: 1000,
      margin: 45,
      dots: false,
      loop: true,
      nav: true,
      navText: [
        '<i class="bi bi-arrow-left"></i>',
        '<i class="bi bi-arrow-right"></i>',
      ],
      responsive: {
        0: {
          items: 1,
        },
        768: {
          items: 2,
        },
        992: {
          items: 3,
        },
        1200: {
          items: 4,
        },
      },
    });
  if (page == "details&id") {
  document.getElementById("korpa").addEventListener("click", dodajUKorpu);
function dodajUKorpu() {
  var proizvod_id = document.getElementById("proizvod_id").value;
  var kolicina = document.getElementById("kolicina").value;
  let url = "models/korpa.php";
  $.ajax({
  url: url,
  method: "POST",
  data: {
```

```
proizvod_id: proizvod_id,
      kolicina: kolicina,
      send: true,
    success: function () {
      alertify
      .alert("Product successfully added to cart..", function () {
        window.location.href = "index.php?page=product";
      })
      .set({ title: "Success" });
    error: function (xhr, status, error) {
      console.log(xhr, status, error);
    },
   });
    if (currentPage == "cart") {
  document.getElementById("order").addEventListener("click", order);
 function order() {
    let url = "models/order.php";
   $.ajax({
      url: url,
      method: "POST",
      success: function () {
      alertify
        .alert("Thank you for your order. We'll contact you with any updates.",
function () {
        window.location.href = "index.php?page=cart";
        .set({ title: "Success" });
      },
      error: function (xhr, status, error) {
      console.log(xhr, status, error);
     },
    });
});
 // Sticky Navbar
 $(window).scroll(function () {
   if ($(this).scrollTop() > 40) {
     $(".navbar").addClass("sticky-top");
```

```
} else {
      $(".navbar").removeClass("sticky-top");
 });
 $(document).ready(function () {
    var $videoSrc;
    $(".btn-play").click(function () {
      $videoSrc = $(this).data("src");
    });
    $("#videoModal").on("shown.bs.modal", function (e) {
      $("#video").attr(
        "src",
        $videoSrc + "?autoplay=1&modestbranding=1&showinfo=0"
      );
    });
    $("#videoModal").on("hide.bs.modal", function (e) {
      $("#video").attr("src", $videoSrc);
    });
  });
 $(window).scroll(function () {
   if ($(this).scrollTop() > 100) {
      $(".back-to-top").fadeIn("slow");
    } else {
      $(".back-to-top").fadeOut("slow");
  });
  $(".back-to-top").click(function () {
   $("html, body").animate(
        scrollTop: 0,
      },
      1500,
      "easeInOutExpo"
    );
   return false;
  });
})(jQuery);
```

Contact.js

```
var flag = true;
$(document).ready(function() {
document.getElementById("btnSend").addEventListener("click", formValidate);
document.getElementById("btnSend").addEventListener("click", function() {
flag = true
    }); }) function formValidate() {
                                      var
nameContact = document.getElementById("name");
email = document.getElementById("email");
phoneContact = document.getElementById("phone");
var textArea = document.getElementById("message");
var type = document.getElementById("ddlType");
        var reText = /^[A-ZŠDČĆŽa-zšđčćž0-9\,,?!\s]{3,}$/; var reName =
/^[A-ZŠĐČĆŽ][a-zšđčćž]{1,11}(\s[A-ZŠĐČĆŽ][a-zšđčćž]{1,11})+$/;
                                                              var reEmail
 /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/; var rePhone = /^\(?([0-
9]{3})\)?[-.]?([0-9]{3})[-.]?([0-9]{4})$/;
   var messageFullName = "You didn't enter Full Name correctly! Example: John
          var messageEmail = "You didn't enter Email correctly! Example:
Doe.";
Example: 0631234567";
                       var messageText = "You didn't enter Message
correctly! Example: Hello World!"; var messageType = "You have to choose
one of the pet!"
    checkRegex(reName, nameContact, messageFullName);
checkRegex(reEmail, email, messageEmail);
checkRegex(rePhone, phoneContact, messagePhone);
checkRegex(reText, textArea, messageText);
    checkType(type,
messageType);
   if (flag) {
                      $.ajax({
url: "sendMessage.php",
method:"POST",
                         data:{
```

```
fullName:nameContact.value,
email:email.value,
phone:phoneContact.value,
textArea:textArea.value,
type:type.value,
                                 send:true
                           success: function(xhr, status){
(status === "success") {
                                             let divSuccess =
document.querySelector("#success");
divSuccess.setAttribute("class", "alert alert-success mt-4");
divSuccess.innerHTML = `Thanks ${nameContact.value}, we will reach You as soon
as possible!`;
                                   document.getElementById("form").reset();
                              },
error: function(error, xhr, status){
switch(error.status) {
400 :
                    alertify.alert("Your data is
not valid.").set({title:"Validation Exception"});
break;
                           case 401 :
                    alertify.alert("You need to be Logged
In First.").set({title:"Authentication Exception"});
break;
                           case 500 :
                    alertify.alert("Something went wrong,
try again!").set({title:"Server Exception"});
break
       })
function serviceChecks(checkedElements, array, message)
      if (checkedElements == "") {
array[array.length -
1].parentElement.nextElementSibling.classList.remove("hide");
        array[array.length - 1].parentElement.nextElementSibling.innerHTML
 message;
                   flag=false;
   } else {
```

Product.js

```
$(document).ready(function() {
    var sort = 0;
    var strana = 0;
    var kat_id = 0;
    var search = "";
    $.ajax({
        url: "models/ispisProizvoda.php",
        method: "GET",
        dataType: "json",
        success: function(data){
            prikazProizvoda(data);
        },
        error: function(xhr, status, error){
            console.log(xhr, status, error);
        }
    })
    let urlPaginacija = "models/paginacija.php"
    $.ajax({
        url: urlPaginacija,
        method : "GET",
        success: function(data){
            document.getElementById("paginacija").innerHTML = data;
            $('.promenaStrane').click(promeniStranu);
```

```
error: function(xhr, status, error){
            console.log(xhr, status, error);
        }
    })
    function prikazProizvoda(lisofProduct){
        var html="";
        for(let product of lisofProduct){
            html += `<div class="productItemFlex product-item position-relative</pre>
bg-light d-flex flex-column text-center flexProduct" data-id="${product.id}">
                                 <img src="${product.slika}" alt="Dog Food">
                                 <h6 class="titleProduct">${product.naziv}</h6>
                                 <h5 class="text-primary mb-0">$
${product.cena}</h5>
                                 <div class="btn-action d-flex justify-content-</pre>
center">
                                     <a class='btn btn-primary py-2 px-3'</pre>
href='index.php?page=details&id=${product.id}'>Show More</a>
                                 </div>
                             </div>`
        }
        document.getElementById("allProducts").innerHTML = html;
    $('.promenaStrane').click(promeniStranu);
    function promeniStranu(e){
        e.preventDefault();
        strana = this.dataset.id;
        let url = "models/ispisProizvoda.php?strana=" + strana + "&sort=" + sort +
'&kat_id=" + kat_id + "&search=" + search;
        $.ajax({
            url: url,
            method: "GET",
            dataType: "json",
            success: function(data){
                prikazProizvoda(data);
            error: function(xhr, status, error){
                console.log(xhr, status, error);
        })
```

```
document.getElementById("selectedProduct").onchange = function(vrednost){
        sort = vrednost.target.value;
        $.ajax({
            url : "models/ispisProizvoda.php?sort=" + sort + "&strana=" + strana +
'&kat_id=" + kat_id + "&search=" + search,
           method : "GET",
            dataType : "json",
            success : function(data){
                prikazProizvoda(data);
            },
            error : function(xhr, status, error){
                console.log(error);
            }
        });
    const categoryRadio = document.querySelectorAll('input[name="categories"]')
    categoryRadio.forEach(categoryCheckbox => {
        categoryCheckbox.addEventListener('click', filtrirajPoKategoriji)
    document.getElementById("search").addEventListener('keyup',
filtrirajPoKategoriji)
   function filtrirajPoKategoriji(){
        let categoires = document.getElementsByName("categories");
        for (let i = 0; i < categoires.length; i++) {</pre>
            if (categoires[i].checked) {
                kat id = categoires[i].value;
                break;
            }
        search = $("#search").val().toLowerCase().trim();
        let urlPaginacija = "models/paginacija.php?kat_id=" + kat_id +"&search="+
search;
        $.ajax({
            url: urlPaginacija,
            method : "GET",
            success: function(data){
                document.getElementById("paginacija").innerHTML = data;
                $('.promenaStrane').click(promeniStranu);
```

```
error: function(xhr, status, error){
               console.log(xhr, status, error);
           }
       })
       let urlProizvoda = "models/ispisProizvoda.php?kat id=" + kat id
"&search="+ search +"&strana=1&sort=" + sort;
       $.ajax({
           url : urlProizvoda,
           method : "GET",
           dataType : "json",
           success: function(data){
               prikazProizvoda(data);
           },
           error: function(xhr, status, error){
               console.log(xhr, status, error);
           }
       })
   }
  document.getElementById("reset").addEventListener("click", clearFilters)
  function clearFilters() {
       let filterInputs = document.querySelectorAll('input[type="radio"]')
       filterInputs.forEach(input => {
           input.checked = false
       })
       document.getElementById("search").value="";
       kat id=0
       search="";
       let urlPaginacija = "models/paginacija.php"
       $.ajax({
           url: urlPaginacija,
           method : "GET",
           success: function(data){
               document.getElementById("paginacija").innerHTML = data;
               $('.promenaStrane').click(promeniStranu);
           error: function(xhr, status, error){
               console.log(xhr, status, error);
           }
       })
```

```
$.ajax({
    url: "models/ispisProizvoda.php",
    method: "GET",
    dataType: "json",
    success: function(data){
        prikazProizvoda(data);
    },
    error: function(xhr,status,error){
        console.log(xhr,status,error);
    }
})
})
```

Login.js

```
window.onload = function () {
  document
    .getElementById("registracija")
    .addEventListener("click", proveraRegistracija);
  document.getElementById("btnLogin").addEventListener("click", proveraLogin);
var reEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
var reLozinka = /^[a-zA-Z0-9!\.@#_\-\[\]\{\}\(\)<>?,+~;'|":$%^&*]{7,15}$/;
function proveraLogin(e) {
  e.preventDefault();
  var emailLogin = document.getElementById("tbLoginEmail");
  var lozinkaLogin = document.getElementById("tbLoginPass");
  var validan = true;
 if (!reEmail.test(emailLogin.value)) {
    emailLogin.style.border = "3px solid red";
    validan = false;
 } else {
    emailLogin.style.border = "3px solid green";
 if (!reLozinka.test(lozinkaLogin.value)) {
    lozinkaLogin.style.border = "3px solid red";
   validan = false;
```

```
} else {
    lozinkaLogin.style.border = "3px solid green";
 if (validan) {
    $.ajax({
      url: "models/logovanje.php",
      method: "POST",
      data: {
        email: emailLogin.value,
        lozinka: lozinkaLogin.value,
        send: true,
      },
      success: function (data, xhr, status) {
        if (status.status === 200) {
          alertify
            .alert("Succsessfully log in!", function () {
              window.location.href = "index.php?page=home";
            })
            .set({ title: "Success" });
      },
      error: function (xhr, status, error) {
        console.log(error.status);
        switch (xhr.status) {
          case 400:
            alertify
              .alert("Your email or password is not valid.")
              .set({ title: "Validation Exception" });
            break;
          case 401:
            alertify
              .alert("Your account has been blocked. Please contact the
administrator for assistance.")
              .set({ title: "Blocked account Exception" });
            break;
          case 403:
            alertify
              .alert("The user account is not verified.")
              .set({ title: "Verification Exception" });
            break:
          case 404:
            alertify
              .alert("There is no user with specified email/password.")
              .set({ title: "User not found Exception" });
```

```
case 500:
            alertify
              .alert("Something went wrong, try again!")
              .set({ title: "Server Exception" });
           break;
     },
    });
  } else {
   e.preventDefault();
function proveraRegistracija(e) {
 e.preventDefault();
  var nameRegistracija = document.getElementById("tbIme");
  var prezimeRegistracija = document.getElementById("tbPrezime");
  var mailRegistracija = document.getElementById("tbFormaMail");
  var lozinkaRegistracija = document.getElementById("tbFormaLozinka");
  var reName = /^[A-ZŠĐČĆŽ][a-zšđčćž]{1,11}$/;
  var rePrezime = /^[A-ZŽĆČŠĐ][a-zđžćčš]{1,19}(\s[A-ZŽĆČŠĐ][a-zđžćčš]{1,19})*$/;
  var validan = true;
 if (!reName.test(nameRegistracija.value)) {
   nameRegistracija.style.border = "3px solid red";
   document.getElementById("greskaName").style.visibility = "visible";
   validan = false;
 } else {
   nameRegistracija.style.border = "3px solid green";
   document.getElementById("greskaName").style.visibility = "hidden";
 }
 if (!rePrezime.test(prezimeRegistracija.value)) {
    prezimeRegistracija.style.border = "3px solid red";
   document.getElementById("greskaPrezime").style.visibility = "visible";
   validan = false;
 } else {
   prezimeRegistracija.style.border = "3px solid green";
    document.getElementById("greskaPrezime").style.visibility = "hidden";
 if (!reEmail.test(mailRegistracija.value)) {
   mailRegistracija.style.border = "3px solid red";
    document.getElementById("greskaMail").style.visibility = "visible";
```

```
validan = false;
 } else {
   mailRegistracija.style.border = "3px solid green";
    document.getElementById("greskaMail").style.visibility = "hidden";
 if (!reLozinka.test(lozinkaRegistracija.value)) {
   lozinkaRegistracija.style.border = "3px solid red";
    document.getElementById("greskaSifra").style.visibility = "visible";
   validan = false;
 } else {
   lozinkaRegistracija.style.border = "3px solid green";
    document.getElementById("greskaSifra").style.visibility = "hidden";
 if (validan) {
    let divSuccess = document.querySelector("#successRegister");
   divSuccess.setAttribute("class", "alert alert-success mt-4");
    divSuccess.innerHTML = `Thanks ${nameRegistracija.value}, we are checking your
data, if everything is ok the verification email will be sent!';
   $.ajax({
      url: "models/registracija.php",
      method: "post",
      data: {
        ime: nameRegistracija.value,
        prezime: prezimeRegistracija.value,
        email: mailRegistracija.value,
        sifra: lozinkaRegistracija.value,
       send: true,
      },
      success: function (xhr, status) {
        console.log(xhr);
       if (status === "success") {
          alertify
            .alert("Verification Email Sent!", function () {
              window.location.href = "index.php";
            .set({ title: "Success" });
      },
      error: function (error, xhr, status) {
        console.log(error.status);
        switch (error.status) {
          case 400:
            alertify
              .alert("Your data is not valid.")
              .set({ title: "Validation Exception" });
```

4. Preostali PHP kod

Index.php

```
session_start();
require_once "setup/konekcija.php";
include "views/fixed/head.php";
include "views/fixed/topBar.php";
include "views/fixed/nav.php";
if(isset($_GET['page'])){
    $strana = $_GET['page'];
    switch($strana){
        case 'home':
            include "views/pages/home.php";
            break;
        case 'service':
            include "views/pages/service.php";
            break;
        case 'product':
            include "views/pages/product.php";
            break;
        case 'contact':
            include "views/pages/contact.php";
            break;
        case 'about':
            include "views/pages/about.php";
            break;
        case 'login':
            include "views/pages/login.php";
            break;
        case 'register':
            include "views/pages/login.php";
            break;
        case 'admin':
            include "views/pages/admin.php";
            break;
```

```
case 'price':
            include "views/pages/price.php";
            break;
        case 'details':
            include "views/pages/details.php";
            break;
        case 'cart':
            include "views/pages/cart.php";
            break;
        case 'izmeni':
            if (!isset($_SESSION["korisnik"])) {
            header("Location: index.php?page=home");
            } else {
            if ($ SESSION["korisnik"]->id uloga == 1) {
                header("Location: index.php?page=home");
        }
            include "views/pages/izmeni.php";
            break;
        default:
            include "views/pages/home.php";
            break;
   }
} else {
   include "views/pages/home.php";
include "views/fixed/footer.php";
```

Konekcija.php

```
<?php
require_once "config.php";
zabeleziPristupStranici();

try {
    $konekcija = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8",
USERNAME, PASSWORD);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE EXCEPTION);
```

```
catch(PDOException $ex){
    echo $ex->getMessage();
function zabeleziPristupStranici() {
    $belezenje_stranica = array(
        '/sajtPraktikumPhp/index.php?page=home',
        '/sajtPraktikumPhp/index.php?page=service',
        '/sajtPraktikumPhp/index.php?page=product',
        '/sajtPraktikumPhp/index.php?page=login',
        '/sajtPraktikumPhp/index.php?page=price',
        '/sajtPraktikumPhp/index.php?page=about',
    );
    $trenutna_stranica = $_SERVER['REQUEST_URI'];
    if (in_array($trenutna_stranica, $belezenje_stranica)) {
        $open = fopen(LOG_FAJL, "a");
        if ($open) {
            $date = date('d-m-Y H:i:s');
            fwrite($open,
"{$_SERVER['REQUEST_URI']}\t{$date}\t{$_SERVER['REMOTE_ADDR']}\t\n");
            fclose($open);
        }
```

.env

```
DBNAME=php_sajt_baza_back_up
SERVER=localhost
USERNAME=root
PASSWORD=
```

Config.php

activateAccount.php

Anketa.php

```
"setup/konekcija.php";
header("Location: contact.php");
if(isset($_POST['btnAnketa'])){
$answer=$_POST['answer'];
$idKorisnika=$_POST['idK'];
echo $answer;
$idKorisnika;
                      if($answer==""){
header("Location: contact.php");
        }
    $upit="INSERT INTO korisnik_odgovor(id_korisnika,id_odgovora)
VALUES(:idK,:idO);";
    $stmt=$konekcija->prepare($upit);
    $stmt->bindParam(":idK",$idKorisnika);
    $stmt->bindParam(":id0",$answer);
    $stmt->execute();
if($stmt->rowCount()){
echo "Uspesan unos";
```

ispisProizvoda.php

```
"setup/konekcija.php";
$brojPoStrani = 10; isset($ GET["strana"]) ?
$strana=$_GET["strana"] : $strana=0;
$start = 0;
$zahtev = "WHERE 1";
 if($strana>0){
    $start=($strana*$brojPoStrani)-$brojPoStrani;
} else{
   $start=0;
 if (isset($_GET["kat_id"]) ||
isset($_GET["search"])) {
   $search = $_GET["search"];
if ($_GET["kat_id"] != 0 ) {
        $zahtev = "WHERE id_kategorija=".$_GET["kat_id"];
            if ($_GET["search"]
!= "") {
       $zahtev = "WHERE naziv LIKE '%$search%'";
           if ($_GET["kat_id"] != 0 && $_GET["search"]
= "") {
        $zahtev = "WHERE id_kategorija=".$_GET["kat_id"] . " AND naziv LIKE
 %$search%'";
} else {
    $zahtev = "WHERE 1";
(isset($_GET["sort"])) {
$sort = $_GET["sort"];
switch ($sort) {
        case 1 : $upit = "SELECT * from proizvodi {$zahtev} ORDER BY cena LIMIT
{$start}, {$brojPoStrani}";
break;
        case 2 : $upit = "SELECT * from proizvodi {$zahtev} ORDER BY cena DESC
LIMIT {$start}, {$brojPoStrani}";
                                          break;
```

```
case 3 : $upit = "SELECT * from proizvodi {$zahtev} ORDER BY naziv LIMIT
{$start}, {$brojPoStrani}";
break;
       case 4 : $upit = "SELECT * from proizvodi {$zahtev} ORDER BY naziv
                                                       default: $upit =
DESC LIMIT {$start}, {$brojPoStrani}";
                                           break;
"SELECT * from proizvodi {$zahtev} LIMIT
{$start},{$brojPoStrani}";
break;
} else {
   $upit = "SELECT * from proizvodi {$zahtev} LIMIT $start,$brojPoStrani";
$rezultat = $konekcija->query($upit, PDO::FETCH_OBJ)->fetchAll();
echo json_encode($rezultat);
function debug to console( $data ) {
   $output = $data;
   if ( is_array( $output ) )
       $output = implode( ',', $output);
    echo "<script>console.log( 'Debug Objects: " . $output . "' );</script>";
```

Izbrisi.php

```
<?php
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";
if(isset($_SESSION["korisnik"]) AND $_SESSION["korisnik"]->id_uloga == 2 ){
    if(isset($_GET["id"])){
        $id = $_GET["id"];
        $rezultat = izbrisiProizvod($id);

        header('Location: ../index.php?page=admin');
        $_SESSION['alert_message'] = 'Successfully Deleted Product.';
    }
}
else{ header("Location: ../index.php"); }
```

IzbrisiKategorije.php

```
<?php
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";
if(isset($_SESSION["korisnik"]) AND $_SESSION["korisnik"]->id_uloga == 2 ){
    if(isset($_GET["id"])){
        $id = $_GET["id"];
        izbrisiKategije($id);

        header('Location: ../index.php?page=admin');
        $_SESSION['alert_message'] = 'Successfully Deleted Category.';
        }
}
else{
    header("Location: ../index.php");
```

}

IzbrisiKorisnike.php

```
<?php
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";
if(isset($_SESSION["korisnik"]) AND $_SESSION["korisnik"]->id_uloga == 2 ){
    if(isset($_GET["id"])){
        $id = $_GET["id"];
        $rezultat = izbrisiKorisnike($id);

        header('Location: ../index.php?page=admin');
        $_SESSION['alert_message'] = 'Successfully Deleted User.';
     }
}
```

```
else{
    header("Location: ../index.php");
}
```

izbrisiTip.php

```
<?php
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";

if(isset($_SESSION["korisnik"]) AND $_SESSION["korisnik"]->id_uloga == 2 ){
    if(isset($_GET["id"])){
        $id = $_GET["id"];
        izbrisiTip($id);

        header('Location: ../index.php?page=admin');
        $_SESSION['alert_message'] = 'Successfully Deleted Type.';
    }
}
else{
    header("Location: ../index.php");
}
```

izmeniProizvod.php

```
session start();
require_once "../setup/konekcija.php";
if (isset($_SESSION["korisnik"]) && $_SESSION["korisnik"]->id_uloga == 2) {
   if (isset($_GET["id"])) {
       $id = $_GET["id"];
        if (isset($_POST["izmeni"])) {
            $validno = true;
            $naziv = $_POST["naziv"];
            $cena = floatval($_POST["cena"]);
            $opis = $_POST["opis"];
            $katId = $_POST["listaKategorija"];
            $istaknut = $_POST["istaknut"];
            $cenaPrethodna = $_POST["prethodnaCena"];
            regexNaziv = "/^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})*$/";
            if (!preg_match($regexNaziv, $naziv)) {
                $validno = false;
```

```
if ($cena <= 0) {</pre>
                $validno = false;
            if ($opis != strip_tags($opis)) {
                $validno = false;
            }
            if ($istaknut != 0 && $istaknut != 1) {
                $validno = false;
            }
            if ($istaknut == 1) {
                if ($cenaPrethodna == '' || floatval($cenaPrethodna) <= 0 ||</pre>
floatval($cenaPrethodna) < $cena) {</pre>
                    $validno = false;
                }
            $upitkat = "SELECT id FROM kategorija WHERE id=:katId";
            $pripremakat = $konekcija->prepare($upitkat);
            $pripremakat->bindParam(":katId", $katId);
            $rezultatkat = $pripremakat->execute();
            if (!$rezultatkat) {
                $validno = false;
            if (isset($_FILES["slika"]) && ($_FILES['slika']['error'] == 0)) {
                $slikaName = $ FILES["slika"]["name"];
                $slikaTmpName = $_FILES["slika"]["tmp_name"];;
                $slikaSize = $_FILES["slika"]["size"];
                $slikaError = $ FILES["slika"]["error"];
                $slikaType = $_FILES["slika"]["type"];;
                $slikaExp = explode('.', $slikaName);
                $slikaEkstenzija = strtolower(end($slikaExp));
                $dozvoljeno = array(
                     'jpg',
                     'jpeg',
                    'png'
                );
```

```
if (in_array($slikaEkstenzija, $dozvoljeno) && $validno) {
                    if ($slikaError === 0) {
                        $slikaFolder = "img/allProducts/" . $slikaName;
                        move uploaded file($slikaTmpName, $slikaFolder);
                        if ($istaknut == 1) {
                            $upit = "UPDATE proizvodi SET naziv=:naziv,
slika=:slika, alt=:alt, cena=:cena,
                            prethodna_cena=:prethodnaCena, istaknut=1, opis=:opis,
id kategorija=:katId WHERE id=:id";
                            $priprema = $konekcija->prepare($upit);
                            $priprema->bindParam(':naziv', $naziv);
                            $priprema->bindParam(':slika', $slikaFolder);
                            $priprema->bindParam(':alt', $naziv);
                            $priprema->bindParam(':cena', $cena);
                            $priprema->bindParam(':prethodnaCena',
$cenaPrethodna);
                            $priprema->bindParam(':opis', $opis);
                            $priprema->bindParam(':katId', $katId);
                            $priprema->bindParam(':id', $id);
                        } else {
                            $upit = "UPDATE proizvodi SET naziv=:naziv,
slika=:slika, alt=:alt, cena=:cena,
                            istaknut=0, opis=:opis, id kategorija=:katId WHERE
id=:id";
                            $priprema = $konekcija->prepare($upit);
                            $priprema->bindParam(':naziv', $naziv);
                            $priprema->bindParam(':slika', $slikaFolder);
                            $priprema->bindParam(':alt', $naziv);
                            $priprema->bindParam(':cena', $cena);
                            $priprema->bindParam(':opis', $opis);
                            $priprema->bindParam(':katId', $katId);
                            $priprema->bindParam(':id', $id);
                        $rezultat = $priprema->execute();
                        header('Location: ../index.php?page=admin');
                        $_SESSION['alert_message'] = "Successfully Updated
Product.";
                } else {
                    header("Location: izmeni.php?id=$id");
                    $_SESSION['alert_message'] = 'Data is not valid.';
```

```
} else {
                if ($validno){
                    if ($istaknut == 1) {
                        $upit = "UPDATE proizvodi SET naziv=:naziv, cena=:cena,
prethodna_cena=:prethodnaCena,
                        istaknut=1, opis=:opis, id_kategorija=:katId WHERE
id=:id";
                        $priprema = $konekcija->prepare($upit);
                        $priprema->bindParam(':naziv', $naziv);
                        $priprema->bindParam(':cena', $cena);
                        $priprema->bindParam(':prethodnaCena', $cenaPrethodna);
                        $priprema->bindParam(':opis', $opis);
                        $priprema->bindParam(':katId', $katId);
                        $priprema->bindParam(':id', $id);
                    } else {
                        $upit = "UPDATE proizvodi SET naziv=:naziv, cena=:cena,
istaknut=0, opis=:opis,
                        id kategorija=:katId WHERE id=:id";
                        $priprema = $konekcija->prepare($upit);
                        $priprema->bindParam(':naziv', $naziv);
                        $priprema->bindParam(':cena', $cena);
                        $priprema->bindParam(':opis', $opis);
                        $priprema->bindParam(':katId', $katId);
                        $priprema->bindParam(':id', $id);
                    $rezultat = $priprema->execute();
                    header('Location: ../index.php?page=admin');
                    $_SESSION['alert_message'] = "Successfully Updated Product.";
                } else {
                    header("Location: izmeni.php?id=$id");
                    $ SESSION['alert message'] = 'Data is not valid.';
                }
            }
       }
    }
} else {
    header("Location: index.php");
function debug_to_console( $data ) {
    $output = $data;
```

```
if ( is_array( $output ) )
        $output = implode( ',', $output);

echo "<script>console.log( 'Debug Objects: " . $output . "' );</script>";
}
?>
```

logout.php

```
<?php header("Location: index.php"); session_start(); session_destroy();
header("Location: index.php");
?>
```

Logovanje.php

```
session start();
if(isset($_SESSION["korisnik"])){
   header("location: ../index.php");
include "../setup/konekcija.php";
include "functions.php";
if(isset($_POST['send'])){
   $email = $ POST["email"];
   $sifra = $ POST["lozinka"];
   $siframd5 = md5($sifra);
   reLozinka = '/^[a-zA-Z0-9!\.@#_\-\[\]\{\}\(\)<>?,\+~;\'|":\$%\^&\*]{7,15}$/';
   $validno = true;
    if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
        $validno = false;
    if(!preg match($reLozinka,$sifra)){
        $validno = false;
    if($validno){
        $upit=logovanje();
        $priprema = $konekcija->prepare($upit);
        $priprema->bindParam(":email", $email);
        $priprema->bindParam(":sifra", $siframd5);
        $rezultat = $priprema->execute();
        $korisnik=$priprema->fetch();
        if($rezultat){
            if($priprema->rowCount()==1){
                if($korisnik->verifikovan == 1 && $korisnik->blokiran == 0) {
                    $date = date("Y-m-d H:i:s", time());
                    updateVremeLogogvanja($date, $korisnik->id);
                    $_SESSION['korisnik']=$korisnik;
                    http_response_code(200);
                } else {
                    http_response_code(403);
            } else {
                http_response_code(404);
```

```
} else {
    http_response_code(400);
}
$provera = proveriNeuspesnePokusaje($email, $konekcija);
if (!$provera) {
    http_response_code(401);
}
}
```

Korpa.php <?php

```
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";
if (isset($_SESSION["korisnik"])) {
    if (isset($ POST["send"])) {
        $proizvodId = $_POST["proizvod_id"];
        $kolicina = $_POST["kolicina"];
        $upit = $konekcija->prepare('SELECT * FROM proizvodi WHERE id = ?');
        $upit->execute([$proizvodId]);
        $product = $upit->fetch();
        if ($product && $kolicina > 0) {
            if (isset($_SESSION['cart']) && is_array($_SESSION['cart'])) {
                if (array key exists($proizvodId, $ SESSION['cart'])) {
                    $_SESSION['cart'][$proizvodId] += $kolicina;
                } else {
                    $_SESSION['cart'][$proizvodId] = $kolicina;
            } else {
                $_SESSION['cart'] = array($proizvodId => $kolicina);
        }
} else {
    header('location: ../index.php?page=home');
    exit;
```

Odblokiraj.php

```
<?php
session_start();
require_once "../setup/konekcija.php";
require_once "functions.php";
if(isset($_SESSION["korisnik"]) AND $_SESSION["korisnik"]->id_uloga == 2 ){
    if(isset($_GET["id"])){
        $id = $_GET["id"];
        $rezultat = odblokirajKorisnika($id);

        header('Location: ../index.php?page=admin');
        $_SESSION['alert_message'] = 'Successfully Unblocked User.';
    }
}
else{
    header("Location: ../index.php");
}
```

Order.php

```
session start();
require_once "../setup/konekcija.php";
if (isset($ SESSION['cart'])) {
    $products in cart = isset($ SESSION['cart']) ? $ SESSION['cart'] : array();
    $products = array();
    if (is object($ SESSION['korisnik'])) {
        $korisnik id = $ SESSION['korisnik']->id;
    } else {
        header("Location: ../index.php?page=cart&message=error");
        exit();
    }
    $totalAmount = 0.00;
    $sql = "INSERT INTO porudzbina (ukupan iznos) VALUES (?)";
    $stmt = $konekcija->prepare($sql);
    $stmt->execute([$totalAmount]);
    $id porudzbine = $konekcija->lastInsertId();
    if ($products in cart) {
        $array to question marks = implode(',', array_fill(0,
count($products_in_cart), '?'));
        $stmt = $konekcija->prepare('SELECT * FROM proizvodi WHERE id IN (' .
$array_to_question_marks . ')');
        $stmt->execute(array_keys($products_in_cart));
        $products = $stmt->fetchAll();
        foreach ($products as $product) {
            $proizvodId = $product->id;
            $proizvodCena = $product->cena;
            $kolicina = $products_in_cart[$proizvodId];
            $subtotal = $proizvodCena * $kolicina;
            $totalAmount += $subtotal;
            $sqlDetails = "INSERT INTO detalji_porudzbine (korisnik_id,
proizvod_id, id_porudzbine, cena_proizvoda, kolicina) VALUES (?,?, ?, ?, ?)";
            $stmtDetails = $konekcija->prepare($sqlDetails);
```

```
$stmtDetails->execute([$korisnik_id, $proizvodId, $id_porudzbine,
$proizvodCena, $kolicina]);
    }
}

$sqlUpdateAmount = "UPDATE porudzbina SET ukupan_iznos = ? WHERE id = ?";
$stmtUpdateAmount = $konekcija->prepare($sqlUpdateAmount);
$stmtUpdateAmount->execute([$totalAmount, $id_porudzbine]);

unset($_SESSION['cart']);

exit();
} else {
    header("Location: ../index.php?page=cart&message=empty");
    exit();
}

?>
```

Registracija.php

```
<?php
include_once "../setup/konekcija.php";
include_once "functions.php";
$brojPoStrani = 10;
$ukupno = brojProizvoda();

if (isset($_GET["kat_id"]) || isset($_GET["search"])) {
    $kategorijaId = $_GET["kat_id"];
    $search = $_GET["search"];

    if (is_numeric($kategorijaId) && $kategorijaId > 0) {
        $countUpitKat = "SELECT COUNT(*) AS brojProizvoda from proizvodi WHERE
id_kategorija =:kategorijaId";
        $pripremaKat = $konekcija->prepare($countUpitKat);
        $pripremaKat->bindParam(":kategorijaId", $kategorijaId);

        $rezultatCountKat = $pripremaKat->execute();
        $rezultat = $pripremaKat->fetch();
}
```

```
$brojRezKat = $rezultat->brojProizvoda;
        $ukupno = $brojRezKat;
    }
    if($search != "") {
        $countUpitSearch = "SELECT COUNT(*) AS brojProizvoda FROM proizvodi WHERE
naziv LIKE :search";
       $pripremaSearch = $konekcija->prepare($countUpitSearch);
       $pripremaSearch->bindValue(":search", "%" . $search . "%");
        $rezultatCountSearch = $pripremaSearch->execute();
        $rezultat = $pripremaSearch->fetch();
       $brojRezSearch = $rezultat->brojProizvoda;
       $ukupno = $brojRezSearch;
    }
    if(is_numeric($kategorijaId) && $kategorijaId > 0 && $search != ""){
        $countUpitAll = "SELECT COUNT(*) AS brojProizvoda from proizvodi WHERE
id kategorija = :kategorijaId AND naziv LIKE :search";
        $pripremaAll = $konekcija->prepare($countUpitAll);
        $pripremaAll->bindValue(":kategorijaId", $kategorijaId);
        $pripremaAll->bindValue(":search", "%" . $search . "%");
        $rezultatCountAll = $pripremaAll->execute();
       $rezultat = $pripremaAll->fetch();
       $brojRezAll = $rezultat->brojProizvoda;
       $ukupno = $brojRezAll;
   $ukupno = ceil($ukupno / $brojPoStrani);
} else {
   $ukupno = brojProizvoda();
echo "";
    for($i=1;$i<$ukupno+1;$i++){</pre>
        echo "<a class='promenaStrane' data-id='$i'
href='index.php?page=product&strana=$i'>$i</a>";
   echo "";
```

Paginacija.php

```
include_once "../setup/konekcija.php";
include once "functions.php";
$brojPoStrani = 10;
$ukupno = brojProizvoda();
if (isset($_GET["kat_id"]) || isset($_GET["search"])) {
    $kategorijaId = $_GET["kat_id"];
    $search = $ GET["search"];
    if (is numeric($kategorijaId) && $kategorijaId > 0) {
        $countUpitKat = "SELECT COUNT(*) AS brojProizvoda from proizvodi WHERE
id kategorija =:kategorijaId";
        $pripremaKat = $konekcija->prepare($countUpitKat);
        $pripremaKat->bindParam(":kategorijaId", $kategorijaId);
        $rezultatCountKat = $pripremaKat->execute();
        $rezultat = $pripremaKat->fetch();
        $brojRezKat = $rezultat->brojProizvoda;
        $ukupno = $brojRezKat;
    if($search != "") {
        $countUpitSearch = "SELECT COUNT(*) AS brojProizvoda FROM proizvodi WHERE
naziv LIKE :search";
        $pripremaSearch = $konekcija->prepare($countUpitSearch);
        $pripremaSearch->bindValue(":search", "%" . $search . "%");
        $rezultatCountSearch = $pripremaSearch->execute();
        $rezultat = $pripremaSearch->fetch();
        $brojRezSearch = $rezultat->brojProizvoda;
        $ukupno = $brojRezSearch;
    if(is_numeric($kategorijaId) && $kategorijaId > 0 && $search != ""){
        $countUpitAll = "SELECT COUNT(*) AS brojProizvoda from proizvodi WHERE
id kategorija = :kategorijaId AND naziv LIKE :search";
        $pripremaAll = $konekcija->prepare($countUpitAll);
        $pripremaAll->bindValue(":kategorijaId", $kategorijaId);
        $pripremaAll->bindValue(":search", "%" . $search . "%");
        $rezultatCountAll = $pripremaAll->execute();
```

sendMessage.php

```
include once "../setup/konekcija.php";
session_start();
if(isset($ SESSION['korisnik'])){
if(isset($_POST["send"])){
        $fullName = $ POST["fullName"];
        $email = $ POST["email"];
        $phone = $_POST["phone"];
        $message = $_POST["textArea"];
        $petType = $_POST["type"];
        $idKorisnik = $_SESSION['korisnik']->id;
        $timeMessage = date("Y-m-d H:i:s", time());
        reText = "/^[A-ZŠĐČĆŽa-zšđčćž0-9\.,?!\s]{3,}$/u";
reName = "/^[A-ZŠĐČĆŽ][a-zšđčćž]{1,11}(\s[A-
ZŠĐČĆŽ][azšđčćž]{1,11})+$/u";
        reEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/";
        rePhone = "/^{((0-9){3})}:[-.]?([0-9]{3})[-.]?([0-9]{4})$/";
        $validno = true;
             if (!preg_match($reName,
$fullName)) {
            $validno = false;
(!preg_match($reEmail, $email)) {
            $validno = false;
(!preg_match($rePhone, $phone)) {
            $validno = false;
        if (!preg_match($reText, $message) && $message != strip_tags($message)) {
            $validno = false;
($petType == 0) {
$validno = false;
```

```
if ($validno)
            $upit="INSERT INTO poruka (ime_prezime, email, telefon, tekst_poruke,
datum_poruke, id_tip, id_korisnik)
                    VALUES (:ime_prezime, :email, :telefon, :tekst_poruke,
:datum_poruke, :id_tip, :id_korisnik)";
            $priprema = $konekcija->prepare($upit);
            $priprema->bindParam(':ime_prezime', $fullName);
            $priprema->bindParam(':email', $email);
            $priprema->bindParam(':telefon', $phone);
            $priprema->bindParam(':tekst_poruke', $message);
            $priprema->bindParam(':datum_poruke', $timeMessage);
            $priprema->bindParam(':id_tip', $petType);
            $priprema->bindParam(':id_korisnik', $idKorisnik);
            $rezultat = $priprema->execute();
http_response_code(200);
        } else {
http_response_code(400);
             } } else {
http_response_code(401);
```

unesi.php

```
<?php session_start(); require_once "../setup/konekcija.php"; if</pre>
(isset($ SESSION["korisnik"]) && $ SESSION["korisnik"]->id uloga == 2) {
if (isset($_POST["unesi"])) {
        $validno = true;
        $naziv = $_POST["naziv"];
        $cena = floatval($_POST["cena"]);
                 = $_POST["opis"];
        $opis
        $katId = $_POST["listaKategorija"];
        $istaknut = intval($_POST["istaknut"]);
        $cenaPrethodna = $_POST["prethpdnaCena"];
        $regexNaziv="/^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})*$/";
         if(!preg_match($regexNaziv,
$naziv)){
            $validno = false;
if($cena <= 0){</pre>
            $validno = false;
                  if ($opis !=
strip tags($opis)) {
            $validno = false;
                 if ($istaknut != 0 &&
$istaknut != 1 ) {
            $validno = false;
if($istaknut == 1){
            if($cenaPrethodna =="" || floatval($cenaPrethodna)<=0 ||</pre>
floatval($cenaPrethodna) < $cena){</pre>
                $validno = false;
        $upit = "SELECT id FROM kategorija WHERE id=:katId";
        $priprema = $konekcija->prepare($upit);
        $priprema->bindParam(":katId", $katId);
        $rezultat = $priprema->execute();
if(!$rezultat){
            $validno = false;
        }
```

```
$slika
                     = $_FILES["slika"];
        $slikaName
                     = $slika["name"];
        $slikaTmpName = $slika["tmp name"];
                     = $slika["size"];
        $slikaSize
        $slikaError = $_FILES["slika"]["error"];
        $slikaType
                     = $slika["type"];
                       = explode('.', $slikaName);
        $slikaExp
        $slikaEkstenzija = strtolower(end($slikaExp));
        $dozvoljeno = arrav(
            'jpg',
            'jpeg',
            'png'
         if (in array($slikaEkstenzija, $dozvoljeno) && $validno)
              if ($slikaError === 0) {
                $slikaFolder = "img/allProducts/" . $slikaName;
move_uploaded_file($slikaTmpName, $slikaFolder);
if($istaknut == 1){
                    $upit = "INSERT INTO proizvodi (naziv, slika, alt, cena,
prethodna_cena, istaknut, opis, id_kategorija)
                            VALUES (:naziv, :slika, :alt, :cena, :prethodnaCena,
1, :opis, :katId)";
                    $priprema = $konekcija->prepare($upit);
                    $priprema->bindParam(':naziv', $naziv);
                    $priprema->bindParam(':slika', $slikaFolder);
                    $priprema->bindParam(':alt', $naziv);
                    $priprema->bindParam(':cena', $cena);
                    $priprema->bindParam(':prethodnaCena', $cenaPrethodna);
                    $priprema->bindParam(':opis', $opis);
                    $priprema->bindParam(':katId', $katId);
                }else {
                    $upit = "INSERT INTO proizvodi (naziv, slika, alt, cena,
istaknut, opis, id_kategorija)
                            VALUES (:naziv, :slika, :alt, :cena, 0, :opis,
:katId)";
                    $priprema = $konekcija->prepare($upit);
                    $priprema->bindParam(':naziv', $naziv);
                    $priprema->bindParam(':slika', $slikaFolder);
                    $priprema->bindParam(':alt', $naziv);
```

UnesiKategorijuTip.php

```
<?php session_start(); require_once "../setup/konekcija.php"; if</pre>
(isset($ SESSION["korisnik"]) && $ SESSION["korisnik"]->id uloga == 2) {
if (isset($_POST["unesiKategoriju"])) {
                = $_POST["nazivKategorija"];
        $tabela = "kategorija";
        $poruka = "Category";
if(isset($_POST["unesiTip"])) {
        $naziv = $_POST["nazivTip"];
        $tabela = "tip";
        $poruka = "Type";
        reNaziv = "/^[A-Z][a-z]{1,11}(\s[A-Z][a-z]{1,11})*$/";
        $validno = true;
if(!preg_match($reNaziv,$naziv)){
            $validno = false;
if($validno){
            $upit = "INSERT INTO $tabela (naziv) VALUES(:naziv)";
            $priprema = $konekcija->prepare($upit);
            $priprema->bindParam(":naziv",$naziv);
            $rezultat
                                          $priprema->execute();
header('Location: admin.php');
            $ SESSION['alert_message'] = "Successfully Added $poruka.";
                  else{
header('Location: admin.php');
            $_SESSION['alert_message'] = 'Name Of Category is not valid.';
exit;
        }
```

Functions.php

```
function upisiOdgovorAnkete(){
    return "INSERT INTO korisnik odgovor(id korisnika,id odgovora)
VALUES(:idK,:idO);";
function izbrisiProizvod($id){
    global $konekcija;
    $upit ="DELETE FROM proizvodi where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function izbrisiKorisnike($id){
    global $konekcija;
    $upit ="DELETE FROM korisnik where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function izbrisiKategije($id){
   global $konekcija;
    $upit ="DELETE FROM kategorija where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function izbrisiTip($id){
    global $konekcija;
    $upit ="DELETE FROM tip where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function unesiKategorijuTip($tabela,$naziv){
    global $konekcija;
    $upit = "INSERT INTO $tabela (naziv) VALUES(:naziv)";
```

```
$priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":naziv",$naziv);
    $rezultat = $priprema->execute();
function registracija($ime, $prezime, $email, $siframd5, $vremeReg, $token)
    global $konekcija;
    $upit="INSERT INTO korisnik (ime, prezime, email, lozinka, datum_registracije,
token, id uloga)
    VALUES (:ime, :prezime, :email, :sifra, :datum_registracije, :token, '1')";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(':ime', $ime);
    $priprema->bindParam(':prezime', $prezime);
    $priprema->bindParam(':email', $email);
    $priprema->bindParam(':sifra', $siframd5);
    $priprema->bindParam(':datum_registracije', $vremeReg);
    $priprema->bindParam(':token', $token);
    $rezultat = $priprema->execute();
function logovanje(){
    return "SELECT * from korisnik where email=:email and lozinka=:sifra";
echo '<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>';
echo '<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/alertifyjs@1.13.1/dist/css/alertify.min.css"
/>';
echo '<script
src="https://cdn.jsdelivr.net/npm/alertifyjs@1.13.1/dist/alertify.min.js"></script</pre>
>';
function proveriNeuspesnePokusaje($email, $konekcija) {
    $neuspesni pokusaji = isset($ SESSION['neuspesni pokusaji']) ?
$_SESSION['neuspesni_pokusaji'] : 0;
    $vreme poslednjeg pokusaja = isset($ SESSION['vreme poslednjeg pokusaja']) ?
$ SESSION['vreme poslednjeg pokusaja'] : 0;
    $trenutno_vreme = time();
    if ($trenutno_vreme - $vreme_poslednjeg_pokusaja > 300) {
        $neuspesni pokusaji = 0;
    $neuspesni_pokusaji++;
```

```
if ($neuspesni pokusaji >= 3) {
        zakljucajNalog($email, $konekcija);
        posaljiMejl($email);
        $ SESSION['neuspesni pokusaji'] = 0;
        return false;
    } else {
        $_SESSION['neuspesni_pokusaji'] = $neuspesni_pokusaji;
        $_SESSION['vreme_poslednjeg_pokusaja'] = $trenutno_vreme;
        return true;
    }
function zakljucajNalog($email, $konekcija) {
    $upit = $konekcija->prepare("UPDATE korisnik SET blokiran = 1 WHERE email =
:email");
    $upit->bindParam(":email", $email);
    $upit->execute();
function posaljiMejl($email) {
    $subject = "Account Blocked";
        $message = "We regret to inform you that your user account has been
temporarily locked due to multiple consecutive failed login attempts. To regain
access to your account, please contact our administrator.";
        $headers = "MIME-Version: 1.0" . "\r\n";
        $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";
        $headers .= 'From: <jovanaciric701@gmail.com>' . "\r\n";
        ini_set("SMTP", "ssl://smtp.gmail.com");
        ini_set("smtp_port", "465");
        mail($email,$subject,$message,$headers);
function odblokirajKorisnika($id){
    global $konekcija;
    $upit = "update korisnik set blokiran='0' where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
```

```
function brojProizvoda() {
    global $konekcija;
   $brojPoStrani = 10;
   $countUpit = "SELECT COUNT(*) AS brojProizvoda from proizvodi";
   $rezultatCount = $konekcija->query($countUpit)->fetch();
   $brojRez = $rezultatCount->brojProizvoda;
    return ceil($brojRez / $brojPoStrani);
function updateVremeLogogvanja($date, $id) {
    global $konekcija;
   $upit = "update korisnik set vreme logovanja=:date where id=:id";
   $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id);
   $priprema->bindParam(":date", $date);
   $rezultat = $priprema->execute();
function brojUlogovanihKorisnikaUPoslednjih24h(){
    global $konekcija;
    $upit = "SELECT COUNT(*) AS broj FROM korisnik WHERE vreme logovanja >= NOW()
 INTERVAL 1 DAY";
   $rezultat = $konekcija->query($upit);
   $broj = $rezultat->fetchColumn();
   return $broj;
```

Nav.php

```
function upisiOdgovorAnkete(){
    return "INSERT INTO korisnik_odgovor(id_korisnika,id_odgovora)

VALUES(:idK,:id0);";
}
function izbrisiProizvod($id){
    global $konekcija;
    $upit ="DELETE FROM proizvodi where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
}
```

```
function izbrisiKorisnike($id){
    global $konekcija;
    $upit ="DELETE FROM korisnik where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function izbrisiKategije($id){
    global $konekcija;
    $upit ="DELETE FROM kategorija where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function izbrisiTip($id){
    global $konekcija;
    $upit ="DELETE FROM tip where id=:id";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":id", $id);
    $rezultat = $priprema->execute();
function unesiKategorijuTip($tabela,$naziv){
    global $konekcija;
    $upit = "INSERT INTO $tabela (naziv) VALUES(:naziv)";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(":naziv",$naziv);
    $rezultat = $priprema->execute();
function registracija($ime, $prezime, $email, $siframd5, $vremeReg, $token)
    global $konekcija;
    $upit="INSERT INTO korisnik (ime, prezime, email, lozinka, datum registracije,
token, id_uloga)
    VALUES (:ime, :prezime, :email, :sifra, :datum_registracije, :token, '1')";
    $priprema = $konekcija->prepare($upit);
    $priprema->bindParam(':ime', $ime);
    $priprema->bindParam(':prezime', $prezime);
    $priprema->bindParam(':email', $email);
```

```
$priprema->bindParam(':sifra', $siframd5);
    $priprema->bindParam(':datum_registracije', $vremeReg);
    $priprema->bindParam(':token', $token);
    $rezultat = $priprema->execute();
function logovanje(){
    return "SELECT * from korisnik where email=:email and lozinka=:sifra";
echo '<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>';
echo '<link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/alertifyjs@1.13.1/dist/css/alertify.min.css"
/>':
echo '<script
src="https://cdn.jsdelivr.net/npm/alertifyjs@1.13.1/dist/alertify.min.js"></script</pre>
function proveriNeuspesnePokusaje($email, $konekcija) {
    $neuspesni_pokusaji = isset($_SESSION['neuspesni_pokusaji']) ?
$ SESSION['neuspesni pokusaji'] : 0;
    $vreme_poslednjeg_pokusaja = isset($_SESSION['vreme_poslednjeg_pokusaja']) ?
$_SESSION['vreme_poslednjeg_pokusaja'] : 0;
    $trenutno vreme = time();
    if ($trenutno_vreme - $vreme_poslednjeg_pokusaja > 300) {
        $neuspesni_pokusaji = 0;
    }
    $neuspesni_pokusaji++;
    if ($neuspesni pokusaji >= 3) {
        zakljucajNalog($email, $konekcija);
        posaljiMejl($email);
        $_SESSION['neuspesni_pokusaji'] = 0;
        return false;
    } else {
        $_SESSION['neuspesni_pokusaji'] = $neuspesni_pokusaji;
        $_SESSION['vreme_poslednjeg_pokusaja'] = $trenutno_vreme;
        return true;
function zakljucajNalog($email, $konekcija) {
```

```
$upit = $konekcija->prepare("UPDATE korisnik SET blokiran = 1 WHERE email =
:email");
   $upit->bindParam(":email", $email);
    $upit->execute();
function posaljiMejl($email) {
    $subject = "Account Blocked";
        $message = "We regret to inform you that your user account has been
temporarily locked due to multiple consecutive failed login attempts. To regain
access to your account, please contact our administrator.";
        $headers = "MIME-Version: 1.0" . "\r\n";
        $headers .= "Content-type:text/html;charset=UTF-8" . "\r\n";
        $headers .= 'From: <jovanaciric701@gmail.com>' . "\r\n";
        ini_set("SMTP", "ssl://smtp.gmail.com");
        ini set("smtp port", "465");
        mail($email,$subject,$message,$headers);
function odblokirajKorisnika($id){
   global $konekcija;
    $upit = "update korisnik set blokiran='0' where id=:id";
   $priprema = $konekcija->prepare($upit);
   $priprema->bindParam(":id", $id);
   $rezultat = $priprema->execute();
function brojProizvoda() {
   global $konekcija;
   $brojPoStrani = 10;
   $countUpit = "SELECT COUNT(*) AS brojProizvoda from proizvodi";
   $rezultatCount = $konekcija->query($countUpit)->fetch();
   $brojRez = $rezultatCount->brojProizvoda;
   return ceil($brojRez / $brojPoStrani);
function updateVremeLogogvanja($date, $id) {
   global $konekcija;
    $upit = "update korisnik set vreme_logovanja=:date where id=:id";
   $priprema = $konekcija->prepare($upit);
```

```
$priprema->bindParam(":id", $id);
$priprema->bindParam(":date", $date);
$rezultat = $priprema->execute();
}

function brojUlogovanihKorisnikaUPoslednjih24h(){
    global $konekcija;
    $upit = "SELECT COUNT(*) AS broj FROM korisnik WHERE vreme_logovanja >= NOW()
- INTERVAL 1 DAY";
    $rezultat = $konekcija->query($upit);
    $broj = $rezultat->fetchColumn();
    return $broj;
}
```

footer.php

```
include_once "setup/konekcija.php";
$upit = "SELECT * FROM informacija";
$rezultat = $konekcija->query($upit);
$upitM = "SELECT * FROM meni";
$rezultatM = $konekcija->query($upitM);
echo "<div class='container-fluid bg-light mt-5 py-5'>
       <div class='container pt-5'><div class='row g-5'>
       <div class='col-lg-3 col-md-6'>
       <h5 class='text-uppercase border-start border-5 border-primary ps-3 mb-</pre>
4'>Get In Touch</h5>
        <i class='bi bi-geo-alt text-primary me-2'></i>123 Street,
New York, USA
       <i class='bi bi-envelope-open text-primary me-</pre>
2'></i>infopetshop@gmail.com
       <i class='bi bi-telephone text-primary me-2'></i>+012 345
67890
       </div>
       <div class='col-lg-3 col-md-6'>
       <h5 class='text-uppercase border-start border-5 border-primary ps-3 mb-</pre>
4'>Quick Links</h5>
       <div class='d-flex flex-column justify-content-start' id='footer'>";
       foreach($rezultatM as $re){
           echo "<a href='index.php?page=$re->href' class='nav-item nav-link
listMenu'>$re->naziv</a>";
```

```
echo"</div>
        </div>
       <div class='col-lg-3 col-md-6'>
        <h5 class='text-uppercase border-start border-5 border-primary ps-3 mb-</pre>
4'>Newsletter</h5>
       <form>
            <div class='input-group'>
                <input type='email' id='mailNL' class='form-control bg-light px-4'</pre>
placeholder='Your email' style='height: 55px;'/>
               <input type='button' class='btn btn-primary' id='btnMailNL'</pre>
value='Sing Up'/>
           </div>
       </form>
       </div>
        <div class='col-lg-3 col-md-6'>
        <h5 class='text-uppercase border-start border-5 border-primary ps-3 mb-</pre>
4'>Follow us</h5>
       <div class='d-flex' id='information'>";
       foreach($rezultat as $rez){
           echo "<a class='btn btn-outline-primary btn-square me-2'</pre>
target=' blank' href='$rez->putanja'><i class='bi bi-$rez->naziv'></i></a>";
       };
       echo"</div>
       </div>
   </div></div>
    </div>
    <div class='container-fluid bg-dark text-white-50 py-4'>
       <div class='container'>
          <div class='row g-5'>
             <div class='col-md-6 text-center text-md-start'>
               © <a class='text-white' href='#'>Jovana
Ciric</a>. All Rights Reserved.
            </div>
         </div>
      </div>
    </div>
```

head.php

```
<!DOCTYPE html>
<html lang="en">
   <head>
      <meta charset="utf-8">
      <title>PET SHOP - Pet Shop Website Template</title>
      <meta content="width=device-width, initial-scale=1.0" name="viewport">
      <meta name="description" content="Website about Pet Shop" />
      <meta name="author" content="Jovana Ćirić" />
      <meta name="keywords" content="Pet Shop, Pet, Dog, Cat, Bird, Pet Food"/>
      <meta name="language" content="English"/>
      <!-- Favicon -->
      <link href="img/favicon.ico" rel="icon">
      <link rel="preconnect" href="https://fonts.gstatic.com">
      k
href="https://fonts.googleapis.com/css2?family=Poppins&family=Roboto:wght@700&disp
lay=swap" rel="stylesheet">
      <link href="https://cdn.jsdelivr.net/npm/bootstrap-</pre>
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
      <link href="lib/flaticon/font/flaticon.css" rel="stylesheet">
      <!-- Alertify -->
      <link rel="stylesheet"</pre>
href="//cdn.jsdelivr.net/npm/alertifyjs@1.13.1/build/css/alertify.min.css"/>
      <!-- Libraries Stylesheet -->
      <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
      <!-- Customized Bootstrap Stylesheet -->
      <link href="css/bootstrap.min.css" rel="stylesheet">
      <!-- Template Stylesheet -->
      <link href="css/style.css" rel="stylesheet">
  </head>
```

Pages.php

TopBar.php

```
<div class="container-fluid border-bottom d-none d-lg-block">
         <div class="row gx-0">
            <div class="col-lg-4 text-center py-2">
               <div class="d-inline-flex align-items-center">
                  <i class="bi bi-geo-alt fs-1 text-primary me-3"></i></i>
                  <div class="text-start">
                     <h6 class="text-uppercase mb-1">Our Office</h6>
                     <span>123 Street, New York, USA
                  </div>
               </div>
            </div>
            <div class="col-lg-4 text-center border-start border-end py-2">
               <div class="d-inline-flex align-items-center">
                  <i class="bi bi-envelope-open fs-1 text-primary me-3"></i></i></or>
                  <div class="text-start">
                     <h6 class="text-uppercase mb-1">Email Us</h6>
                     <span>infopetshop@gmail.com</span>
                  </div>
               </div>
            </div>
            <div class="col-lg-4 text-center py-2">
               <div class="d-inline-flex align-items-center">
                  <i class="bi bi-phone-vibrate fs-1 text-primary me-3"></i></i></or>
                  <div class="text-start">
                     <h6 class="text-uppercase mb-1">Call Us</h6>
                     <span>+012 345 6789</span>
                  </div>
               </div>
            </div>
         </div>
      </div>
```

pricelist.php

```
<?php include "setup/konekcija.php";</pre>
$upit = "SELECT * FROM price plan";
$rezultat = $konekcija-
>query($upit); foreach ($rezultat as
            echo "
$rez) {
            <div class='col-lg-4'>
                <div class='bg-light text-center pt-5 mt-lg-5'>
                    <h2 class='text-uppercase'>$rez->title</h2>
                    <h6 class='text-body mb-5'>$rez->subtitle</h6>
                    <div class='text-center bg-primary p-4 mb-2'>
                         <h1 class='display-4 text-white mb-0'>
                             <small class='align-top'</pre>
style='font-size: 22px; line-height:
45px;'>$</small>$rez->price<small
                                                                 class='align-
bottom' style='font-size: 16px; line-height: 40px;'>/
                                 Mo</small>
                        </h1>
                    </div>
                    <div class='text-center p-4'>";
        $upitS = "SELECT s.title FROM service as s INNER JOIN service_price as sp
on s.id = sp.id_service INNER JOIN price_plan as p ON sp.id_plan=p.id WHERE
p.id=$rez->id";
                                                        foreach ($rezultatS as
        $rezultatS = $konekcija->query($upitS);
                     echo "<div class='d-flex align-items-center justify-
$rezS) {
content-between mb-1'>
                        <span>$rezS->title</span><i class='bi bi-check2 fs-4 text-</pre>
primary'></i>
                </div>";
echo "</div>
</div>
        </div>";
};
```

Categories.php

serviceList.php

specialProducts.php

```
"setup/konekcija.php";
$upit = "SELECT * FROM proizvodi WHERE prethodna_cena IS NOT NULL";
$rezultat = $konekcija->query($upit);
     foreach($rezultat
$rez){
                    echo "
    <div class='pb-5 ' data-id='$rez->id'>
        <div class='product-item position-relative bg-light d-flex flex-column</pre>
text-center'>
             <img class='img-fluid mb-4' src='$rez->slika'>
             <h6 class='text-uppercase'>Pet Food $rez->naziv</h6>
             <h5 class='text-primary mb-0'><s>$$rez->prethodna_cena/s></h5>
             <h5 class='text-primary mb-0'>$rez->cena</h5>
            <div class='btn-action d-flex justify-content-center'>
                 <a class='btn btn-primary py-2 px-3'</pre>
href='details.php?id=$rez-
>id'>Show More</a>
            </div>
        </div>
    </div>";
    };
```

Survey.php

```
if(isset($ SESSION['korisnik'])){
    $id=$ SESSION['korisnik']->id;
    $upit="SELECT id korisnika FROM korisnik odgovor WHERE id korisnika=$id";
    $rezultat=$konekcija->query($upit);
                                          if($rezultat-
                       $rezultat->fetch();
                                                   echo "<div
>rowCount()>0){
class='bg-light mb-5 p-5 col-lg-5 mine mineNb'>
                                                           <h6
class='text-uppercase mb-2'>Survey Results</h6>";
            $upitOdg="SELECT * from odgovor WHERE id anketa = 1";
            $rezultatOdg=$konekcija->query($upitOdg);
foreach($rezultatOdg->fetchAll() as $rez){
               $upitCount="SELECT COUNT(id odgovora) AS br from korisnik odgovor
WHERE id_odgovora = :idOdg";
               $pripremaCount = $konekcija->prepare($upitCount);
               $pripremaCount->bindParam(":idOdg", $rez->id);
               $rezultatCount = $pripremaCount->execute();
$brojOdgovora = $pripremaCount->fetch()->br;
                                                           echo"
$rez->odg : <span</pre>
class='spanNm'>$brojOdgovora</span> ";
       echo"</div>";
         else{
                   echo "<div class='bg-light mb-5 p-5 col-
lg-5 mine'>
                           <h6 class='text-uppercase mb-1'>Take
Survey</h6>";
                   $upit = 'SELECT * FROM anketa WHERE aktivna = 1';
$ankete = $konekcija->query($upit)->fetchAll();
foreach($ankete as $anketa):
                       echo "<div class='d-flex align-items-center mb-2'>
                           $anketa->pitanje
                       </div>
                       <form method='POST' action='anketa.php'>";
                       $upit="SELECT * FROM odgovor";
                       $rezultat=$konekcija->query($upit);
                       $odgovori=$rezultat->fetchAll();
                                                       echo "<div class='d-
foreach($odgovori as $odg){
flex align-items-center mb-3'>
                                                                  <input
type='radio' value='$odg->id' name='answer'><label class='label'>$odg-
odg</label>
                               </div>";
```

Type.php

writingAutor.php