Visoka škola strukovnih studija za informacione i komunikacione tehnologije u Beogradu

Visoka ICT škola

Web programiranje 1 – Dokumentacija za sajt

Ime I prezime studenta: Jovana Ćirić

Broj indeksa: 110/21

Sadržaj:

- $_{1}$. Uvod
 - 1.1. Korišćeni programski i markup jezici
 - 1.2. Opis funkcionalnosti
 - $_{1.3.}$ Template
- 2. Organizacija
 - 2.1. Organizaciona šema
 - 2.2. Mapa sajta
- 3. JS kod

1. Uvod

Sajt je rađen za predmet Web Programiranje 1. Dizajn sajta je preuzet sa sajta: https://templatemo.com/tm-567-nomad-force, pa dodatno uređen.

1.1. Korišćeni programski i markup jezici :

HTML,

CSS,

Javascript.

Koriscene biblioteke:

JQuery (JavaScript),

Carousel Plugin,

Magnific Popup Plugin,

AOS plug-in.

Okruženje:

Visual Studio Code.

1.2 Opis funkcionalnosti

Sekcija "Home"

Navigacioni meni u hederu ispisan je dinamički preko JavaScript-a, koji je fiksiran I prati skrolovanje stranice. Navigacioni hamburger meni.

Sekcija "About"

Tekst je ispisan dinamički preko JavScript-a. Slajder ispisan pomoću Bootstrap Carousel Plugin. Dinamički ispisane fotografije u slajderu.

Sekcija "Portfolio"

Sve fotografije ispisane dinamički preko JavaScript-a. Prilikom klika na bilo koju fotografiju otvara se link sa istom slikom, gde nam je mogući prelazak sa fotografije na fotografiju-pomoću Magnific Popup Plugin-a.

Sekcija "Events"

Divovi koji se ponavljaju su dinamički ispisani. Kada se pređe mišem preko fotografija, pojavljuje se animacija u boji-border bottom.

Sekcija "Contact"

Dinamički ispisani: Radio Button, Checkbox i elementi Drop down list-e. Prilikom selektovanja Radio Button-a, pojavljuje se div sa Checkbox poljima, pomoću jQuery-a, sa animacijom.

Prilikom klika na dugme "Send Message" izvršava se validacija podataka. Ukoliko dođe do grešaka, ispod polja gde se greška dogodila, ispisaće se poruka, sa dodatnim uputstvom za uspešan unos. U suprotnom ispod dugmeta će se pojaviti poruka.

Primer: "Thanks {dinamički upisano ime korisnika}, we will reach You as soon as possible!"

Sekcija "Author"

Na sekciji autor se nalaze informacije o autoru sajta. Sekcija je obrađena AOS bibliotekom.

Ispod sekcije prikazana mapa sa adresom kompanije.

Sekcija "Footer"

Dinamički ispisane ikonice u futeru.

Ostatak obrade putem Js

Prilikom učitavanja sajta nakon 5 sekundi pojavljuje se modal sa obaveštenjem o popustu. Kada se skroluje na ostatak sajta pojavljuje se strelica u donjem levom uglu, koja služi za vraćanje na vrh strane. Ceo sajt je obrađen pomoću AOS biblioteke.

1.3 Template



```
<!DOCTYPE html>
<html lang="en">
        <meta charset="utf-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1" />
        <meta charset="utf-8" />
        <meta name="description" content="website about PhotoStudio" />
        <meta name="author" content="Jovana Ćirić" />
        <meta name="keywords" content="Photography, Wedding, Birthdays, Video"/>
        <meta name="language" content="English"/>
        <title>Foto Studio Lazarević</title>
        <link rel="icon" href="images/people/logo.jpg" />
        <!-- CSS FILES -->
        <link rel="stylesheet" type="text/css"</pre>
href="plugin/FlexSlider/flexslider.css" /><link rel="preconnect"</pre>
href="https://fonts.googleapis.com">
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        klink
href="https://fonts.googleapis.com/css2?family=Dancing+Script:wght@500&family=Kal
am:wght@300&display=swap" rel="stylesheet">
        <link href="css/bootstrap.min.css" rel="stylesheet" />
        <link href="css/bootstrap-icons.css" rel="stylesheet" />
        <link rel="stylesheet" href="css/magnific-popup.css" />
        <link href="css/aos.css" rel="stylesheet" />
```

```
<link href="css/templatemo-nomad-force.css" rel="stylesheet" />
    </head>
           <section class="hero" id="home">
               <div class="heroText">
                   <h1 class="text-white mt-5 mb-lg-4" data-aos="zoom-in" data-
aos-delay="800">
                       Foto Studio Lazarević
                   </h1>
                   data-aos-delay="1000">Capture your most precious moments <strong class="custom-
underline">with us!</strong>
               </div>
               <div class="videoWrapper">
                   <video autoplay="" loop="" muted="" class="custom-video">
                       <source src="videos/vencanje.mp4" type="video/mp4" />
                       Your browser does not support the video tag.
                   </video>
               </div>
               <div class="overlay"></div>
           </section>
           <nav class="navbar navbar-expand-lg bg-light shadow-lg">
               <div class="container">
                   <a class="navbar-brand" href="index.html">
                       <strong>Foto Studio Lazarević</strong>
                   </a>
                   <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                       <span class="navbar-toggler-icon"></span>
                   </button>
                   <div class="collapse navbar-collapse" id="navbarNav"></div>
               </div>
           </nav>
```

Let us create ...


Photography services that we affer includes portrait photography, events photography, real estate photography and more. From the beggining of our journey, we've made a lat of memories together with our clients that made us perfect for your occasions. Same moments deserve more than a selfie, especially moments that are shared with family. Let us turn your moments together into memories that last for a lifetime:



Photography is the beauty of life captured in the moment

Over eight years in the photography and video business!

Check and my partifolio White to Us



-

```
<section class="section-padding pb-0" id="about">
                 <div class="container mb-5 pb-lg-5 appear">
                     <div class="row">
                         <div class="col-12">
                             <h2 class="mb-3">Let us create...</h2>
                         </div>
                         <div class="col-lg-12 col-12 mt-3 mb-lg-5"</pre>
id="text"></div>
                     </div>
                </div>
                 <div class="container-fluid">
                     <div class="row">
                         <div class="col-lg-3 col-12 p-0">
                             <img src="images/people/logo.jpg" class="img-fluid</pre>
about-image" alt="" />
                         </div>
                         <div class="col-lg-3 col-12 bg-dark">
                             <div class="d-flex flex-column flex-wrap justify-</pre>
content-center h-100 py-5 px-4 pt-lg-4 pb-lg-0">
```

```
<h3 class="text-white mb-3" data-aos="fade-
up">Photography is the beauty of life captured in the moment</h3>
                                 class="text-secondary-white-color" data-
aos="fade-up">Over eight years in the photography and video business!
                                 <div class="mt-3">
                                     <a href="#portfolio" class="text-white</pre>
custom-link" data-aos="zoom-in" data-aos-delay="100">Check out my portfolio</a>
                                     <a href="#contact" class="text-white custom-
link" data-aos="zoom-in" data-aos-delay="300">Write to Us</a>
                                 </div>
                             </div>
                         </div>
                         <div class="col-lg-6 col-12 p-0">
                             <section id="myCarousel" class="carousel slide</pre>
carousel-fade" data-bs-ride="carousel">
                                 <div id="slider" class="carousel-inner pictures-</pre>
slide">
                                     <div class="flexslider" id="inputImg">
                                     </div>
                                 </div>
                                 <button class="carousel-control-prev"</pre>
type="button" data-bs-target="#myCarousel" data-bs-slide="prev">
                                     <span class="carousel-control-prev-icon"</pre>
aria-hidden="true"></span>
                                     <span class="visually-hidden">Previous</span>
                                 </button>
                                 <button class="carousel-control-next"</pre>
type="button" data-bs-target="#myCarousel" data-bs-slide="next">
                                     <span class="carousel-control-next-icon"</pre>
aria-hidden="true"></span>
                                     <span class="visually-hidden">Next</span>
                                 </button>
                             </section>
                         </div>
                    </div>
                </div>
            </section>
```



Events



The day of open heart 10 days ago



Come and celebrate with us on the 8th anniversary of our opening/

Q Obraneoc, Jamery 30, 2023



Photo shooting for New Year's calendars

Q: Obreresc, Solf polity

```
<section class="news section-padding" id="events">
                <div class="container">
                     <div class="col-12">
                         <h2 class="mb-5 text-center" data-aos="fade-</pre>
up">Events</h2>
                     </div>
                     <div class="row">
                         <div class="col-lg-6 col-12 mb-5 mb-lg-0">
                             <div class="news-thumb news-image-hover news-image-</pre>
hover-warning" data-aos="fade-up">
                                 <img src="images/news/openHeart.jpg" class="img-</pre>
fluid large-news-image news-image" alt="" />
                                 <div class="news-category bg-warning text-</pre>
white">Previous</div>
                                 <div class="news-text-info">
                                     <h5 class="news-title news-title-link">
                                          The day of open heart
                                     </h5>
                                     <span class="text-muted">10 days ago</span>
                                 </div>
                             </div>
                         <div class="col-lg-6 col-12" id="eventSpace">
                         </div>
                    </div>
                </div>
            </section>
```

D	ont' be shy, u	rite to us		
Full Name		Email *		
Full name	Ε	nail address		
How can we help?				
Tell us about the project (Optionally)				
Occasions of the second of the				I
 Wedding 	○ Birthdo	ny O	Christening	┛
Date And Time"				
Which date suits you:mm	/dd/yyyy 🗖	Which time suits	you: Choose 🕶	
(SEND MESSA	iε		

```
<section class="contact section-padding" id="contact">
               <div class="container">
                   <div class="row labelname">
                       <div class="col-lg-7 col-12 mx-auto">
                           <h2 class="mb-4 text-center" data-aos="fade-up">Dont'
be shy, write to us</h2>
                           <form action="#" method="post" class="contact-form"</pre>
id="form" role="form" data-aos="fade-up">
                               <div class="row">
                                   <div class="col-lg-6 col-6 formDesigneTitle">
                                       <label class="form-label">Full Name <sup</pre>
class="text-danger">*</sup></label>
                                       <input type="text" name="name" id="name"</pre>
class="form-control" placeholder="Full name" required />
                                       <div class="col-lg-6 col-6 formDesigneTitle">
                                       <label class="form-label">Email <sup</pre>
class="text-danger">*</sup></label>
                                       <input type="email" name="email"</pre>
id="email" class="form-control" placeholder="Email address" required />
                                       </div>
                                   <div class="col-12 my-4 formDesigneTitle">
```

```
<label class="form-label">How can we
help?</label>
                                      <textarea name="message" rows="6"</pre>
class="form-control" id="message" placeholder="Tell us about the project
(Optionally)"></textarea>
                                  </div>
                                  <div class="col-12 formDesigneTitle">
                                      <label class="form-label">Occasions<sup</pre>
class="text-danger">*</sup></label>
                                  </div>
                                  <div class="col-lg-4 col-12 formDesigne</pre>
inputRadio"></div>
                                  <div class="col-lg-4 col-12 formDesigne</pre>
inputRadio"></div>
                                  <div class="col-lg-4 col-12 formDesigne</pre>
inputRadio"></div>
                                  <div class="col-12 formDesigneTitle">
                                      <label class="form-label</pre>
showService">Services<sup class="text-danger">*</sup></label>
                                  </div>
                                  <div class="col-lg-4 col-12 formDesigne cb</pre>
showService"></div>
                                  <div class="col-lg-4 col-12 formDesigne cb</pre>
showService"></div>
                                  <div class="col-lg-4 col-12 formDesigne cb</pre>
showService"></div>
                                  <div class="col-12 formDesigneTitle">
                                      <label class="form-label">Date And
Time<sup class="text-danger">*</sup></label>
                                  <div class="col-lg-6 col-12 formDesigne">
                                      <label>Which date suits you:</label>
                                      <input type="date" id="date" />
                                  </div>
                                   <div class="col-lg-6 col-12 formDesigne">
                                      <div id="ddl"></div>
                                  </div>
                                  </div>
                               <div class="col-lg-5 col-12 mx-auto mt-5">
                                  <input type="button" id="btnSend"</pre>
class="form-control btnSend" value="Send Message" />
```

Author



Jovana Ćirić Index: 110/21 Check out my <u>Portfolio</u>

```
<section class="section-padding" id="author">
                <div class="container">
                     <div class="row authorSection">
                         <div class="col-12">
                             <h2 class="mb-5 text-center" data-aos="fade-</pre>
up">Author</h2>
                         </div>
                         <div class="col-lg-6 col-md-12" data-aos="fade-down"</pre>
id="authorImg">
                             <img src="images/people/autor.jpg" alt="Author" />
                         </div>
                         <div class="col-lg-4 col-md-12" id="authorText" data-</pre>
aos="fade-up">
                             <h4>Jovana Ćirić</h4>
                             <h4>Index: 110/21</h4>
                             <h4>Check out my <a href="https://jovana-ciric-
portfolio.netlify.app/" target="_blank">Portfolio</a></h4>
                         </div>
                    </div>
                </div>
            </section>
```



```
<section class="google-map">
            <iframe
src="https://maps.google.com/maps?q=obrenovac%20kneza%20mihaila%201&t=&z=13&ie=UT
F8&iwloc=&output=embed" class="map-iframe" width="100%" height="400"
style="border:0;" allowfullscreen="" loading="lazy"></iframe>
        </section>
       </main>
        <footer class="site-footer">
            <div class="container">
               <div class="row" id="footerDesign">
                   <div class="col-lg-6 col-md-12 ms-12">
                       <a href="mailto:jovana.ciric.110.21@ict.edu.rs"</pre>
class="custom-link">
                           Reach Foto Studio Lazarević:
jovana.ciric.110.21@ict.edu.rs
                       </a>
                   </div>
                   <div class="col-lg-6 col-md-12 ms-auto" id="creatorContact">
                        <a href="mailto:jovana.ciric.110.21@ict.edu.rs"
class="custom-link">
                           Reach me via: jovana.ciric.110.21@ict.edu.rs
                       </a>
                   </div>
                   <div class="col-lg-6 col-md-12 ms-12" id="icons"></div>
                   <div class="col-lg-6 col-12 ms-12">
                       Copyright © <a href="#">Jovana Ćirić</a> <br />
                           <br />
                           Check out my <a href="https://jovana-ciric-
portfolio.netlify.app/" target="_blank">Portfolio</a>
                       </div>
               </div>
```

```
</div>
</footer>
<a href="#" class="btn btn-lg back-to-top"><i class="bi bi-arrow-up"></i></a>
```



2. Organizacija

2.1. Organizacija Sajta

Sajt je jednostranični, svaki link vodi na određenu sekciju.

2.2. Mapa Sajta

3. JS kod

Main.js

```
var errorCount = 0;
$(document).ready(function() {
    "use strict";
    populateEvents();
    menu();
    icons();
    text();
    ddl();
    insertImage();
    magnifPopup();
    insertRadioBtn();
    insertCb();
    imagesDesing();
    couponPopUp();
    document.getElementById("btnSend").addEventListener("click", formValidate);
    //SERVICE SHOW
    $(':radio[name=radio]').change(function() {
        $(".showService").show("slow")
    });
    //BACK TO TOP AROW
    $(window).scroll(function() {
        if ($(this).scrollTop() > 100) {
            $('.back-to-top').fadeIn('slow');
        } else {
            $('.back-to-top').fadeOut('slow');
        }
    });
    $('.back-to-top').click(function() {
        $('html, body').animate({
            scrollTop: 0
        }, 1500, 'easeInOutExpo');
        return false;
    });
    //PORTFOLIO IMG
```

```
const appear = document.querySelector('.appear');
    const cb = function(entries) {
        entries.forEach(entry => {
            if (entry.isIntersecting) {
                entry.target.classList.add('inview');
            } else {
                entry.target.classList.remove('inview');
            }
        });
    const io = new IntersectionObserver(cb);
    io.observe(appear);
    function magnifPopup() {
        $('.image-popup').magnificPopup({
            type: 'image',
            removalDelay: 300,
            mainClass: 'mfp-with-zoom',
            gallery: {
                enabled: true
            },
            zoom: {
                enabled: true,
                duration: 300,
                easing: 'ease-in-out',
                opener: function(openerElement) {
                    return openerElement.is('img') ? openerElement :
openerElement.find('img');
            }
       });
})
function couponPopUp() {
    const couponContainer = document.querySelector(".coupon-container");
    const closeBtn = document.querySelector(".coupon-container .close");
    const redeemBtn = document.querySelector(".coupon-container .btn");
    setTimeout(() => {
        couponContainer.classList.add("active");
    }, 5000);
    closeBtn.addEventListener("click", () => {
        couponContainer.classList.remove("active");
```

```
});
    redeemBtn.addEventListener("click", () => {
        couponContainer.classList.remove("active");
    });
function imagesDesing() {
    let ispis = ""
    let image = ["Weddings", "Birthdays", "Christenings"];
    image.forEach(e => {
       if (e == "Weddings") {
           ispis += `<div class="carousel-item active">
                   <img src="images/people/${e.toLowerCase()}.jpg" class="img-</pre>
fluid team-image" alt="${e}">
                   <div class="team-thumb bg-warning">
                       <h3 class="text-white mb-0">${e}</h3>
                   </div>
               </div>`
        } else {
           ispis += `<div class="carousel-item">
           <img src="images/people/${e.toLowerCase()}.jpg" class="img-fluid")</pre>
team-image" alt="${e}">
           <div class="team-thumb bg-warning">
               <h3 class="text-white mb-0">${e}</h3>
           </div>
       </div>`
        }
    });
    document.getElementById("inputImg").innerHTML = ispis;
function menu() {
    let ispis = ""
    Let menu = ["Home", "About", "Portfolio", "Events", "Contact", "Author"];
   menu.forEach(element => {
        ispis += `<a class="nav-link"</pre>
href="#${element.toLowerCase()}">${element}</a>`
    });
    ispis += '';
    document.getElementById("navbarNav").innerHTML = ispis;
```

```
function icons() {
    var social = ""
    let menu = ["facebook", "whatsapp", "instagram", "youtube", "diagram-3",
"file-earmark-pdf"];
    let href = ["https://www.facebook.com/Fotostudiolazarevic",
        "https://wa.me/+381601499117",
        "https://www.instagram.com/lazar lazarevic photography/",
        "https://www.youtube.com/@Lazaryss7",
        "informations/sitemap.xml",
        "#"
    ]
    menu.forEach(function callback(element, index) {
       social += `<a href="${href[index]}" target=" blank" class="social-</pre>
icon-link bi-${element}"></a>`
    });
    social += '';
    document.getElementById("icons").innerHTML = social;
function text() {
    let ispis = '';
    let p = ["Photography services that we offer includes portrait photography,
events photography, real estate photography and more.",
        "From the beggining of our journey, we've made a lot of memories together
with our clients that made us perfect for your occasions.",
        "Some moments deserve more than a selfie, especially moments that are
shared with family. Let us turn your moments together into memories that last for
a lifetime."
    ];
   p.forEach(element => {
       ispis += `${element}``
    });
    document.querySelector("#text").innerHTML = ispis;
function insertImage() {
    let ispis = '';
    const list = document.getElementsByClassName("insert");
    let src = [{
           type: "birthday2",
           title: "Nevena's Birthday"
```

```
},
            type: "wedding2",
            title: "Ana and Marko Wedding"
        },
        {
            type: "wedding1",
            title: "Nikolina and Dragan Wedding"
        },
            type: "newYear",
            title: "Pictures for New Year calendars"
        }
    ];
    for (let i = 0; i < src.length; i++) {</pre>
        ispis = `<a href="images/portfolio/${src[i].type}.jpg" class="image-</pre>
popup">
                    <img src="images/portfolio/${src[i].type}.jpg" class="img-</pre>
fluid portfolio-image" alt="">
                </a>
                <div class="portfolio-info">
                    <h4 class="portfolio-title mb-0">${src[i].title}</h4>
                </div>`
        list[i].innerHTML = ispis;
    }
function insertRadioBtn() {
    let ispis = '';
    const radioBtn = document.getElementsByClassName("inputRadio");
    Let typeOfCelebration = ["Wedding", "Birthday", "Christening"];
    typeOfCelebration.forEach(function callback(element, index) {
        ispis = `<div class="form-check">
        <input type="radio" name="radio" class="form-check-input fnt">
        <label class="form-label">${element}</label></div>`
        radioBtn[index].innerHTML = ispis;
    });
function insertCb() {
    let ispis = '';
    const cb = document.getElementsByClassName("cb");
```

```
let typeOfServices = ["Photography", "Video recording", "Drone video
recording"];
    typeOfServices.forEach(function callback(element, index) {
        ispis = `<div class="form-check">
        <input type="checkbox" name="checkbox" class="form-check-input fnt">
        <label class="form-label">${eLement}</label></div>`
        cb[index].innerHTML = ispis;
    });
function ddl() {
    Let ispisDDL = "<label class='form-label'>Which time suits
you:</label><select id='time' name='time'><option value='0'>Choose..</option>"
    Let valueDDL = ["06:00", "07:00", "08:00", "09:00", "10:00", "11:00",
"12:00", "13:00", "14:00", "15:00", "16:00", "17:00", "18:00", "19:00", "20:00"]
   valueDDL.forEach(element => {
        ispisDDL += `<option value="${element}">${element}h</option>`
    });
    ispisDDL += "</select>";
    document.getElementById("ddl").innerHTML = ispisDDL;
function formValidate() {
    var nameContact = document.getElementById("name");
    var email = document.getElementById("email");
    var radioBtns = document.getElementsByName("radio");
    var cb = document.getElementsByName("checkbox");
    var date = document.getElementById("date");
    var ddlTime = document.getElementById("time");
   var reName = /^[A-ZŠDČĆŽ][a-zšđčćž]{1,11}(\s[A-ZŠDČĆŽ][a-zšđčćž]{1,11})+$/;
    var reEmail = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/;
    var messageFullName = "You didn't enter Full Name correctly! Example: John
Doe.";
    var messageEmail = "You didn't enter Email correctly! Example:
john.doe@gmail.com";
    var messageRadio = "You have to chose one of occasion!";
    var messageCb = "You have to chose one of services!"
    var messageDate = "You must select date, and it must be in future!";
    var messageTime = "You must chose time for your occasion!";
```

```
checkRegex(reName, nameContact, messageFullName);
    checkRegex(reEmail, email, messageEmail);
    let valueRadio = "";
    for (let i = 0; i < radioBtns.length; i++) {</pre>
        if (radioBtns[i].checked) {
            valueRadio = radioBtns[i].value;
            break;
        }
    let valueCb = "";
    for (let i = 0; i < cb.length; i++) {</pre>
        if (cb[i].checked) {
            valueCb += cb[i].value + " ";
        }
    serviceChecks(valueRadio, radioBtns, messageRadio);
    if (valueRadio != "") {
        serviceChecks(valueCb, cb, messageCb);
    dateValidation(date, messageDate);
    timeValidation(ddlTime, messageTime);
    if (errorCount == 0) {
        Let divSuccess = document.guerySelector("#success");
        divSuccess.setAttribute("class", "alert alert-success mt-4");
        divSuccess.innerHTML = `Thanks ${nameContact.value}, we will reach You as
soon as possible!`;
        document.getElementById("form").reset();
    }
function checkRegex(regex, object, message) {
    if (!regex.test(object.value)) {
        object.nextElementSibling.classList.remove("hide");
        object.nextElementSibling.innerHTML = message;
        errorCount++;
    } else {
        object.nextElementSibling.classList.add("hide");
        errorCount = 0;
```

```
function serviceChecks(checkedElements, array, message) {
    if (checkedElements == "") {
        array[array.length
1].parentElement.parentElement.nextElementSibling.classList.remove("hide");
        array[array.length -
1].parentElement.parentElement.nextElementSibling.innerHTML = message;
        errorCount++;
    } else {
        array[array.length -
1].parentElement.parentElement.nextElementSibling.classList.add("hide");
        errorCount = 0;
function dateValidation(date, message) {
    var selectedDate = new Date(date.value);
    var now = new Date();
    if (isNaN(selectedDate) | selectedDate < now) {</pre>
        date.parentElement.nextElementSibling.classList.remove("hide");
        date.parentElement.nextElementSibling.innerHTML = message;
        errorCount++;
    } else {
        date.parentElement.nextElementSibling.classList.add("hide");
        errorCount = 0;
function timeValidation(time, message) {
    Let ddlTimeValue = time.options[time.selectedIndex].value;
    if (ddlTimeValue == "0") {
        time.parentElement.parentElement.nextElementSibling.classList.remove("hid
e");
        time.parentElement.parentElement.nextElementSibling.innerHTML = message;
        errorCount++;
    } else {
        time.parentElement.parentElement.nextElementSibling.classList.add("hide")
        errorCount = 0;
```

```
function populateEvents() {
    let ispis = "";
    let events = [{
            src: "anniversary",
            alt: "8th anniversary",
            bg: "primary",
            time: "Upcoming",
            title: "Come and celebrate with us on the 8th anniversary of our
opening!",
            happend: "January 30, 2023"
        },
            src: "calendars",
            alt: "New Year calendars",
            bg: "success",
            time: "Current",
            title: "Photo shooting for New Year's calendars",
            happend: "Still going"
        }
    events.forEach(e => {
        ispis += `<div class="news-thumb news-two-column d-flex flex-column flex-
lg-row" data-aos="fade-up">
                         <div class="news-top w-100 news-image-hover news-image-</pre>
hover-${e.bg}" data-aos="fade-up">
                              <img src="images/news/${e.src}.jpg" class="img-fluid</pre>
news-image" alt="${e.alt}" />
                             <div class="news-category bg-${e.bg} text-</pre>
white">${e.time}</div>
                         </div>
                         <div class="news-bottom w-100">
                             <div class="news-text-info">
                                  <h5 class="news-title news-title-link">
                                  ${e.title}
                                 </h5>
                                 <span class="text-muted">
                                      <i class="bi-geo-alt-fill me-1 mb-2 mb-lg-</pre>
0"></i>
                                     Obrenovac, ${e.happend}
                                  </span>
```