SOFTWARE ENGINEERING LAB PROJECT FINAL LAB REPORT

COURSE CODE: CSE1005

LAB SLOT: L15 +L16

SUBMITTED BY: TEAM 5

ONLINE HOTEL BOOKING SYSTEM

TEAM MEMBERS:

ALAPATI SAI HARSHA VARDHAN (20BCE7401)
YARLAGADDA LAKSHMI AKSHAY KUMAR (20BCE7408)
BODINAPALLI VENKATA SIVA SAI REVANTH (20BCE7403)
MEKA RUSHIKESH (20BCE7623)
MUDADLE DHARMA TEJA (20BCE7629)
SUNKARA SRIKAR (20BCE7052)
ALAGAPPAN SP (20BCE7211)
JOVIN PALLICKAL THOMAS S(20BCD7060)
B SASI PREETHAM (20BCE7362)
TALLA VENU (20BCI7169)

PROJECT TITLE: Online Hotel Booking System.

SOFTWARE REQUIREMENT ANALYSIS AND PLANNING:

Description of individual phase/module:

User characteristics:

System design:

In this software we have developed some forms. The brief description about them is as follow:

Reservation Of Venue:

The Customer will have an opportunity to book the hall in the hotel according to their preference, depending on the type of party and number of guests and considering the occasion the halls could be reserved by the customers. They can also add decoration options while booking the place. The charges per day of this room are displayed in the list itself.

Booking Rooms:

The type of room will be displayed along with the price at the side. Number of rooms available of the selected room type will also be displayed to the customer while booking the room. The facilities provided in each room will be visible to the customer once they click on the room type.

Room Service:

The services available for each room will be shown once the customer clicks on the booking room, once he selects the room type all the facilities about that room type will be displayed. In case the customer wants room service he can request for it by using the application.

Facilities In Hotel:

All the facilities that the hotel has like swimming pool, conference room, gym, spa, transport, airport pickup and drop, laundry, will be provided to the customers to make their stay at the hotel memorable.

Taxi Service (Cab booking system):

Our hotel provides its own taxi service from Airports, Bus Stations, Railway Stations.

General constraints:

- The time is the major constraint in any project, we are having three months' time to complete all the modules of the project.
- To provide the customers with an all-in-one application where they can access anything in the hotel at any point of time and the management will have a track on the customer needs and wants.
- The quality of the application should not be sacrificed due to time constraint or any other reason.

Assumption:

Every user knows English. All the users must know their login credentials.

Functional requirements: -Input, Output, Description:

The customers can access only what the hotel management wants them to, but the hotel management can access all the information about the customer and track what are the needs of each customer. Only the administrator can access the information of the customer but the needs of the customer will be displayed to each department of the management.


Identify individual module deliverables:


The entire project is divided into three modules:

Module	Division
Module1	The splash screen, Login screen, Introduction slides
Module2	Home Screen, Room Service, Booking Rooms

Module3	Reservation of Venue, Facilities in Hotel, cab booking

USE CASE DIAGRAMS:





CLASS DIAGRAM:



- Name : varchar(200)
- # MobileNumber : bigint(10)
- @ Email: varchar(200)
- Message : mediumtext
- EnquiryDate : timestamp# IsRead : int(5)

V 💠 hbmsdb tbladmin

- ID : int(10)
- AdminName : varchar(120)
- UserName : varchar(200)
- # MobileNumber : bigint(10)
- @ Email: varchar(200)
- Password : varchar(200)AdminRegdate : timestamp

v o hbmsdb tbluser

- ID : int(10)
- FullName : varchar(200)
- # MobileNumber : bigint(10)
- Email: varchar(120)
- Password : varchar(120)
- RegDate : timestamp

v o hbmsdb tblroom

- ID : int(10)
- # RoomType : int(10)
- RoomName : varchar(200)
- # MaxAdult : int(5)
- # MaxChild : int(5)
- RoomDesc : mediumtext
- # NoofBed : int(5)
- Image : varchar(200)
- RoomFacility : varchar(200)
 CreationDate : timestamp

hbmsdb tblbooking

- ID : int(10)
- # RoomType : int(5)
- BookingNumber : varchar(120)
- # UserID : int(5)
- Name : varchar(200)
- # MobileNumber : bigint(10)
- @ Email: varchar(200)
- IDType : varchar(120)
- Gender : varchar(50)
- Address : mediumtext
- CheckinDate : varchar(200)
- CheckoutDate : varchar(200)
- BookingDate : timestamp
- @ Remark : varchar(50)
- Status : varchar(50)
- UpdationDate : timestamp

v o hbmsdb tblfacility

- 8 ID : int(10)
- @ FacilityTitle : varchar(200)
- Description : mediumtext
- (a) Image : varchar(200)
- CreationDate : timestamp

hbmsdb tblpage


- ID : int(10)
- PageType : varchar(120)
- PageTitle : varchar(200)
- PageDescription : mediumtext
- @ Email : varchar(120)
- # MobileNumber : bigint(10)
- UpdationDate : timestamp

√ ♦ hbmsdb tblcategory


- 8 ID : int(10)
- @ CategoryName : varchar(120)
- Description : mediumtext
- # Price : int(5)
- Date : timestamp

ER DIAGRAM: HBMS Signup Password RegDate ID CategoryName Email FullName Description MobileNumber AdminName (Has) Price Book User Rooms UserName ID Category ID RoomType IsRead ID Date MobileNumber Send RoomType BookingNumber EnquiryDate Name Admin Add Rooms RoomName UserID Message MobileNumber Email Hotel Rooms Queries IDType Email Facility MaxAdult Password Gender ID AdminRegdate MaxChild Address Manage Facility Title CreationDate RoomDesc CheckinDate UpdationDate Description Image NoofBed CreationDate Status CheckoutDate Image RoomFacility Remark BookingDate


USE CASE DIAGRAM:




SYSTEM ARCHITECTURE:



ACTIVITY DIAGRAM:





TEST CASES:

Test scenario	Test data	Expected result	Test results
Log In	Username: admin Password: Test@123	Successfully logged in and directed to admin	passed
Log In (admin)	Username: admi Password: Test@1234	Invalid details	failed
(admin)	Username: admin Password: Test@12	Invalid details	failed
	Username: admi Password: Test@123	Invalid details	failed
	Username: valid Password: valid	Successfully logged in and directed to home	passed
Log In (user)	Username: invalid Password: invalid	Invalid details	failed
(user)	Username: valid Password: invalid	Invalid details	failed
(4001)	Username: invalid Password: valid	Invalid details	failed
sign up	Full name: must be alphabets Mobile number: must be integers Email address: @ gmail.com is compulsory Password: must be any type	You have successfully signed in	passed
	Full name: must be alphabets Mobile number: must be integers Email address: @ gmail.com is not there Password: must be any type	Enter valid details	failed
Booking rooms	Check in date: 19-10-2022 Check out date: 21-10-2022	Your room has been book successfully. Booking Number is	passed
	Check in date: 19-10-2022 Check out date: 10-10-2022	Check out date must be equal to / greater than check in date	failed
Search booking	Enter your booking number: If valid number is given	Details will be displayed	passed

	Enter your booking number: If it is not a valid number	No records found	failed
Search enquiry	Enter your mobile number: if it is Valid mobile number	Information will be displayed below	passed
	Enter your mobile number: if it is invalid mobile number	no record found against this search	failed
Add room	If any of the options are empty	Fill the required information	failed
	If all the options are filled	Successfully room added	passed
Reports	From date: choose date To date: choose date	If there are any records found then it will be displayed	passed
		If there are no records found then it will be empty	failed
CAB BOOKING	Form location: any location is given To location: any location is given	Cabs available	passed
	Form location to location: if location not specified	Specify a location	failed
		- -	I

CODING AND IMPLEMENTATION:

Admin page:

CSS:

```
atlas.css:
body{
  overflow:hidden;
#maps{
  position:absolute;
  top:2px;
  right: 0px;
  font: 12px ;
  font-weight:400;
      font-family: 'Roboto', sans-serif;
#maps > a{
  display:block;
  float:left;
  background:url(home-arrow.png) 1px left no-repeat;
  width:17px;
  height:18px;
  margin:20px 0 0 16px;
  text-indent:-99999px;
#maps > a:hover{
  background:url(home-arrow.png) -17px left no-repeat;
#maps ul{
  list-style-type:none;
  margin:28px 0 0 80px;
#maps li{
  float:left;
  margin-right:20px;
```

```
#maps li a{
  text-decoration:none;
  color:#999;
#maps li a:hover{
      color: #00C6D7;
#maps li a.active{
  font-weight:normal;
  color:#333;
#dataset{
  position:fixed;
  bottom:20px;
  right:20px;
  font: 10px Arial, sans-serif;
  background:white;
#dataset a{
  color:#666;
  text-decoration:none;
#dataset a:hover{
  color:black;
  text-decoration:underline;
Clndr.css:
@import url(http://fonts.googleapis.com/css?family=Droid+Sans+Mono);
.noselect {
  -webkit-user-select: none;
  -moz-user-select: none;
  /* Firefox */
  -ms-user-select: none;
  /* IE10+ */
```

```
.left-align {
 text-align: left;
.right-align {
 text-align: right;
.cal1 {
   max-width: 100%;
   font-size: 1em;
.cal1 .clndr .clndr-controls {
        display: inline-block;
   width: 100%;
   position: relative;
   padding: 1em;
   background-color: #252525;
   margin: 0;
.cal1 .clndr .clndr-controls .month {
 float: left;
 width: 33%;
 text-align: center;
 font-size: 1.5em;
   color: #fff;
.cal1 .clndr .clndr-controls .clndr-control-button {
   float: left;
   width: 33%;
   font-size: 1em;
   color: #fff;
   margin-top: 0.4em;
   text-transform: capitalize;
.cal1 .clndr .clndr-controls .clndr-control-button.rightalign {
 text-align: right;
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-next-button {
 cursor: pointer;
 -webkit-user-select: none;
 /* Chrome/Safari */
 -moz-user-select: none;
 /* Firefox */
 -ms-user-select: none;
```

```
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-next-button:hover {
 color: #00C6D7;
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-next-button.inactive {
  opacity: 0.5;
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-next-
button.inactive:hover {
  background: none;
  cursor: default;
 cal1 .clndr .clndr-controls .clndr-control-button .clndr-previous-button {
  cursor: pointer;
  -webkit-user-select: none;
  /* Chrome/Safari */
  -moz-user-select: none;
  /* Firefox */
  -ms-user-select: none;
  /* IE10+ */
.call .clndr .clndr-controls .clndr-control-button .clndr-previous-button:hover {
      color: #00C6D7;
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-previous-
button.inactive {
  opacity: 0.5;
.cal1 .clndr .clndr-controls .clndr-control-button .clndr-previous-
button.inactive:hover {
 background: none;
  cursor: default;
.cal1 .clndr .clndr-table {
 table-layout: fixed;
 width: 100%;
.cal1 .clndr .clndr-table .header-days {
       height: 60px;
    font-size: 1em;
        background-color: #252525;
 cal1 .clndr .clndr-table .header-days .header-day {
 vertical-align: middle;
 text-align: center;
  border-left: 1px solid #D8D8D8;
```

```
border-top: 1px solid #D8D8D8;
 color:#ffffff;
.cal1 .clndr .clndr-table .header-days .header-day:last-child {
 border-right: 1px solid #D8D8D8;
.cal1 .clndr .clndr-table tr {
 height: 85px;
.cal1 .clndr .clndr-table tr td {
 vertical-align: top;
.cal1 .clndr .clndr-table tr .day {
 border-left: 1px solid #D8D8D8;
 border-top: 1px solid #D8D8D8;
 width: 100%;
 height: inherit;
cal1 .clndr .clndr-table tr .day:hover {
 background: #252525;
 color:#fff;
.cal1 .clndr .clndr-table tr .day.today,
.cal1 .clndr .clndr-table tr .day.my-today {
    background: #B52E31;
   color: #fff;
.cal1 .clndr .clndr-table tr .day.today:hover,
.cal1 .clndr .clndr-table tr .day.my-today:hover {
background: #252525;
.cal1 .clndr .clndr-table tr .day.today.event, .cal1 .clndr .clndr-table tr
.day.my-today.event {
   background: #B52E31;
   color: #fff;
.cal1 .clndr .clndr-table tr .day.event,
.cal1 .clndr .clndr-table tr .day.my-event {
 color: #B52E31;
   font-weight: 400;
.cal1 .clndr .clndr-table tr .day.event:hover,
.cal1 .clndr .clndr-table tr .day.my-event:hover {
```

```
.cal1 .clndr .clndr-table tr .day.inactive,
.cal1 .clndr .clndr-table tr .day.my-inactive {
 background: #ddd;
.cal1 .clndr .clndr-table tr .day:last-child {
 border-right: 1px solid #D8D8D8;
.cal1 .clndr .clndr-table tr .day .day-contents {
 box-sizing: border-box;
 padding: 8px;
 font-size: 1em;
 text-align: right;
.cal1 .clndr .clndr-table tr .empty,
.cal1 .clndr .clndr-table tr .adjacent-month,
cal1 .clndr .clndr-table tr .my-empty,
.cal1 .clndr .clndr-table tr .my-adjacent-month {
 border-left: 1px solid #D8D8D8;
 border-top: 1px solid #D8D8D8;
 width: 100%;
 height: inherit;
 background: #eee;
.cal1 .clndr .clndr-table tr .empty:hover,
.cal1 .clndr .clndr-table tr .adjacent-month:hover,
.cal1 .clndr .clndr-table tr .my-empty:hover,
.cal1 .clndr .clndr-table tr .my-adjacent-month:hover {
 background: #ddd;
.cal1 .clndr .clndr-table tr .empty:last-child,
.cal1 .clndr .clndr-table tr .adjacent-month:last-child,
.cal1 .clndr .clndr-table tr .my-empty:last-child,
.cal1 .clndr .clndr-table tr .my-adjacent-month:last-child {
 border-right: 1px solid #D8D8D8;
cal1 .clndr .clndr-table tr:last-child .day,
.cal1 .clndr .clndr-table tr:last-child .my-day {
 border-bottom: 1px solid #D8D8D8;
.cal1 .clndr .clndr-table tr:last-child .empty,
.cal1 .clndr .clndr-table tr:last-child .my-empty {
 border-bottom: 1px solid #D8D8D8;
.cal2 {
 max-width: 177px;
```

```
margin: 30px auto;
 font-family: 'Droid Sans Mono';
.cal2 .clndr .clndr-controls {
 display: block;
 display: inline-block;
 width: 100%;
 margin-bottom: 3px;
.cal2 .clndr .clndr-controls .clndr-previous-button {
 float: left;
 width: 10%;
 text-align: left;
 cursor: pointer;
 -webkit-user-select: none;
 /* Chrome/Safari */
 -moz-user-select: none;
 /* Firefox */
 -ms-user-select: none;
 /* IE10+ */
cal2 .clndr .clndr-controls .clndr-previous-button:hover {
 background-color: #f4f4f4;
.cal2 .clndr .clndr-controls .month {
 float: left;
 width: 80%;
 text-align: center;
cal2 .clndr .clndr-controls .clndr-next-button {
 float: left;
 width: 10%;
 text-align: right;
 cursor: pointer;
 -webkit-user-select: none;
 /* Chrome/Safari */
 -moz-user-select: none;
 /* Firefox */
 -ms-user-select: none;
 /* IE10+ */
cal2 .clndr .clndr-controls .clndr-next-button:hover {
 background-color: #f4f4f4;
.cal2 .clndr .clndr-grid {
```

```
text-align: center;
 border: 1px solid #D8D8D8;
 display: inline-block;
.cal2 .clndr .clndr-grid .header-day {
 float: left;
 width: 25px;
 height: 25px;
 background: #FF4545;
.cal2 .clndr .clndr-grid .day {
 float: left;
 width: 25px;
 height: 25px;
cal2 .clndr .clndr-grid .day.event {
 background-color: #B4E09F;
.cal2 .clndr .clndr-grid .day.today {
 background-color: #E3C57F;
.cal2 .clndr .clndr-grid .day.selected {
 background-color: #E37FD6;
.cal2 .clndr .clndr-grid .day.inactive {
 color: gray;
.cal2 .clndr .clndr-grid .empty,
.cal2 .clndr .clndr-grid .adjacent-month {
 float: left;
 width: 25px;
 height: 25px;
 background: #ddd;
cal2 .clndr .clndr-today-button {
 width: 100%;
 text-align: center;
 cursor: pointer;
.cal2 .clndr .clndr-today-button:hover {
 background-color: #ddd;
.cal2 .multi-month-controls .quarter-button {
 display: inline-block;
 width: 25%;
```

```
.cal2 .multi-month-controls .quarter-button:hover {
 cursor: pointer;
 background-color: #f4f4f4;
.cal2 .day.inactive {
 background-color: #aaa;
.cal3 {
 max-width: 354px;
 margin: 0 auto;
 font-family: 'Droid Sans Mono';
.cal3 .cal {
 float: left;
 width: 177px;
cal3 .clndr .clndr-controls {
 display: block;
 display: inline-block;
 width: 100%;
 margin-bottom: 8px;
cal3 .clndr .clndr-controls.top {
 margin-bottom: -22px;
 position: relative;
 z-index: 1;
cal3 .clndr .clndr-controls .clndr-previous-button {
 float: left;
 width: 10%;
 text-align: left;
 cursor: pointer;
 -webkit-user-select: none;
 /* Chrome/Safari */
 -moz-user-select: none;
 /* Firefox */
 -ms-user-select: none;
 /* IE10+ */
.cal3 .clndr .clndr-controls .clndr-previous-button:hover {
 background-color: #f4f4f4;
.cal3 .clndr .clndr-controls .month {
 text-align: center;
```

```
width: 80%;
 margin: 0 auto;
.cal3 .clndr .clndr-controls .clndr-next-button {
 float: right;
 width: 10%;
 text-align: right;
 cursor: pointer;
 -webkit-user-select: none;
 /* Chrome/Safari */
 -moz-user-select: none;
 /* Firefox */
 -ms-user-select: none;
 /* IE10+ */
cal3 .clndr .clndr-controls .clndr-next-button:hover {
 background-color: #f4f4f4;
cal3 .clndr .clndr-grid {
 text-align: center;
 border: 1px solid #D8D8D8;
 display: inline-block;
cal3 .clndr .clndr-grid .header-day {
 float: left;
 width: 25px;
 height: 25px;
 background: #FF4545;
.cal3 .clndr .clndr-grid .day {
 float: left;
 width: 25px;
 height: 25px;
.cal3 .clndr .clndr-grid .day.event {
 background-color: #B4E09F;
.cal3 .clndr .clndr-grid .day.today {
 background-color: #E3C57F;
.cal3 .clndr .clndr-grid .empty,
.cal3 .clndr .clndr-grid .adjacent-month {
 float: left;
 width: 25px;
 height: 25px;
```

```
background: #ddd;
.cal3 .clndr .clndr-today-button {
  width: 100%;
  text-align: center;
  cursor: pointer;
 cal3 .clndr .clndr-today-button:hover {
  background-color: #ddd;
.cal3 .multi-month-controls .quarter-button {
  display: inline-block;
  width: 25%;
 cal3 .multi-month-controls .quarter-button:hover {
  cursor: pointer;
  background-color: #f4f4f4;
clndr-next-button,
.clndr-previous-button,
.clndr-next-year-button,
.clndr-previous-year-button {
  -webkit-user-select: none;
  /* Chrome/Safari */
  -moz-user-select: none;
  /* Firefox */
  -ms-user-select: none;
  /* IE10+ */
.clndr-next-button.inactive,
.clndr-previous-button.inactive,
.clndr-next-year-button.inactive,
.clndr-previous-year-button.inactive {
  opacity: 0.5;
  cursor: default;
@media(max-width:640px){
.cal1 .clndr .clndr-table tr {
    height: 55px;
.cal1 .clndr .clndr-controls .month {
    font-size: 1.2em;
.cal1 .clndr .clndr-controls .clndr-control-button {
    margin-top: 0;
```

```
@media(max-width:480px){
.cal1 .clndr .clndr-controls .month {
    font-size: 1em;
    width: 34%;
@media(max-width:320px){
.cal1 .clndr .clndr-controls {
    padding: 0.8em .6em;
.cal1 .clndr .clndr-controls .clndr-control-button {
    width: 29%;
    font-size: 0.9em;
.cal1 .clndr .clndr-controls .month {
    font-size: 0.9em;
   width: 41%;
.cal1 .clndr .clndr-table .header-days {
    height: 33px;
    font-size: 0.9em;
.cal1 .clndr .clndr-table tr .day .day-contents {
   font-size: 0.75em;
.cal1 .clndr .clndr-table tr {
    height: 37px;
```

Fabochart.css:

```
/*Stats*/
.fabo-chart {
    border-right: 1px;
    margin-bottom: 24px; }
.fabo-chart::after {
    content: " ";
    display: table;
    clear: both; }
.fabo-chart .fabo-point {
    height:345px;
    display: inline-block;
    float: left;
```

```
box-sizing: border-box;
    padding-left: 0px;
    ovefabolow: hidden; }
.fabo-chart .fabo-point .fabo-point-inner {
   height: 100%;
   position: relative;
   ovefabolow: hidden;
    background: #f4f6f7; }
.fabo-chart .fabo-point
.fabo-value-text {
   width: 100%;
   text-align: center;
   z-index: 100;
   color: #ffffff;
   font-size: 18px;
   font-weight: 600;
   position: absolute;
   left: 0;
    right: 0;
   bottom: 18px; }
.fabo-chart .fabo-point
.fabo-value-label {
   width: 100%;
   text-align: center;
    z-index: 100;
   color: #95a5b3;
   font-size: 12px;
   font-weight: 700;
   position: absolute;
   left: 0;
   right: 0;
   top: 18px; }
    .fabo-value-label {
   color: #00C6D7!important;
.fabo-chart .fabo-point .fabo-value {
   box-sizing: content-box;
   width: 0;
   height: 100px;
   border-top: 0 solid transparent;
   border-right: 0 solid #7b82ff;
   border-bottom: 0 solid transparent;
   border-left: 0px solid #7b82ff;
   transition: height 200ms;
```

```
position: absolute;
    bottom: 0;
    -webkit-animation: chart-height 200ms;
    animation: chart-height 200ms; }
    .fabo-value-label {
    color: #fff!important;
.fabo-value-label {
    color: #00C6D7!important;
.fabo-chart .fabo-point .fabo-value.hide {
    display: none;
    height: 0 !important; }
.fabo-chart .fabo-point .fabo-value.hide-border {
    border-top-width: 0 !important; }
@-webkit-keyframes chart-height {
    0% {
        height: 0; } }
@keyframes chart-height {
    0% {
        height: 0; } }
/*# sourceMappingURL=chart.css.map */
@media (max-width:1024px){
    .fabo-chart .fabo-point .fabo-value-text {
        width: 100%;
        text-align: center;
        z-index: 100;
        font-size: 15px;
    .fabo-chart .fabo-point .fabo-value-label {
      font-size:10px;
```

Flexslider.css:

```
/*
  * jQuery FlexSlider v2.4.0
  * http://www.woothemes.com/flexslider/
  *
  * Copyright 2012 WooThemes
  * Free to use under the GPLv2 and later license.
  * http://www.gnu.org/licenses/gpl-2.0.html
```

```
* Contributing author: Tyler Smith (@mbmufffin)
 * FONT-FACE
==============*/
@font-face {
 font-family: 'flexslider-icon';
  src: url('../fonts/webfont/flexslider-icon.eot');
  src: url('../fonts/webfonts/flexslider-icon.eot?#iefix') format('embedded-
opentype'), url('../fonts/webfonts/flexslider-icon.woff') format('woff'),
url('../fonts/webfonts/flexslider-icon.ttf') format('truetype'),
url('../fonts/webfonts/flexslider-icon.svg#flexslider-icon')    format('svg');
  font-weight: normal;
  font-style: normal;
 * RESETS
.flex-container a:hover,
.flex-slider a:hover,
.flex-container a:focus,
.flex-slider a:focus {
  outline: none;
.slides,
.slides > li,
.flex-control-nav,
.flex-direction-nav {
 margin: 0;
 padding: 0;
  list-style: none;
.flex-pauseplay span {
  text-transform: capitalize;
```

```
* BASE STYLES
.flexslider {
  margin: 0;
  padding: 0;
.flexslider .slides > li {
  display: none;
  -webkit-backface-visibility: hidden;
.flexslider .slides img {
  width: 100%;
  display: block;
.flexslider .slides:after {
  content: "\0020";
  display: block;
  clear: both;
  visibility: hidden;
  line-height: 0;
  height: 0;
html[xmlns] .flexslider .slides {
  display: block;
  html .flexslider .slides {
  height: 1%;
.no-js .flexslider .slides > li:first-child {
  display: block;
 * DEFAULT THEME
.flexslider {
  margin: 0 0 10px;
```

```
background: #ffffff;
 border: 4px solid #ffffff;
 position: relative;
 zoom: 1;
 -webkit-border-radius: 4px;
 -moz-border-radius: 4px;
 border-radius: 4px;
 -webkit-box-shadow: '' 0 1px 4px rgba(0, 0, 0, 0.2);
 -moz-box-shadow: '' 0 1px 4px rgba(0, 0, 0, 0.2);
 -o-box-shadow: '' 0 1px 4px rgba(0, 0, 0, 0.2);
 box-shadow: '' 0 1px 4px rgba(0, 0, 0, 0.2);
.flexslider .slides {
 zoom: 1;
.flexslider .slides img {
 height: auto;
.flex-viewport {
 max-height: 450px;
 -webkit-transition: all 1s ease;
 -moz-transition: all 1s ease;
 -ms-transition: all 1s ease;
 -o-transition: all 1s ease;
 transition: all 1s ease;
 border: 1px solid #D1CFCF;
.loading .flex-viewport {
 max-height: 300px;
.carousel li {
 margin-right: 5px;
.flex-direction-nav {
 *height: 0;
.flex-direction-nav a {
 text-decoration: none;
 display: block;
 width: 24px;
 height: 24px;
 margin: -20px 0 0;
 position: absolute;
```

```
top: 41%;
 z-index: 10;
 overflow: hidden;
 opacity: 0;
 cursor: pointer;
 -webkit-transition: all 0.3s ease-in-out;
 -moz-transition: all 0.3s ease-in-out;
 -ms-transition: all 0.3s ease-in-out;
 -o-transition: all 0.3s ease-in-out;
 transition: all 0.3s ease-in-out;
 text-indent: -9999px ;
.flex-direction-nav .flex-prev {
 left: -50px;
.flex-direction-nav .flex-next {
 right: -50px;
.flexslider:hover .flex-direction-nav .flex-prev {
 opacity: 0.7;
 left: 10px;
.flexslider:hover .flex-direction-nav .flex-prev:hover {
 opacity: 1;
.flexslider:hover .flex-direction-nav .flex-next {
 opacity: 0.7;
 right: 10px;
.flexslider:hover .flex-direction-nav .flex-next:hover {
 opacity: 1;
.flex-direction-nav .flex-disabled {
 opacity: 0!important;
 filter: alpha(opacity=0);
 cursor: default;
.flex-pauseplay a {
 display: block;
 width: 20px;
 height: 20px;
```

```
position: absolute;
 bottom: 5px;
 left: 10px;
 opacity: 0.8;
 z-index: 10;
 overflow: hidden;
 cursor: pointer;
 color: #000;
.flex-pauseplay a:before {
 font-family: "flexslider-icon";
 font-size: 20px;
 display: inline-block;
 content: '\f004';
flex-pauseplay a:hover {
 opacity: 1;
.flex-pauseplay a .flex-play:before {
 content: '\f003';
.flex-control-nav {
 width: 100%;
 position: absolute;
 bottom: -40px;
 text-align: center;
.flex-control-nav li {
 margin: 0 6px;
 display: inline-block;
 zoom: 1;
 *display: inline;
.flex-control-paging li a {
 width: 11px;
 height: 11px;
 display: block;
 background: #666;
 background: rgba(0, 0, 0, 0.5);
 cursor: pointer;
 text-indent: -9999px;
 -webkit-box-shadow: inset 0 0 3px rgba(0, 0, 0, 0.3);
 -moz-box-shadow: inset 0 0 3px rgba(0, 0, 0, 0.3);
 -o-box-shadow: inset 0 0 3px rgba(0, 0, 0, 0.3);
 box-shadow: inset 0 0 3px rgba(0, 0, 0, 0.3);
```

```
-webkit-border-radius: 20px;
 -moz-border-radius: 20px;
 border-radius: 20px;
 flex-control-paging li a:hover {
 background: #333;
 background: rgba(0, 0, 0, 0.7);
.flex-control-paging li a.flex-active {
 background: #000;
 background: rgba(0, 0, 0, 0.9);
 cursor: default;
.flex-control-thumbs {
 margin: 5px 0 0;
 position: static;
 overflow: hidden;
flex-control-thumbs li {
 width: 24.2%;
 float: left;
 margin: 0 1% 0 0;
flex-control-thumbs li:nth-child(4){
 margin:0;
.flex-control-thumbs img {
 width: 100%;
 height: auto;
 display: block;
 opacity: .7;
 cursor: pointer;
 -webkit-transition: all 1s ease;
 -moz-transition: all 1s ease;
 -ms-transition: all 1s ease;
 -o-transition: all 1s ease;
 transition: all 1s ease;
   border: 1px solid #D1CFCF;
.flex-control-thumbs img:hover {
 opacity: 1;
.flex-control-thumbs .flex-active {
 opacity: 1;
 cursor: default;
```

Font-awesome.css:

```
Font Awesome 4.0.3 by @davegandy - http://fontawesome.io - @fontawesome
 * License - http://fontawesome.io/license (Font: SIL OFL 1.1, CSS: MIT License)
/* FONT PATH
@font-face {
 font-family: 'FontAwesome';
 src: url('../fonts/fontawesome-webfont.eot?v=4.0.3');
  src: url('.../fonts/fontawesome-webfont.eot?#iefix&v=4.0.3') format('embedded-
opentype'),
       url('../fonts/fontawesome-webfont.woff?v=4.0.3') format('woff'),
       url('../fonts/fontawesome-webfont.ttf?v=4.0.3') format('truetype'),
       url('../fonts/fontawesome-webfont.svg?v=4.0.3#fontawesomeregular')
format('svg');
  font-weight: normal;
  font-style: normal;
.box1 {
 display: inline-block;
 width: 15%;
  padding:5px .5em;
 background:rgba(238, 238, 238, 0.26);
  margin: .5em 1% .5em 0;
```

```
text-align: left;
 -moz-box-sizing: border-box;
 -webkit-box-sizing: border-box;
 box-sizing: border-box;
 font-size:13px;
.fontawesome-icon-list a i {
   margin-right:10px;
   font-size:25px;
   color:#757575;
.margin-top{
 margin-top:20px;
.fa {
 display: inline-block;
 font-family: FontAwesome;
 font-style: normal;
 font-weight: normal;
 line-height: 1;
 -webkit-font-smoothing: antialiased;
 -moz-osx-font-smoothing: grayscale;
* makes the font 33% larger relative to the icon container */
.fa-lg {
 line-height: 0.75em;
 vertical-align: -15%;
.fa-2x {
 font-size: 2em;
.fa-3x {
 font-size: 3em;
.fa-4x {
 font-size: 4em;
.fa-5x {
 font-size: 5em;
.fa-fw {
 width: 1.2857142857142858em;
 text-align: center;
```

```
.fa-ul {
  padding-left: 0;
  margin-left: 2.142857142857143em;
  list-style-type: none;
.fa-ul > li {
  position: relative;
.fa-li {
  position: absolute;
  left: -2.142857142857143em;
  width: 2.142857142857143em;
  top: 0.14285714285714285em;
  text-align: center;
.fa-li.fa-lg {
  left: -1.8571428571428572em;
.fa-border {
  padding: .2em .25em .15em;
  border: solid 0.08em #eeeeee;
  border-radius: .1em;
.pull-right {
  float: right;
.pull-left {
  float: left;
.fa.pull-left {
  margin-right: .3em;
.fa.pull-right {
  margin-left: .3em;
.fa-spin {
  -webkit-animation: spin 2s infinite linear;
  -moz-animation: spin 2s infinite linear;
  -o-animation: spin 2s infinite linear;
  animation: spin 2s infinite linear;
@-moz-keyframes spin {
  0% {
    -moz-transform: rotate(0deg);
```

```
100% {
    -moz-transform: rotate(359deg);
@-webkit-keyframes spin {
  0% {
    -webkit-transform: rotate(0deg);
  100% {
    -webkit-transform: rotate(359deg);
@-o-keyframes spin {
  0% {
    -o-transform: rotate(0deg);
  100% {
    -o-transform: rotate(359deg);
@-ms-keyframes spin {
  0% {
    -ms-transform: rotate(0deg);
  100% {
    -ms-transform: rotate(359deg);
@keyframes spin {
  0% {
    transform: rotate(0deg);
 100% {
    transform: rotate(359deg);
.fa-rotate-90 {
  filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=1);
  -webkit-transform: rotate(90deg);
  -moz-transform: rotate(90deg);
  -ms-transform: rotate(90deg);
  -o-transform: rotate(90deg);
  transform: rotate(90deg);
 fa-rotate-180 {
```

```
filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=2);
 -webkit-transform: rotate(180deg);
 -moz-transform: rotate(180deg);
 -ms-transform: rotate(180deg);
 -o-transform: rotate(180deg);
 transform: rotate(180deg);
.fa-rotate-270 {
 filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=3);
 -webkit-transform: rotate(270deg);
 -moz-transform: rotate(270deg);
 -ms-transform: rotate(270deg);
 -o-transform: rotate(270deg);
 transform: rotate(270deg);
fa-flip-horizontal {
 filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=0, mirror=1);
 -webkit-transform: scale(-1, 1);
 -moz-transform: scale(-1, 1);
 -ms-transform: scale(-1, 1);
 -o-transform: scale(-1, 1);
 transform: scale(-1, 1);
fa-flip-vertical {
 filter: progid:DXImageTransform.Microsoft.BasicImage(rotation=2, mirror=1);
 -webkit-transform: scale(1, -1);
 -moz-transform: scale(1, -1);
 -ms-transform: scale(1, -1);
 -o-transform: scale(1, -1);
 transform: scale(1, -1);
fa-stack {
 position: relative;
 display: inline-block;
 width: 2em;
 height: 2em;
 line-height: 2em;
 vertical-align: middle;
.fa-stack-1x,
.fa-stack-2x {
 position: absolute;
 left: 0;
 width: 100%;
 text-align: center;
```

```
.fa-stack-1x {
 line-height: inherit;
.fa-stack-2x {
 font-size: 2em;
.fa-inverse {
 color: #ffffff;
/* Font Awesome uses the Unicode Private Use Area (PUA) to ensure screen
  readers do not read off random characters that represent icons */
.fa-glass:before {
 content: "\f000";
.fa-music:before {
 content: "\f001";
.fa-search:before {
 content: "\f002";
.fa-envelope-o:before {
 content: "\f003";
.fa-heart:before {
 content: "\f004";
.fa-star:before {
 content: "\f005";
.fa-star-o:before {
  content: "\f006";
.fa-user:before {
 content: "\f007";
.fa-film:before {
 content: "\f008";
.fa-th-large:before {
 content: "\f009";
.fa-th:before {
 content: "\f00a";
```

```
.fa-th-list:before {
 content: "\f00b";
.fa-check:before {
 content: "\f00c";
.fa-times:before {
 content: "\f00d";
.fa-search-plus:before {
 content: "\f00e";
.fa-search-minus:before {
 content: "\f010";
.fa-power-off:before {
 content: "\f011" !important;
pull-left1:before{
 content:"\f0e7";
.fa-signal:before {
 content: "\f012";
.fa-gear:before,
.fa-cog:before {
 content: "\f013";
.fa-trash-o:before {
 content: "\f014";
.fa-home:before {
 content: "\f015";
.fa-file-o:before {
 content: "\f016";
.fa-clock-o:before {
 content: "\f017";
.fa-road:before {
 content: "\f018";
.fa-download:before {
 content: "\f019";
```

```
.fa-arrow-circle-o-down:before {
 content: "\f01a";
.fa-arrow-circle-o-up:before {
 content: "\f01b";
.fa-inbox:before {
 content: "\f01c";
.fa-play-circle-o:before {
 content: "\f01d";
.fa-rotate-right:before,
.fa-repeat:before {
 content: "\f01e";
.fa-refresh:before {
 content: "\f021";
.fa-list-alt:before {
 content: "\f022";
.fa-lock:before {
 content: "\f023";
.fa-flag:before {
 content: "\f024";
.fa-headphones:before {
 content: "\f025";
.fa-volume-off:before {
 content: "\f026";
.fa-volume-down:before {
 content: "\f027";
.fa-volume-up:before {
 content: "\f028";
.fa-qrcode:before {
 content: "\f029";
.fa-barcode:before {
```

```
content: "\f02a";
.fa-tag:before {
  content: "\f02b";
.fa-tags:before {
 content: "\f02c";
.fa-book:before {
 content: "\f02d";
.fa-bookmark:before {
 content: "\f02e";
.fa-print:before {
 content: "\f02f";
.fa-camera:before {
 content: "\f030";
.fa-font:before {
  content: "\f031";
.fa-bold:before {
 content: "\f032";
.fa-italic:before {
 content: "\f033";
.fa-text-height:before {
 content: "\f034";
.fa-text-width:before {
 content: "\f035";
.fa-align-left:before {
 content: "\f036";
.fa-align-center:before {
 content: "\f037";
.fa-align-right:before {
 content: "\f038";
.fa-align-justify:before {
```

```
content: "\f039";
.fa-list:before {
 content: "\f03a";
.fa-dedent:before,
.fa-outdent:before {
 content: "\f03b";
.fa-indent:before {
 content: "\f03c";
.fa-video-camera:before {
 content: "\f03d";
.fa-picture-o:before {
 content: "\f03e";
.fa-pencil:before {
 content: "\f040";
.fa-map-marker:before {
 content: "\f041";
.fa-adjust:before {
 content: "\f042";
.fa-tint:before {
 content: "\f043";
.fa-edit:before,
.fa-pencil-square-o:before {
 content: "\f044";
.fa-share-square-o:before {
 content: "\f045";
.fa-check-square-o:before {
 content: "\f046";
.fa-arrows:before {
 content: "\f047";
.fa-step-backward:before {
 content: "\f048";
```

```
.fa-fast-backward:before {
 content: "\f049";
.fa-backward:before {
 content: "\f04a";
.fa-play:before {
 content: "\f04b";
.fa-pause:before {
 content: "\f04c";
.fa-stop:before {
 content: "\f04d";
.fa-forward:before {
 content: "\f04e";
.fa-fast-forward:before {
 content: "\f050";
.fa-step-forward:before {
 content: "\f051";
.fa-eject:before {
 content: "\f052";
.fa-chevron-left:before {
 content: "\f053";
.fa-chevron-right:before {
 content: "\f054";
.fa-plus-circle:before {
 content: "\f055";
.fa-minus-circle:before {
 content: "\f056";
.fa-times-circle:before {
 content: "\f057";
.fa-check-circle:before {
 content: "\f058";
```

```
.fa-question-circle:before {
 content: "\f059";
.fa-info-circle:before {
 content: "\f05a";
.fa-crosshairs:before {
 content: "\f05b";
.fa-times-circle-o:before {
 content: "\f05c";
.fa-check-circle-o:before {
 content: "\f05d";
.fa-ban:before {
 content: "\f05e";
.fa-arrow-left:before {
 content: "\f060";
.fa-arrow-right:before {
 content: "\f061";
.fa-arrow-up:before {
 content: "\f062";
.fa-arrow-down:before {
 content: "\f063";
.fa-mail-forward:before,
.fa-share:before {
 content: "\f064";
.fa-expand:before {
 content: "\f065";
.fa-compress:before {
 content: "\f066";
.fa-plus:before {
 content: "\f067";
.fa-minus:before {
```

```
content: "\f068";
.fa-asterisk:before {
 content: "\f069";
.fa-exclamation-circle:before {
 content: "\f06a";
.fa-gift:before {
 content: "\f06b";
.fa-leaf:before {
 content: "\f06c";
.fa-fire:before {
 content: "\f06d";
.fa-eye:before {
 content: "\f06e";
.fa-eye-slash:before {
 content: "\f070";
.fa-warning:before,
.fa-exclamation-triangle:before {
 content: "\f071";
.fa-plane:before {
 content: "\f072";
.fa-calendar:before {
 content: "\f073";
.fa-random:before {
 content: "\f074";
.fa-comment:before {
 content: "\f075";
.fa-magnet:before {
 content: "\f076";
.fa-chevron-up:before {
 content: "\f077";
```

```
fa-chevron-down:before {
 content: "\f078";
.fa-retweet:before {
 content: "\f079";
.fa-shopping-cart:before {
 content: "\f07a";
.fa-folder:before {
 content: "\f07b";
.fa-folder-open:before {
 content: "\f07c";
.fa-arrows-v:before {
 content: "\f07d";
.fa-arrows-h:before {
 content: "\f07e";
.fa-bar-chart-o:before {
 content: "\f0f6";
.fa-twitter-square:before {
 content: "\f081";
.fa-facebook-square:before {
 content: "\f082";
.fa-camera-retro:before {
 content: "\f083";
.fa-key:before {
 content: "\f084";
.fa-gears:before,
.fa-cogs:before {
 content: "\f085";
.fa-comments:before {
 content: "\f086";
.fa-thumbs-o-up:before {
 content: "\f087";
```

```
.fa-thumbs-o-down:before {
 content: "\f088";
.fa-star-half:before {
 content: "\f089";
.fa-heart-o:before {
 content: "\f08a";
.fa-sign-out:before {
 content: "\f08b";
.fa-linkedin-square:before {
 content: "\f08c";
.fa-thumb-tack:before {
 content: "\f08d";
.fa-external-link:before {
 content: "\f08e";
.fa-sign-in:before {
 content: "\f090";
.fa-trophy:before {
 content: "\f091";
.fa-github-square:before {
 content: "\f092";
.fa-upload:before {
 content: "\f093";
.fa-lemon-o:before {
 content: "\f094";
.fa-phone:before {
 content: "\f095";
.fa-square-o:before {
 content: "\f096";
.fa-bookmark-o:before {
 content: "\f097";
```

```
.fa-phone-square:before {
 content: "\f098";
.fa-twitter:before {
 content: "\f099";
.fa-facebook:before {
 content: "\f09a";
.fa-github:before {
 content: "\f09b";
.fa-unlock:before {
 content: "\f09c";
.fa-credit-card:before {
 content: "\f09d";
.fa-rss:before {
 content: "\f09e";
.fa-hdd-o:before {
 content: "\f0a0";
.fa-bullhorn:before {
 content: "\f0a1";
.fa-bell:before {
 content: "\f0f3";
.fa-certificate:before {
 content: "\f0a3";
.fa-hand-o-right:before {
 content: "\f0a4";
.fa-hand-o-left:before {
 content: "\f0a5";
.fa-hand-o-up:before {
 content: "\f0a6";
.fa-hand-o-down:before {
 content: "\f0a7";
```

```
.fa-arrow-circle-left:before {
 content: "\f0a8";
.fa-arrow-circle-right:before {
 content: "\f0a9";
.fa-arrow-circle-up:before {
 content: "\f0aa";
.fa-arrow-circle-down:before {
 content: "\f0ab";
.fa-globe:before {
  content: "\f0ac";
.fa-wrench:before {
  content: "\f0ad";
.fa-tasks:before {
 content: "\f0ae";
.fa-filter:before {
 content: "\f0b0";
.fa-briefcase:before {
  content: "\f0b1";
.fa-arrows-alt:before {
 content: "\f0b2";
.fa-group:before,
.fa-users:before {
 content: "\f0c0";
.fa-chain:before,
.fa-link:before {
 content: "\f0c1";
.fa-cloud:before {
 content: "\f0c2";
.fa-flask:before {
 content: "\f0c3";
```

```
.fa-cut:before,
.fa-scissors:before {
 content: "\f0c4";
.fa-copy:before,
.fa-files-o:before {
  content: "\f0c5";
.fa-paperclip:before {
 content: "\f0c6";
.fa-save:before,
.fa-floppy-o:before {
 content: "\f0c7";
.fa-square:before {
 content: "\f0c8";
.fa-bars:before {
 content: "\f0c9";
.fa-list-ul:before {
 content: "\f0ca";
.fa-list-ol:before {
 content: "\f0cb";
.fa-strikethrough:before {
 content: "\f0cc";
.fa-underline:before {
  content: "\f0cd";
.fa-table:before {
 content: "\f0ce";
.fa-magic:before {
 content: "\f0d0";
.fa-truck:before {
 content: "\f0d1";
.fa-pinterest:before {
 content: "\f0d2";
```

```
.fa-pinterest-square:before {
  content: "\f0d3";
.fa-google-plus-square:before {
  content: "\f0d4";
.fa-google-plus:before {
 content: "\f0d5";
.fa-money:before {
 content: "\f156";
.fa-caret-down:before {
 content: "\f0d7";
.fa-caret-up:before {
 content: "\f0d8";
.fa-caret-left:before {
 content: "\f0d9";
.fa-caret-right:before {
 content: "\f0da";
.fa-columns:before {
 content: "\f0db";
.fa-unsorted:before,
.fa-sort:before {
 content: "\f0dc";
.fa-sort-down:before,
.fa-sort-asc:before {
 content: "\f0dd";
.fa-sort-up:before,
.fa-sort-desc:before {
 content: "\f0de";
.fa-envelope:before {
 content: "\f0e0";
.fa-linkedin:before {
 content: "\f0e1";
```

```
.fa-rotate-left:before,
.fa-undo:before {
 content: "\f0e2";
.fa-legal:before,
.fa-gavel:before {
 content: "\f0e3";
.fa-dashboard:before,
.fa-tachometer:before {
 content: "\f0e4";
.fa-comment-o:before {
 content: "\f0e5";
.fa-comments-o:before {
 content: "\f0e6";
.fa-flash:before,
.fa-bolt:before {
 content: "\f0e7";
.fa-sitemap:before {
 content: "\f0e8";
.fa-umbrella:before {
 content: "\f0e9";
.fa-paste:before,
.fa-clipboard:before {
 content: "\f0ea";
.fa-lightbulb-o:before {
 content: "\f0eb";
.fa-exchange:before {
 content: "\f0ec";
.fa-cloud-download:before {
 content: "\f0ed";
.fa-cloud-upload:before {
 content: "\f0ee";
.fa-user-md:before {
```

```
content: "\f0f0";
.fa-stethoscope:before {
  content: "\f0f1";
.fa-suitcase:before {
 content: "\f0f2";
.fa-bell-o:before {
 content: "\f0a2";
.fa-coffee:before {
 content: "\f0f4";
.fa-cutlery:before {
 content: "\f0f5";
.fa-file-text-o:before {
 content: "\f0f6";
.fa-building-o:before {
 content: "\f0f7";
.fa-hospital-o:before {
 content: "\f0f8";
.fa-ambulance:before {
 content: "\f0f9";
.fa-medkit:before {
 content: "\f0fa";
.fa-fighter-jet:before {
 content: "\f0fb";
.fa-beer:before {
 content: "\f0fc";
.fa-h-square:before {
 content: "\f0fd";
.fa-plus-square:before {
 content: "\f0fe";
.fa-angle-double-left:before {
```

```
content: "\f100";
.fa-angle-double-right:before {
  content: "\f101";
.fa-angle-double-up:before {
  content: "\f102";
.fa-angle-double-down:before {
 content: "\f103";
.fa-angle-left:before {
 content: "\f104";
.fa-angle-right:before {
 content: "\f105";
.fa-angle-up:before {
 content: "\f106";
.fa-angle-down:before {
  content: "\f107";
.fa-desktop:before {
 content: "\f108";
.fa-laptop:before {
 content: "\f109";
.fa-tablet:before {
 content: "\f10a";
.fa-mobile-phone:before,
.fa-mobile:before {
  content: "\f10b";
.fa-circle-o:before {
 content: "\f10c";
.fa-quote-left:before {
 content: "\f10d";
.fa-quote-right:before {
 content: "\f10e";
```

```
.fa-spinner:before {
 content: "\f110";
.fa-circle:before {
 content: "\f111";
.fa-mail-reply:before,
.fa-reply:before {
 content: "\f112";
.fa-github-alt:before {
 content: "\f113";
.fa-folder-o:before {
 content: "\f114";
.fa-folder-open-o:before {
 content: "\f115";
.fa-smile-o:before {
 content: "\f118";
.fa-frown-o:before {
 content: "\f119";
.fa-meh-o:before {
 content: "\f11a";
.fa-gamepad:before {
 content: "\f11b";
.fa-keyboard-o:before {
 content: "\f11c";
.fa-flag-o:before {
 content: "\f11d";
.fa-flag-checkered:before {
 content: "\f11e";
.fa-terminal:before {
 content: "\f120";
.fa-code:before {
 content: "\f121";
```

```
.fa-reply-all:before {
 content: "\f122";
.fa-mail-reply-all:before {
 content: "\f122";
.fa-star-half-empty:before,
.fa-star-half-full:before,
.fa-star-half-o:before {
 content: "\f123";
.fa-location-arrow:before {
 content: "\f124";
.fa-crop:before {
 content: "\f125";
.fa-code-fork:before {
 content: "\f126";
.fa-unlink:before,
.fa-chain-broken:before {
 content: "\f127";
.fa-question:before {
 content: "\f128";
.fa-info:before {
 content: "\f129";
.fa-exclamation:before {
 content: "\f12a";
.fa-superscript:before {
 content: "\f12b";
.fa-subscript:before {
 content: "\f12c";
.fa-eraser:before {
 content: "\f12d";
.fa-puzzle-piece:before {
 content: "\f12e";
```

```
.fa-microphone:before {
 content: "\f130";
.fa-microphone-slash:before {
 content: "\f131";
.fa-shield:before {
 content: "\f132";
.fa-calendar-o:before {
 content: "\f133";
.fa-fire-extinguisher:before {
 content: "\f134";
.fa-rocket:before {
 content: "\f135";
.fa-maxcdn:before {
 content: "\f136";
.fa-chevron-circle-left:before {
 content: "\f137";
.fa-chevron-circle-right:before {
 content: "\f138";
.fa-chevron-circle-up:before {
 content: "\f139";
.fa-chevron-circle-down:before {
 content: "\f13a";
.fa-html5:before {
 content: "\f13b";
.fa-css3:before {
 content: "\f13c";
.fa-anchor:before {
 content: "\f13d";
.fa-unlock-alt:before {
 content: "\f13e";
```

```
.fa-bullseye:before {
 content: "\f140";
.fa-ellipsis-h:before {
 content: "\f141";
.fa-ellipsis-v:before {
 content: "\f142";
.fa-rss-square:before {
 content: "\f143";
.fa-play-circle:before {
 content: "\f144";
.fa-ticket:before {
 content:"\f080";
.fa-minus-square:before {
 content: "\f146";
.fa-minus-square-o:before {
 content: "\f147";
.fa-level-up:before {
 content: "\f148";
.fa-level-down:before {
 content: "\f149";
.fa-check-square:before {
 content: "\f14a";
.fa-pencil-square:before {
 content: "\f14b";
.fa-external-link-square:before {
 content: "\f14c";
.fa-share-square:before {
 content: "\f14d";
.fa-compass:before {
 content: "\f14e";
```

```
.fa-toggle-down:before,
.fa-caret-square-o-down:before {
 content: "\f150";
.fa-toggle-up:before,
.fa-caret-square-o-up:before {
 content: "\f151";
.fa-toggle-right:before,
.fa-caret-square-o-right:before {
 content: "\f152";
.fa-euro:before,
.fa-eur:before {
 content: "\f153";
.fa-gbp:before {
 content: "\f154";
fa-dollar:before,
.fa-usd:before {
 content: "\f155";
.fa-rupee:before,
.fa-inr:before {
 content: "\f156";
.fa-cny:before,
.fa-rmb:before,
.fa-yen:before,
.fa-jpy:before {
 content: "\f157";
.fa-ruble:before,
.fa-rouble:before,
.fa-rub:before {
 content: "\f158";
.fa-won:before,
.fa-krw:before {
 content: "\f159";
.fa-bitcoin:before,
.fa-btc:before {
```

```
content: "\f15a";
.fa-file:before {
  content: "\f15b";
.fa-file-text:before {
  content: "\f15c";
.fa-sort-alpha-asc:before {
 content: "\f15d";
.fa-sort-alpha-desc:before {
 content: "\f15e";
.fa-sort-amount-asc:before {
 content: "\f160";
.fa-sort-amount-desc:before {
 content: "\f161";
.fa-sort-numeric-asc:before {
 content: "\f162";
.fa-sort-numeric-desc:before {
 content: "\f163";
.fa-thumbs-up:before {
 content: "\f164";
.fa-thumbs-down:before {
 content: "\f165";
.fa-youtube-square:before {
 content: "\f166";
.fa-youtube:before {
 content: "\f167";
.fa-xing:before {
 content: "\f168";
.fa-xing-square:before {
 content: "\f169";
.fa-youtube-play:before {
```

```
content: "\f16a";
.fa-dropbox:before {
  content: "\f16b";
.fa-stack-overflow:before {
  content: "\f16c";
.fa-instagram:before {
 content: "\f16d";
.fa-flickr:before {
 content: "\f16e";
.fa-adn:before {
 content: "\f170";
.fa-bitbucket:before {
 content: "\f171";
.fa-bitbucket-square:before {
  content: "\f172";
.fa-tumblr:before {
 content: "\f173";
.fa-tumblr-square:before {
 content: "\f174";
.fa-long-arrow-down:before {
 content: "\f175";
.fa-long-arrow-up:before {
 content: "\f176";
.fa-long-arrow-left:before {
 content: "\f177";
.fa-long-arrow-right:before {
 content: "\f178";
.fa-apple:before {
 content: "\f179";
.fa-windows:before {
```

```
content: "\f17a";
.fa-android:before {
  content: "\f17b";
.fa-linux:before {
 content: "\f17c";
.fa-dribbble:before {
 content: "\f17d";
.fa-skype:before {
 content: "\f17e";
.fa-foursquare:before {
 content: "\f180";
.fa-trello:before {
 content: "\f181";
.fa-female:before {
  content: "\f182";
.fa-male:before {
 content: "\f183";
.fa-gittip:before {
 content: "\f184";
.fa-sun-o:before {
 content: "\f185";
.fa-moon-o:before {
 content: "\f186";
.fa-archive:before {
 content: "\f187";
.fa-bug:before {
 content: "\f188";
.fa-vk:before {
 content: "\f189";
.fa-weibo:before {
```

```
content: "\f18a";
.fa-renren:before {
 content: "\f18b";
.fa-pagelines:before {
 content: "\f18c";
.fa-stack-exchange:before {
 content: "\f18d";
.fa-arrow-circle-o-right:before {
 content: "\f18e";
.fa-arrow-circle-o-left:before {
 content: "\f190";
.fa-toggle-left:before,
.fa-caret-square-o-left:before {
 content: "\f191";
.fa-dot-circle-o:before {
 content: "\f192";
.fa-wheelchair:before {
 content: "\f193";
.fa-vimeo-square:before {
 content: "\f194";
.fa-turkish-lira:before,
.fa-try:before {
 content: "\f195";
.fa-plus-square-o:before {
 content: "\f196";
```

```
'How to create an Interactive Graph using CSS3 & jQuery [Tutorial]" was specially
made for DesignModo by our friend Valeriu Timbuc.
Links:
http://vtimbuc.net
http://designmodo.com
http://vladimirkudinov.com
/* Resets */
.graph-container,
.graph-container div,
.graph-container a,
.graph-container span {
   margin: 0;
   padding: 0;
/* Gradinet and Rounded Corners */
.graph-container, #tooltip, .graph-info a {
.graph-container {
   position: relative;
   width: 100%;
   height: 469px;
   padding: 20px;
.graph-container > div {
   position: absolute;
   width: inherit;
   height: inherit;
   top: 0px;
   left: 2px;
.graph-info {
   width: 590px;
   margin-bottom: 10px;
```

```
/* Text Styles */
#tooltip, .graph-info a {
    height: 25px;
    font-size: 12px;
    line-height: 13px;
    color: #999;
.tickLabel {
    font-size: 1.2em;
    color: #999;
#tooltip {
    position: absolute;
    display: none;
    padding: 5px 10px;
    border: 1px solid #999;
/* Links */
.graph-info a {
    position: relative;
    display: inline-block;
    float: left;
    padding: 7px 10px 5px 30px;
    margin-right: 10px;
    text-decoration: none;
    cursor: default;
/* Color Circle for Links */
.graph-info a:before {
    position: absolute;
    display: block;
    content: '';
    width: 8px;
    height: 8px;
    top: 13px;
    left: 13px;
    -webkit-border-radius: 5px;
```

```
-moz-border-radius: 5px;
    border-radius: 5px;
/* Colors For each Link */
.graph-info .visitors { border-bottom: 2px solid #67398C; }
.graph-info .returning { border-bottom: 2px solid #77b7c5; }
.graph-info .visitors:before { background: #67398C; }
.graph-info .returning:before { background: #67398C; }
/* Hide the First and Last Y Label */
.yAxis .tickLabel:first-child,
.yAxis .tickLabel:last-child { display: none; }
/* Clear Floats */
.graph-info:before, .graph-info:after,
.graph-container:before, .graph-container:after {
    content: '';
    display: block;
    clear: both;
.graph-container h3{
   font-size:1.5em;
    color:#FFF;
   margin-bottom:1em;
/*--media Quries for 1024px-laptops-*/
@media(max-width: 1024px) {
.graph-container {
    height: 499px;
/*--media Quries for 768px-laptops-*/
@media (max-width:768px) {
.graph-container {
   height: 430px;
    margin: 1em;
    width: 94%;
@media (max-width:320px) {
.graph-container {
```

```
height: 370px;
margin: 1em;
width: 94%;
}
```

Icon-font.min.css:

```
Linearicons Free v1.0.0 - https://linearicons.com/free
By Perxis - https://perxis.com
(c) 2014-2015 Perxis.com
License: https://linearicons.com/free/license
@font-face{font-family:Linearicons-
Free; src:url(https://cdn.linearicons.com/free/1.0.0/Linearicons-
Free.eot);src:url(https://cdn.linearicons.com/free/1.0.0/Linearicons-
Free.eot?#iefix) format('embedded-
opentype'),url(https://cdn.linearicons.com/free/1.0.0/Linearicons-Free.woff2)
format('woff2'),url(https://cdn.linearicons.com/free/1.0.0/Linearicons-Free.ttf)
format('truetype'),url(https://cdn.linearicons.com/free/1.0.0/Linearicons-
Free.woff) format('woff'),url(https://cdn.linearicons.com/free/1.0.0/Linearicons-
Free.svg#Linearicons-Free) format('svg');font-weight:400;font-
style:normal}.lnr{font-family:Linearicons-Free; speak:none; font-style:normal; font-
weight:400;font-variant:normal;text-transform:none;line-height:1;-webkit-font-
smoothing:antialiased;-moz-osx-font-smoothing:grayscale}.lnr-
home:before{content:"\e800"}.lnr-apartment:before{content:"\e801"}.lnr-
pencil:before{content:"\e802"}.lnr-magic-wand:before{content:"\e803"}.lnr-
drop:before{content:"\e804"}.lnr-lighter:before{content:"\e805"}.lnr-
poop:before{content:"\e806"}.lnr-sun:before{content:"\e807"}.lnr-
moon:before{content:"\e808"}.lnr-cloud:before{content:"\e809"}.lnr-cloud-
upload:before{content:"\e80a"}.lnr-cloud-download:before{content:"\e80b"}.lnr-
cloud-sync:before{content:"\e80c"}.lnr-cloud-check:before{content:"\e80d"}.lnr-
database:before{content:"\e80e"}.lnr-lock:before{content:"\e80f"}.lnr-
cog:before{content:"\e810"}.lnr-trash:before{content:"\e811"}.lnr-
dice:before{content:"\e812"}.lnr-heart:before{content:"\e813"}.lnr-
star:before{content:"\e814"}.lnr-star-half:before{content:"\e815"}.lnr-star-
empty:before{content:"\e816"}.lnr-flag:before{content:"\e817"}.lnr-
envelope:before{content:"\e818"}.lnr-paperclip:before{content:"\e819"}.lnr-
inbox:before{content:"\e81a"}.lnr-eye:before{content:"\e81b"}.lnr-
printer:before{content:"\e81c"}.lnr-file-empty:before{content:"\e81d"}.lnr-file-
add:before{content:"\e81e"}.lnr-enter:before{content:"\e81f"}.lnr-
exit:before{content:"\e820"}.lnr-graduation-hat:before{content:"\e821"}.lnr-
license:before{content:"\e822"}.lnr-music-note:before{content:"\e823"}.lnr-film-
play:before{content:"\e824"}.lnr-camera-video:before{content:"\e825"}.lnr-
camera:before{content:"\e826"}.lnr-picture:before{content:"\e827"}.lnr-
```

```
book:before{content:"\e828"}.lnr-bookmark:before{content:"\e829"}.lnr-
user:before{content:"\e82a"}.lnr-users:before{content:"\e82b"}.lnr-
shirt:before{content:"\e82c"}.lnr-store:before{content:"\e82d"}.lnr-
cart:before{content:"\e82e"}.lnr-tag:before{content:"\e82f"}.lnr-phone-
handset:before{content:"\e830"}.lnr-phone:before{content:"\e831"}.lnr-
pushpin:before{content:"\e832"}.lnr-map-marker:before{content:"\e833"}.lnr-
map:before{content:"\e834"}.lnr-location:before{content:"\e835"}.lnr-calendar-
full:before{content:"\e836"}.lnr-keyboard:before{content:"\e837"}.lnr-spell-
check:before{content:"\e838"}.lnr-screen:before{content:"\e839"}.lnr-
smartphone:before{content:"\e83a"}.lnr-tablet:before{content:"\e83b"}.lnr-
laptop:before{content:"\e83c"}.lnr-laptop-phone:before{content:"\e83d"}.lnr-
power-switch:before{content:"\e83e"}.lnr-bubble:before{content:"\e83f"}.lnr-
heart-pulse:before{content:"\e840"}.lnr-construction:before{content:"\e841"}.lnr-
pie-chart:before{content:"\e842"}.lnr-chart-bars:before{content:"\e843"}.lnr-
gift:before{content:"\e844"}.lnr-diamond:before{content:"\e845"}.lnr-
linearicons:before{content:"\e846"}.lnr-dinner:before{content:"\e847"}.lnr-
coffee-cup:before{content:"\e848"}.lnr-leaf:before{content:"\e849"}.lnr-
paw:before{content:"\e84a"}.lnr-rocket:before{content:"\e84b"}.lnr-
briefcase:before{content:"\e84c"}.lnr-bus:before{content:"\e84d"}.lnr-
car:before{content:"\e84e"}.lnr-train:before{content:"\e84f"}.lnr-
bicycle:before{content:"\e850"}.lnr-wheelchair:before{content:"\e851"}.lnr-
select:before{content:"\e852"}.lnr-earth:before{content:"\e853"}.lnr-
smile:before{content:"\e854"}.lnr-sad:before{content:"\e855"}.lnr-
neutral:before{content:"\e856"}.lnr-mustache:before{content:"\e857"}.lnr-
alarm:before{content:"\e858"}.lnr-bullhorn:before{content:"\e859"}.lnr-volume-
high:before{content:"\e85a"}.lnr-volume-medium:before{content:"\e85b"}.lnr-
volume-low:before{content:"\e85c"}.lnr-volume:before{content:"\e85d"}.lnr-
mic:before{content:"\e85e"}.lnr-hourglass:before{content:"\e85f"}.lnr-
undo:before{content:"\e860"}.lnr-redo:before{content:"\e861"}.lnr-
sync:before{content:"\e862"}.lnr-history:before{content:"\e863"}.lnr-
clock:before{content:"\e864"}.lnr-download:before{content:"\e865"}.lnr-
upload:before{content:"\e866"}.lnr-enter-down:before{content:"\e867"}.lnr-exit-
up:before{content:"\e868"}.lnr-bug:before{content:"\e869"}.lnr-
code:before{content:"\e86a"}.lnr-link:before{content:"\e86b"}.lnr-
unlink:before{content:"\e86c"}.lnr-thumbs-up:before{content:"\e86d"}.lnr-thumbs-
down:before{content:"\e86e"}.lnr-magnifier:before{content:"\e86f"}.lnr-
cross:before{content:"\e870"}.lnr-menu:before{content:"\e871"}.lnr-
list:before{content:"\e872"}.lnr-chevron-up:before{content:"\e873"}.lnr-chevron-
down:before{content:"\e874"}.lnr-chevron-left:before{content:"\e875"}.lnr-
chevron-right:before{content:"\e876"}.lnr-arrow-up:before{content:"\e877"}.lnr-
arrow-down:before{content:"\e878"}.lnr-arrow-left:before{content:"\e879"}.lnr-
arrow-right:before{content:"\e87a"}.lnr-move:before{content:"\e87b"}.lnr-
warning:before{content:"\e87c"}.lnr-question-circle:before{content:"\e87d"}.lnr-
menu-circle:before{content:"\e87e"}.lnr-checkmark-
circle:before{content:"\e87f"}.lnr-cross-circle:before{content:"\e880"}.lnr-plus-
```

```
circle:before{content:"\e881"}.lnr-circle-minus:before{content:"\e882"}.lnr-
arrow-up-circle:before{content:"\e883"}.lnr-arrow-down-
circle:before{content:"\e884"}.lnr-arrow-left-circle:before{content:"\e885"}.lnr-
arrow-right-circle:before{content:"\e886"}.lnr-chevron-up-
circle:before{content:"\e887"}.lnr-chevron-down-
circle:before{content:"\e888"}.lnr-chevron-left-
circle:before{content:"\e889"}.lnr-chevron-right-
circle:before{content:"\e88a"}.lnr-crop:before{content:"\e88b"}.lnr-frame-
expand:before{content:"\e88c"}.lnr-frame-contract:before{content:"\e88d"}.lnr-
layers:before{content:"\e88e"}.lnr-funnel:before{content:"\e88f"}.lnr-text-
format:before{content:"\e890"}.lnr-text-format-
remove:before{content:"\e891"}.lnr-text-size:before{content:"\e892"}.lnr-
bold:before{content:"\e893"}.lnr-italic:before{content:"\e894"}.lnr-
underline:before{content:"\e895"}.lnr-strikethrough:before{content:"\e896"}.lnr-
highlight:before{content:"\e897"}.lnr-text-align-
left:before{content:"\e898"}.lnr-text-align-center:before{content:"\e899"}.lnr-
text-align-right:before{content:"\e89a"}.lnr-text-align-
justify:before{content:"\e89b"}.lnr-line-spacing:before{content:"\e89c"}.lnr-
indent-increase:before{content:"\e89d"}.lnr-indent-
decrease:before{content:"\e89e"}.lnr-pilcrow:before{content:"\e89f"}.lnr-
direction-ltr:before{content:"\e8a0"}.lnr-direction-
rtl:before{content:"\e8a1"}.lnr-page-break:before{content:"\e8a2"}.lnr-sort-
alpha-asc:before{content:"\e8a3"}.lnr-sort-amount-
asc:before{content:"\e8a4"}.lnr-hand:before{content:"\e8a5"}.lnr-pointer-
up:before{content:"\e8a6"}.lnr-pointer-right:before{content:"\e8a7"}.lnr-pointer-
down:before{content:"\e8a8"}.lnr-pointer-left:before{content:"\e8a9"}
```

Owl.carousel.css:

```
/*
    * Owl Carousel Owl Demo Theme
    * v1.24
    */
    #owl-demo .item{
    }
    #owl-demo .item img{
        display: block;
        height: auto;
    }

.owl-theme .owl-controls{
    margin-top: 10px;
    text-align: center;
}

/* Styling Next and Prev buttons */
```

```
.owl-theme .owl-controls .owl-buttons div{
   color: #FFF;
   display: inline-block;
   zoom: 1;
   margin: 5px;
   padding: 3px 10px;
   font-size: 12px;
   width: 33px;
   height: 54px;
.owl-next{
   background: url(../images/divice-pagenations.png) no-repeat -35px 0px;
   position: absolute;
   right: -8%;
   top: 30%;
.owl-prev{
   background: url(../images/divice-pagenations.png) no-repeat 0px 0px;
   position: absolute;
   left: -16.5%;
   top: 30%;
/* Clickable class fix problem with hover on touch devices */
/* Use it for non-touch hover action */
.owl-theme .owl-controls.clickable .owl-buttons div:hover{
   filter: Alpha(Opacity=100);/*IE7 fix*/
   opacity: 1;
   text-decoration: none;
/* Styling Pagination*/
.owl-theme .owl-controls .owl-page{
   display: inline-block;
   zoom: 1;
    *display: inline;/*IE7 life-saver */
.owl-theme .owl-controls .owl-page span{
   display: block;
   width: 12px;
   height: 12px;
   margin: 5px 7px;
   filter: Alpha(Opacity=50);/*IE7 fix*/
   opacity: 0.5;
```

```
-webkit-border-radius: 20px;
   -moz-border-radius: 20px;
   border-radius: 20px;
   background: #3A3A3A;
.owl-theme .owl-controls .owl-page.active span,
.owl-theme .owl-controls.clickable .owl-page:hover span{
   filter: Alpha(Opacity=100);/*IE7 fix*/
   opacity: 1;
/* If PaginationNumbers is true */
.owl-theme .owl-controls .owl-page span.owl-numbers{
   height: auto;
   width: auto;
   color: #FFF;
   padding: 2px 10px;
   font-size: 12px;
   -webkit-border-radius: 30px;
   -moz-border-radius: 30px;
   border-radius: 30px;
/* preloading images */
.owl-item.loading{
   min-height: 150px;
   background: url(AjaxLoader.gif) no-repeat center center
  Core Owl Carousel CSS File
   v1.24
/* clearfix */
.owl-carousel .owl-wrapper:after {
   content: ".";
   display: block;
   clear: both;
   visibility: hidden;
   line-height: 0;
   height: 0;
/* display none until init */
```

```
.owl-carousel{
   display: none;
   position: relative;
   -ms-touch-action: pan-y;
.owl-carousel .owl-wrapper{
   display: none;
   position: relative;
   -webkit-transform: translate3d(0px, 0px, 0px);
.owl-carousel .owl-wrapper-outer{
   overflow: hidden;
   position: relative;
   width: 100%;
.owl-carousel .owl-wrapper-outer.autoHeight{
   -webkit-transition: height 500ms ease-in-out;
   -moz-transition: height 500ms ease-in-out;
   -ms-transition: height 500ms ease-in-out;
   -o-transition: height 500ms ease-in-out;
   transition: height 500ms ease-in-out;
.owl-carousel .owl-item{
   float: left;
.owl-controls .owl-page,
.owl-controls .owl-buttons div{
   cursor: pointer;
.owl-controls {
   -webkit-user-select: none;
   -khtml-user-select: none;
   -moz-user-select: none;
   -ms-user-select: none;
   user-select: none;
   -webkit-tap-highlight-color: rgba(0, 0, 0, 0);
/* mouse grab icon */
.grabbing {
   cursor:url(grabbing.png) 8 8, move;
/* fix */
```

```
.owl-carousel .owl-wrapper,
.owl-carousel .owl-item{
   -webkit-backface-visibility: hidden;
   -moz-backface-visibility:
                                 hidden:
   -ms-backface-visibility:
                                 hidden:
 -webkit-transform: translate3d(0,0,0);
 -moz-transform: translate3d(0,0,0);
 -ms-transform: translate3d(0,0,0);
/* CSS3 Transitions */
.owl-origin {
   -webkit-perspective: 1200px;
   -webkit-perspective-origin-x : 50%;
   -webkit-perspective-origin-y : 50%;
   -moz-perspective : 1200px;
   -moz-perspective-origin-x : 50%;
   -moz-perspective-origin-y : 50%;
   perspective : 1200px;
/* fade */
.owl-fade-out {
 z-index: 10;
 -webkit-animation: fadeOut .7s both ease;
 -moz-animation: fadeOut .7s both ease;
 animation: fadeOut .7s both ease;
.owl-fade-in {
 -webkit-animation: fadeIn .7s both ease;
 -moz-animation: fadeIn .7s both ease;
 animation: fadeIn .7s both ease;
/* backSlide */
.owl-backSlide-out {
 -webkit-animation: backSlideOut 1s both ease;
 -moz-animation: backSlideOut 1s both ease;
 animation: backSlideOut 1s both ease;
.owl-backSlide-in {
 -webkit-animation: backSlideIn 1s both ease;
 -moz-animation: backSlideIn 1s both ease;
 animation: backSlideIn 1s both ease;
```

```
.owl-goDown-out {
  -webkit-animation: scaleToFade .7s ease both;
  -moz-animation: scaleToFade .7s ease both;
  animation: scaleToFade .7s ease both;
.owl-goDown-in {
  -webkit-animation: goDown .6s ease both;
  -moz-animation: goDown .6s ease both;
  animation: goDown .6s ease both;
.owl-fadeUp-in {
  -webkit-animation: scaleUpFrom .5s ease both;
  -moz-animation: scaleUpFrom .5s ease both;
  animation: scaleUpFrom .5s ease both;
.owl-fadeUp-out {
  -webkit-animation: scaleUpTo .5s ease both;
  -moz-animation: scaleUpTo .5s ease both;
  animation: scaleUpTo .5s ease both;
/* Keyframes */
/*empty*/
@-webkit-keyframes empty {
  0% {opacity: 1}
@-moz-keyframes empty {
  0% {opacity: 1}
@keyframes empty {
  0% {opacity: 1}
@-webkit-keyframes fadeIn {
  0% { opacity:0; }
  100% { opacity:1; }
@-moz-keyframes fadeIn {
  0% { opacity:0; }
  100% { opacity:1; }
@keyframes fadeIn {
  0% { opacity:0; }
  100% { opacity:1; }
```

```
@-webkit-keyframes fadeOut {
  0% { opacity:1; }
  100% { opacity:0; }
@-moz-keyframes fadeOut {
  0% { opacity:1; }
  100% { opacity:0; }
@keyframes fadeOut {
  0% { opacity:1; }
  100% { opacity:0; }
@-webkit-keyframes backSlideOut {
  25% { opacity: .5; -webkit-transform: translateZ(-500px); }
  75% { opacity: .5; -webkit-transform: translateZ(-500px) translateX(-200%); }
  100% { opacity: .5; -webkit-transform: translateZ(-500px) translateX(-200%); }
@-moz-keyframes backSlideOut {
  25% { opacity: .5; -moz-transform: translateZ(-500px); }
  75% { opacity: .5; -moz-transform: translateZ(-500px) translateX(-200%); }
  100% { opacity: .5; -moz-transform: translateZ(-500px) translateX(-200%); }
@keyframes backSlideOut {
  25% { opacity: .5; transform: translateZ(-500px); }
  75% { opacity: .5; transform: translateZ(-500px) translateX(-200%); }
  100% { opacity: .5; transform: translateZ(-500px) translateX(-200%); }
@-webkit-keyframes backSlideIn {
  0%, 25% { opacity: .5; -webkit-transform: translateZ(-500px) translateX(200%);
  75% { opacity: .5; -webkit-transform: translateZ(-500px); }
  100% { opacity: 1; -webkit-transform: translateZ(0) translateX(0); }
@-moz-keyframes backSlideIn {
  0%, 25% { opacity: .5; -moz-transform: translateZ(-500px) translateX(200%); }
  75% { opacity: .5; -moz-transform: translateZ(-500px); }
  100% { opacity: 1; -moz-transform: translateZ(0) translateX(0); }
@keyframes backSlideIn {
  0%, 25% { opacity: .5; transform: translateZ(-500px) translateX(200%); }
 75% { opacity: .5; transform: translateZ(-500px); }
  100% { opacity: 1; transform: translateZ(0) translateX(0); }
@-webkit-keyframes scaleToFade {
  to { opacity: 0; -webkit-transform: scale(.8); }
```

```
@-moz-keyframes scaleToFade {
  to { opacity: 0; -moz-transform: scale(.8); }
@keyframes scaleToFade {
  to { opacity: 0; transform: scale(.8); }
@-webkit-keyframes goDown {
  from { -webkit-transform: translateY(-100%); }
@-moz-keyframes goDown {
  from { -moz-transform: translateY(-100%); }
@keyframes goDown {
  from { transform: translateY(-100%); }
@-webkit-keyframes scaleUpFrom {
  from { opacity: 0; -webkit-transform: scale(1.5); }
@-moz-keyframes scaleUpFrom {
  from { opacity: 0; -moz-transform: scale(1.5); }
@keyframes scaleUpFrom {
  from { opacity: 0; transform: scale(1.5); }
@-webkit-keyframes scaleUpTo {
  to { opacity: 0; -webkit-transform: scale(1.5); }
@-moz-keyframes scaleUpTo {
  to { opacity: 0; -moz-transform: scale(1.5); }
@keyframes scaleUpTo {
  to { opacity: 0; transform: scale(1.5); }
 *----responsive-mediaquries----*/
```

About.php:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');</pre>
```

```
<!DOCTYPE HTML>
<html>
<title>Hotel Booking Management System | About Us :: Page</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
    $(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
      });
    });
  </script>
</head>
<body>
            <div class="header head-top">
                <div class="container">
    <?php include_once('includes/header.php');?>
        </div>
</div>
        <div class="content">
            <div class="about-section">
            <div class="container">
                <?php
$sql="SELECT * from tblpage where PageType='aboutus'";
$query = $dbh -> prepare($sq1);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
```

Book-room.php:

```
<?php
include('includes/dbconnection.php');
session_start();
error_reporting(0);
if (strlen($_SESSION['hbmsuid']==0)) {
 header('location:logout.php');
 } else{
 if(isset($_POST['submit']))
$booknum=mt_rand(100000000, 999999999);
 $rid=intval($_GET['rmid']);
 $uid=$_SESSION['hbmsuid'];
     $idtype=$_POST['idtype'];
    $gender=$_POST['gender'];
    $address=$ POST['address'];
    $checkindate=$_POST['checkindate'];
    $checkoutdate=$_POST['checkoutdate'];
 $cdate=date('Y-m-d');
```

```
if($checkindate < $cdate){</pre>
 echo '<script>alert("Check in date must be greater than current
date")</script>';
} else if($checkindate > $checkoutdate)
echo '<script>alert("Check out date must be equal to / greater than check in
date")</script>';
} else {
$sql="insert into
tblbooking(RoomId,BookingNumber,UserID,IDType,Gender,Address,CheckinDate,Checkout
Date)values(:rid,:booknum,:uid,:idtype,:gender,:address,:checkindate,:checkoutdat
e)";
$query=$dbh->prepare($sql);
$query->bindParam(':rid',$rid,PDO::PARAM STR);
$query->bindParam(':booknum',$booknum,PDO::PARAM_STR);
$query->bindParam(':uid',$uid,PDO::PARAM STR);
$query->bindParam(':idtype',$idtype,PD0::PARAM_STR);
$query->bindParam(':gender',$gender,PD0::PARAM_STR);
$query->bindParam(':address',$address,PD0::PARAM STR);
$query->bindParam(':checkindate',$checkindate,PDO::PARAM_STR);
$query->bindParam(':checkoutdate',$checkoutdate,PDO::PARAM_STR);
 $query->execute();
   $LastInsertId=$dbh->lastInsertId();
   if ($LastInsertId>0) {
   echo '<script>alert("Your room has been book successfully. Booking Number is
'+"'.$booknum.'")</script>';
echo "<script>window.location.href ='index.php'</script>";
  else
    {
         echo '<script>alert("Something Went Wrong. Please try again")</script>';
    }
  }
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Book Room</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
```

```
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
    $(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
      });
    });
  </script>
</head>
<body>
            <div class="header head-top">
                <div class="container">
            <?php include once('includes/header.php');?>
        </div>
</div>
            <div class="content">
                <div class="contact">
                <div class="container">
                    <h2>Book Your Room</h2>
                <div class="contact-grids">
                        <div class="col-md-6 contact-right">
                            <form method="post">
                                </select>
                                <?php
$uid=$ SESSION['hbmsuid'];
$sql="SELECT * from tbluser where ID=:uid";
$query = $dbh -> prepare($sql);
```

```
$query->bindParam(':uid',$uid,PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH_OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $row)
                               <h5>Name</h5>
                               <input type="text" value="<?php echo $row-</pre>
>FullName;?>" name="name" class="form-control" required="true" readonly="true">
                               <h5>Mobile Number</h5>
                               <input type="text" name="phone" class="form-</pre>
control" required="true" maxlength="10" pattern="[0-9]+" value="<?php echo $row-
>MobileNumber;?>" readonly="true">
                               <h5>Email Address</h5>
                               <input type="email" value="<?php echo $row-</pre>
>Email;?>" class="form-control" name="email" required="true"
readonly="true"><?php $cnt=$cnt+1;}} ?>
                               <h5>ID Type</h5>
                               <select type="text" value="" class="form-</pre>
control" name="idtype" required="true" class="form-control">
                                   <option value="">Choose ID Type</option>
                                   <option value="Voter Card">Voter
Card</option>
                                   <option value="Adhar Card">Adhar
Card</option>
                                   <option value="Driving Licence Card">Driving
Licence Card
                                   <option value="Passport">Passport</option>
                                   </select>
                                   <h5>Gender</h5>
                                 <input</pre>
type="radio" name="gender" id="gender" value="Female" checked="true">Female
                                 <input</pre>
type="radio" name="gender" id="gender" value="Male">Male
                               <h5>Address</h5>
                                <textarea type="text" rows="10" name="address"</pre>
required="true"></textarea>
                                <h5>Checkin Date</h5>
                               <input type="date" value="" class="form-control"</pre>
name="checkindate" required="true">
                               <h5>Checkout Date</h5>
```

Category-details.php:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Single Rooms</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<link rel="stylesheet" href="css/lightbox.css">
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
    $(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
```

```
});
    });
  </script>
</head>
<body>
            <div class="header head-top">
                <div class="container">
                <?php include_once('includes/header.php');?>
        </div>
</div>
<!--header-->
        <!--rooms-->
            <div class="content">
                    <div class="room-section">
                        <div class="container">
                        <h2>Rooms Details</h2>
                             <div class="room-grids">
                                 $cid=intval($_GET['catid']);
$sql="SELECT tblroom.*,tblroom.id as rmid ,
tblcategory.Price,tblcategory.ID,tblcategory.CategoryName from tblroom
join tblcategory on tblroom.RoomType=tblcategory.ID
where tblroom.RoomType=:cid";
$query = $dbh -> prepare($sql);
$query-> bindParam(':cid', $cid, PDO::PARAM_STR);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $row)
                            <div class="room1">
                                 <div class="col-md-5 room-grid" style="padding-</pre>
bottom: 50px">
                                 <a href="#" class="mask">
                                     <img src="admin/images/<?php echo $row-</pre>
>Image;?>" class=" mask img-responsive zoom-img" alt="" /></a>
                                 </div>
                                 <div class="col-md-7 room-grid1">
```

```
<h4> <?php echo htmlentities($row-
>FacilityTitle);?> </h4>
                                  <?php echo htmlentities($row-
>RoomDesc);?>
                                  Max Adult:<?php echo htmlentities($row-
>MaxAdult);?>
                                  Max Child:<?php echo htmlentities($row-
>MaxChild);?>
                                  No of Beds:<?php echo htmlentities($row-
>NoofBed);?>
                                  Room Facilities:<?php echo
htmlentities($row->RoomFacility);?>
                                  Price: <?php echo htmlentities($row-
>Price);?>
                                  <button class="btn btn-success"><a</pre>
href="book-room.php?rmid=<?php echo $row->rmid;?>">Book</a></button>
                              </div>
                               <div class="clearfix"></div>
                           </div><?php $cnt=$cnt+1;}} ?>
                       <div class="clearfix"></div>
                       </div>
                   </div>
               </div>
               <!--rooms-->
               <?php include_once('includes/getintouch.php');?>
           </div>
           <!--footer-->
               <?php include_once('includes/footer.php');?>
</body>
</html>
```

Change-password.php:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');
error_reporting(0);
if (strlen($_SESSION['hbmsuid']==0)) {
  header('location:logout.php');
  } else{
if(isset($_POST['submit']))</pre>
```

```
$uid=$ SESSION['hbmsuid'];
$cpassword=md5($_POST['currentpassword']);
$newpassword=md5($ POST['newpassword']);
$sql ="SELECT ID FROM tbluser WHERE ID=:uid and Password=:cpassword";
$query= $dbh -> prepare($sql);
$query-> bindParam(':uid', $uid, PDO::PARAM STR);
$query-> bindParam(':cpassword', $cpassword, PDO::PARAM_STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH_OBJ);
if($query -> rowCount() > 0)
$con="update tbluser set Password=:newpassword where ID=:uid";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':uid', $uid, PDO::PARAM STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
echo '<script>alert("Your password successully changed")</script>';
} else {
echo '<script>alert("Your current password is wrong")</script>';
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Change Password</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
<script>
```

```
$(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
      });
    });
  </script>
<script type="text/javascript">
function checkpass()
if(document.changepassword.newpassword.value!=document.changepassword.confirmpass
word.value)
alert('New Password and Confirm Password field does not match');
document.changepassword.confirmpassword.focus();
return false;
return true;
</script>
</head>
<body>
            <div class="header head-top">
                <div class="container">
            <?php include_once('includes/header.php');?>
        </div>
</div>
            <div class="content">
                <div class="contact">
                <div class="container">
                    <h2>Change Password !!!!!!</h2>
                <div class="contact-grids">
                        <div class="col-md-6 contact-right">
```

```
<form method="post" onsubmit="return checkpass();"</pre>
name="changepassword">
                                 <h5>Current Password</h5>
                                  <input type="password" class="form-control"</pre>
style="font-size: 20px" required="true" name="currentpassword">
                                 <h5>New Password</h5>
                                  <input type="password" class="form-</pre>
          required="true" name="newpassword" style="font-size: 20px">
control"
                                 <h5>Confirm Password</h5>
                                 <input type="password" class="form-</pre>
control"
          required="true" name="confirmpassword" style="font-size: 20px" >
                                 <br/>
                                  <input type="submit" value="Change"</pre>
name="submit">
                              </form>
                         </div>
                         <div class="col-md-6 contact-right">
                              <img src="images/img.jpg" width="400" height="400"</pre>
                         </div>
                         <div class="clearfix"></div>
                     </div>
                </div>
            </div>
        <?php include_once('includes/getintouch.php');?>
            <?php include once('includes/footer.php');?>
</html><?php } ?>
```

Cab booking system:

```
from tkinter import *
from tkinter import ttk
import random
import time
import datetime
from tkinter import messagebox as ms
import sqlite3
```

```
Item4 = 0
# make database and users (if not exists already) table at programme start up
with sqlite3.connect('Users.db') as db:
    c = db.cursor()
c.execute('CREATE TABLE IF NOT EXISTS user (username TEXT NOT NULL ,password TEXT
NOT NULL)')
db.commit()
db.close()
#main Class
class user:
   def __init__(self,master):
       # Window
        self.master = master
        # Some Usefull variables
        self.username = StringVar()
        self.password = StringVar()
        self.n_username = StringVar()
        self.n password = StringVar()
        #Create Widgets
        self.widgets()
    def login(self):
        #Establish Connection
        with sqlite3.connect('Users.db') as db:
            c = db.cursor()
        #Find user If there is any take proper action
        find_user = ('SELECT * FROM user WHERE username = ? and password = ?')
        c.execute(find_user,[(self.username.get()),(self.password.get())])
        result = c.fetchall()
        if result:
            self.logf.pack forget()
            self.head['text'] = "Welcome " + self.username.get()
            self.head.configure(fg="black")
            self.head.pack(fill=X)
            application = travel(root)
        else:
```

```
ms.showerror('Oops!','Username Not Found.')
    def new user(self):
        #Establish Connection
        with sqlite3.connect('Users.db') as db:
            c = db.cursor()
        #Find Existing username if any take proper action
        find user = ('SELECT * FROM user WHERE username = ?')
        c.execute(find_user,[(self.username.get())])
        if c.fetchall():
            ms.showerror('Error!','Username Already Taken!')
            ms.showinfo('Success!','Account Created!')
            self.log()
        #Create New Account
        insert = 'INSERT INTO user(username,password) VALUES(?,?)'
        c.execute(insert,[(self.n_username.get()),(self.n_password.get())])
        db.commit()
        #Frame Packing Methords
    def log(self):
        self.username.set('')
        self.password.set('')
        self.crf.pack forget()
        self.head['text'] = 'Login'
        self.logf.pack()
    def cr(self):
        self.n username.set('')
        self.n password.set('')
        self.logf.pack forget()
        self.head['text'] = 'Create Account'
        self.crf.pack()
    #Draw Widgets
    def widgets(self):
        self.head = Label(self.master,text = 'Login Panel',font = ('',30),pady =
10)
        self.head.pack()
        self.logf = Frame(self.master,padx =10,pady = 10)
        Label(self.logf,text = 'Username: ',font =
('',20),pady=5,padx=5).grid(sticky = W)
        Entry(self.logf,textvariable = self.username,bd = 5,font =
('',15)).grid(row=0,column=1)
```

```
Label(self.logf,text = 'Password: ',font =
('',20),pady=5,padx=5).grid(sticky = W)
        Entry(self.logf,textvariable = self.password,bd = 5,font = ('',15),show =
'*').grid(row=1,column=1)
        Button(self.logf,text = ' Login ',bd = 3 ,font =
('',15),padx=5,pady=5,command=self.login).grid()
        Button(self.logf,text = ' Create Account ',bd = 3 ,font =
('',15),padx=5,pady=5,command=self.cr).grid(row=2,column=1)
        self.logf.pack()
        self.crf = Frame(self.master,padx =10,pady = 10)
        Label(self.crf,text = 'Username: ',font =
('',20),pady=5,padx=5).grid(sticky = W)
        Entry(self.crf,textvariable = self.n username,bd = 5,font =
('',15)).grid(row=0,column=1)
        Label(self.crf,text = 'Password: ',font =
('',20),pady=5,padx=5).grid(sticky = W)
        Entry(self.crf,textvariable = self.n_password,bd = 5,font = ('',15),show
= '*').grid(row=1,column=1)
        Button(self.crf,text = 'Create Account',bd = 3 ,font =
('',15),padx=5,pady=5,command=self.new_user).grid()
        Button(self.crf,text = 'Go to Login',bd = 3 ,font =
('',15),padx=5,pady=5,command=self.log).grid(row=2,column=1)
class travel:
   def init (self,root):
        self.root = root
        self.root.title("Cab Booking System")
        self.root.geometry(geometry)
        self.root.configure(background='black')
        DateofOrder=StringVar()
        DateofOrder.set(time.strftime(" %d / %m / %Y "))
        Receipt Ref=StringVar()
        PaidTax=StringVar()
        SubTotal=StringVar()
        TotalCost=StringVar()
        var1=IntVar()
        var2=IntVar()
        var3=IntVar()
        var4=IntVar()
        journeyType=IntVar()
        carType=IntVar()
```

```
varl1=StringVar()
      varl2=StringVar()
      varl3=StringVar()
       reset_counter=0
      Firstname=StringVar()
      Surname=StringVar()
      Address=StringVar()
      Postcode=StringVar()
      Mobile=StringVar()
      Telephone=StringVar()
       Email=StringVar()
      CabTax=StringVar()
      Km=StringVar()
      Travel_Ins=StringVar()
      Luggage=StringVar()
      Receipt=StringVar()
      Standard=StringVar()
      FordGalaxy=StringVar()
       FordMondeo=StringVar()
      CabTax.set("0")
      Km.set("0")
      Travel_Ins.set("0")
       Luggage.set("0")
      Standard.set("0")
      FordGalaxy.set("0")
       FordMondeo.set("0")
   #=======Define
def iExit():
          iExit= ms.askyesno("Prompt!","Do you want to exit?")
```

```
if iExit > 0:
        root.destroy()
        return
def Reset():
    CabTax.set("0")
    Km.set("0")
    Travel_Ins.set("0")
    Luggage.set("0")
    Standard.set("0")
    FordGalaxy.set("0")
    FordMondeo.set("0")
    Firstname.set("")
    Surname.set("")
    Address.set("")
    Postcode.set("")
    Mobile.set("")
    Telephone.set("")
    Email.set("")
    PaidTax.set("")
    SubTotal.set("")
    TotalCost.set("")
    self.txtReceipt1.delete("1.0",END)
    self.txtReceipt2.delete("1.0",END)
    var1.set(0)
    var2.set(0)
    var3.set(0)
    var4.set(0)
    journeyType.set(0)
    carType.set(0)
    varl1.set("0")
    var12.set("0")
    var13.set("0")
    self.cboPickup.current(0)
    self.cboDrop.current(0)
    self.cboPooling.current(0)
    self.txtCabTax.configure(state=DISABLED)
    self.txtKm.configure(state=DISABLED)
    self.txtTravel_Ins.configure(state=DISABLED)
```

```
self.txtLuggage.configure(state=DISABLED)
            self.txtStandard.configure(state=DISABLED)
            self.txtFordGalaxy.configure(state=DISABLED)
            self.txtFordMondeo.configure(state=DISABLED)
            self.reset counter=1
        def Receiptt():
            if reset counter == 0 and Firstname.get()!="" and Surname.get()!=""
and Address.get()!="" and Postcode.get()!="" and Mobile.get()!="" and
Telephone.get()!="" and Email.get()!="":
                self.txtReceipt1.delete("1.0",END)
                self.txtReceipt2.delete("1.0",END)
                x=random.randint(10853,500831)
                randomRef = str(x)
                Receipt Ref.set(randomRef)
                self.txtReceipt1.insert(END, "Receipt Ref:\n")
                self.txtReceipt2.insert(END, Receipt Ref.get() + "\n")
                self.txtReceipt1.insert(END, 'Date:\n')
                self.txtReceipt2.insert(END, DateofOrder.get() + "\n")
                self.txtReceipt1.insert(END, 'Cab No:\n')
                self.txtReceipt2.insert(END, 'TR ' + Receipt_Ref.get() + " BW\n")
                self.txtReceipt1.insert(END,'Firstname:\n')
                self.txtReceipt2.insert(END, Firstname.get() + "\n")
                self.txtReceipt1.insert(END, 'Surname:\n')
                self.txtReceipt2.insert(END, Surname.get() + "\n")
                self.txtReceipt1.insert(END, 'Address:\n')
                self.txtReceipt2.insert(END, Address.get() + "\n")
                self.txtReceipt1.insert(END, 'Postal Code:\n')
                self.txtReceipt2.insert(END, Postcode.get() + "\n")
                self.txtReceipt1.insert(END, 'Telephone:\n')
                self.txtReceipt2.insert(END, Telephone.get() + "\n")
                self.txtReceipt1.insert(END, 'Mobile:\n')
                self.txtReceipt2.insert(END, Mobile.get() + "\n")
                self.txtReceipt1.insert(END, 'Email:\n')
                self.txtReceipt2.insert(END, Email.get() + "\n")
                self.txtReceipt1.insert(END, 'From:\n')
                self.txtReceipt2.insert(END, varl1.get() + "\n")
                self.txtReceipt1.insert(END, 'To:\n')
                self.txtReceipt2.insert(END, varl2.get() + "\n")
                self.txtReceipt1.insert(END, 'Pooling:\n')
                self.txtReceipt2.insert(END, varl3.get() + "\n")
                self.txtReceipt1.insert(END, 'Standard:\n')
                self.txtReceipt2.insert(END, Standard.get() + "\n")
```

```
self.txtReceipt1.insert(END,'Prime Sedan:\n')
                self.txtReceipt2.insert(END, FordGalaxy.get() + "\n")
                self.txtReceipt1.insert(END, 'Premium Sedan:\n')
                self.txtReceipt2.insert(END, FordMondeo.get() + "\n")
                self.txtReceipt1.insert(END, 'Paid:\n')
                self.txtReceipt2.insert(END, PaidTax.get() + "\n")
                self.txtReceipt1.insert(END, 'SubTotal:\n')
                self.txtReceipt2.insert(END, str(SubTotal.get()) + "\n")
                self.txtReceipt1.insert(END,'Total Cost:\n')
                self.txtReceipt2.insert(END, str(TotalCost.get()))
            else:
                self.txtReceipt1.delete("1.0",END)
                self.txtReceipt2.delete("1.0",END)
                self.txtReceipt1.insert(END,"\nNo Input")
        def Cab Tax():
            global Item1
            if var1.get() == 1:
                self.txtCabTax.configure(state = NORMAL)
                Item1=float(50)
                CabTax.set("Rs " + str(Item1))
            elif var1.get() == 0:
                self.txtCabTax.configure(state=DISABLED)
                CabTax.set("0")
                Item1=0
        def Kilo():
            if var2.get() == 0:
                self.txtKm.configure(state=DISABLED)
                Km.set("0")
            elif var2.get() == 1 and varl1.get() != "" and varl2.get() != "":
                self.txtKm.configure(state=NORMAL)
                if varl1.get() == "BusStand":
                    switch ={"RailWayStation": 10,"AirPort":
8,"Hotel":6,"BusStand": 0}
                    Km.set(switch[varl2.get()])
                elif varl1.get() == "RailWayStation":
                    switch ={"RailWayStation": 0,"AirPort":
2,"Hotel":5,"BusStand": 10}
                    Km.set(switch[varl2.get()])
                elif varl1.get() == "AirPort":
```

```
switch ={"RailWayStation": 2,"AirPort":
0,"Hotel":3,"BusStand": 8}
                    Km.set(switch[varl2.get()])
                elif varl1.get() == "Hotel":
                    switch ={"RailWayStation": 5,"AirPort":
3,"Hotel":0,"BusStand": 6}
                    Km.set(switch[varl2.get()])
        def Travelling():
            global Item3
            if var3.get() == 1:
                self.txtTravel_Ins.configure(state = NORMAL)
                Item3=float(10)
                Travel_Ins.set("Rs " + str(Item3))
            elif var3.get() == 0:
                self.txtTravel_Ins.configure(state = DISABLED)
                Travel Ins.set("0")
                Item3=0
        def Lug():
            global Item4
            if (var4.get()==1):
                self.txtLuggage.configure(state = NORMAL)
                Item4=float(30)
                Luggage.set("Rs "+ str(Item4))
            elif var4.get()== 0:
                self.txtLuggage.configure(state = DISABLED)
                Luggage.set("0")
                Item4=0
        def selectCar():
            global Item5
            if carType.get() == 1:
                self.txtFordGalaxy.configure(state = DISABLED)
                FordGalaxy.set("0")
                self.txtFordMondeo.configure(state = DISABLED)
                FordMondeo.set("0")
                self.txtStandard.configure(state = NORMAL)
                Item5 = float(8)
                Standard.set("Rs "+ str(Item5))
            elif carType.get() == 2:
                self.txtStandard.configure(state =DISABLED)
```

```
Standard.set("0")
                self.txtFordMondeo.configure(state = DISABLED)
                FordMondeo.set("0")
                self.txtFordGalaxy.configure(state = NORMAL)
                Item5 = float(15)
                FordGalaxy.set("Rs "+ str(Item5))
                self.txtStandard.configure(state =DISABLED)
                Standard.set("0")
                self.txtFordGalaxy.configure(state = DISABLED)
                FordGalaxy.set("0")
                self.txtFordMondeo.configure(state = NORMAL)
                Item5 = float(22)
                FordMondeo.set("Rs "+ str(Item5))
        def Total_Paid():
            if ((var1.get() == 1 and var2.get() == 1 and var3.get() == 1 or
var4.get() == 1) and carType.get() != 0 and journeyType.get() != 0 and
(varl1.get() != "" and varl2.get() !="")):
                if journeyType.get()==1:
                    Item2=Km.get()
                    Cost_of_fare = (Item1+(float(Item2)*Item5)+Item3+Item4)
                    Tax = "Rs" + str('%.2f'%((Cost_of_fare) *0.09))
                    ST = "Rs " + str('%.2f'%((Cost of fare)))
                    TT = "Rs " + str('%.2f'%(Cost_of_fare+((Cost_of_fare)*0.9)))
                elif journeyType.get()==2:
                    Item2=Km.get()
                    Cost_of_fare = (Item1+(float(Item2)*Item5)*1.5+Item3+Item4)
                    Tax = "Rs " + str('%.2f'%((Cost_of_fare) *0.09))
                    ST = "Rs" + str('%.2f'%((Cost of fare)))
                   TT = "Rs" + str('%.2f'%(Cost of fare+((Cost of fare)*0.9)))
                else:
                   Item2=Km.get()
                    Cost_of_fare = (Item1+(float(Item2)*Item5)*2+Item3+Item4)
                    Tax = "Rs " + str('%.2f'%((Cost_of_fare) *0.09))
                    ST = "Rs" + str('%.2f'%((Cost of fare)))
                    TT = "Rs " + str('%.2f'%(Cost_of_fare+((Cost_of_fare)*0.9)))
                PaidTax.set(Tax)
                SubTotal.set(ST)
                TotalCost.set(TT)
```

```
else:
              w = ms.showwarning("Error !","Invalid Input\nPlease try again
!!!")
  MainFrame=Frame(self.root)
       MainFrame.pack(fill=BOTH,expand=True)
       Tops = Frame(MainFrame, bd=10, width=1350, relief=RIDGE)
       Tops.pack(side=TOP,fill=BOTH)
       self.lblTitle=Label(Tops,font=('arial',50,'bold'),text="\t Cab Booking
System ")
       self.lblTitle.grid()
   #======customerframedetail============
       CustomerDetailsFrame=LabelFrame(MainFrame, width=1350,height=500,bd=20,
pady=5, relief=RIDGE)
       CustomerDetailsFrame.pack(side=BOTTOM,fill=BOTH,expand=True)
       FrameDetails=Frame(CustomerDetailsFrame, width=880,height=400,bd=10,
relief=RIDGE)
       FrameDetails.pack(side=LEFT,fill=BOTH,expand=True)
       CustomerName=LabelFrame(FrameDetails, width=150,height=250,bd=10,
font=('arial',12,'bold'),text="Customer Info", relief=RIDGE)
       CustomerName.grid(row=0,column=0)
       TravelFrame = LabelFrame(FrameDetails, bd=10, width=300, height=250,
font=('arial',12,'bold'),text="Booking Detail", relief=RIDGE)
       TravelFrame.grid(row=0,column=1)
       Book Frame=LabelFrame(FrameDetails,width=300,height=150,relief=FLAT)
       Book_Frame.grid(row=1,column=0)
       CostFrame =
LabelFrame(FrameDetails, width=150, height=150, bd=5, relief=FLAT)
       CostFrame.grid(row=1,column=1)
```

```
Receipt_BottonFrame=LabelFrame(CustomerDetailsFrame,bd=10,
width=450, height=400, relief=RIDGE)
       Receipt BottonFrame.pack(side=RIGHT,fill=BOTH,expand=True)
       ReceiptFrame=LabelFrame(Receipt BottonFrame, width=350, height=300,
font=('arial',12,'bold'),text="Receipt", relief=RIDGE)
       ReceiptFrame.grid(row=0,column=0)
       ButtonFrame=LabelFrame(Receipt BottonFrame, width=350, height=100,
relief=RIDGE)
       ButtonFrame.grid(row=1,column=0)
   #=========CustomerName======
       self.lblFirstname=Label(CustomerName, font=('arial', 14, 'bold'), text="First
name",bd=7)
       self.lblFirstname.grid(row=0,column=0,sticky=W)
       self.txtFirstname=Entry(CustomerName, font=('arial',14, bold'),textvariabl
e=Firstname,bd=7,insertwidth=2,justify=RIGHT)
       self.txtFirstname.grid(row=0,column=1)
       self.lblSurname=Label(CustomerName, font=('arial', 14, 'bold'), text="Surname")
 ,bd=7)
       self.lblSurname.grid(row=1,column=0,sticky=W)
       self.txtSurname=Entry(CustomerName, font=('arial', 14, 'bold'), textvariable=
Surname,bd=7,insertwidth=2,justify=RIGHT)
       self.txtSurname.grid(row=1,column=1,sticky=W)
       self.lblAddress=Label(CustomerName, font=('arial', 14, 'bold'), text="Address
',bd=7)
       self.lblAddress.grid(row=2,column=0,sticky=W)
       self.txtAddress=Entry(CustomerName,font=('arial',14,'bold'),textvariable=
Address,bd=7,insertwidth=2,justify=RIGHT)
       self.txtAddress.grid(row=2,column=1)
       self.lblPostcode=Label(CustomerName,font=('arial',14,'bold'),text="Postco")
de",bd=7)
       self.lblPostcode.grid(row=3,column=0,sticky=W)
       self.txtPostcode=Entry(CustomerName,font=('arial',14,'bold'),textvariable
=Postcode,bd=7,insertwidth=2,justify=RIGHT)
```

```
self.txtPostcode.grid(row=3,column=1)
        self.lblTelephone=Label(CustomerName, font=('arial',14,'bold'),text="Telep
hone",bd=7)
        self.lblTelephone.grid(row=4,column=0,sticky=W)
        self.txtTelephone=Entry(CustomerName,font=('arial',14,'bold'),textvariabl
e=Telephone,bd=7,insertwidth=2,justify=RIGHT)
        self.txtTelephone.grid(row=4,column=1)
        self.lblMobile=Label(CustomerName, font=('arial',14,'bold'),text="Mobile",
bd=7)
        self.lblMobile.grid(row=5,column=0,sticky=W)
        self.txtMobile=Entry(CustomerName,font=('arial',14,'bold'),textvariable=M
obile,bd=7,insertwidth=2,justify=RIGHT)
        self.txtMobile.grid(row=5,column=1)
        self.lblEmail=Label(CustomerName, font=('arial', 14, 'bold'), text="Email", bd
=7)
        self.lblEmail.grid(row=6,column=0,sticky=W)
        self.txtEmail=Entry(CustomerName, font=('arial', 14, 'bold'), textvariable=Em
ail,bd=7,insertwidth=2,justify=RIGHT)
        self.txtEmail.grid(row=6,column=1)
    self.lblPickup=Label(TravelFrame, font=('arial', 14, 'bold'), text="Pickup", b
d=7)
        self.lblPickup.grid(row=0,column=0,sticky=W)
        self.cboPickup =ttk.Combobox(TravelFrame, textvariable = varl1 ,
state='readonly', font=('arial',20,'bold'), width=14)
        self.cboPickup['value']=('','Hotel','AirPort','RailWayStation','BusStand'
        self.cboPickup.current(0)
        self.cboPickup.grid(row=0,column=1)
        self.lblDrop=Label(TravelFrame, font=('arial',14,'bold'),text="Drop",bd=7)
        self.lblDrop.grid(row=1,column=0,sticky=W)
        self.cboDrop =ttk.Combobox(TravelFrame, textvariable = varl2 ,
state='readonly', font=('arial',20,'bold'), width=14)
        self.cboDrop['value']=('','Hotel','AirPort','RailWayStation','BusStand')
```

```
self.cboDrop.current(0)
        self.cboDrop.grid(row=1,column=1)
        self.lblPooling=Label(TravelFrame, font=('arial',14,'bold'),text="Pooling"
,bd=7)
       self.lblPooling.grid(row=2,column=0,sticky=W)
        self.cboPooling =ttk.Combobox(TravelFrame, textvariable = varl3 ,
state='readonly', font=('arial',20,'bold'), width=14)
        self.cboPooling['value']=('','1','2','3','4')
        self.cboPooling.current(1)
        self.cboPooling.grid(row=2,column=1)
    Information=======
        self.chkCabTax=Checkbutton(TravelFrame,text="Base Charge *",variable =
var1, onvalue=1, offvalue=0,font=('arial',16,'bold'),command=Cab_Tax).grid(row=3,
column=0, sticky=W)
        self.txtCabTax=Label(TravelFrame, font=('arial', 14, 'bold'), textvariable=Ca
bTax,bd=6,width=18,bg="white",state= DISABLED,justify=RIGHT,relief=SUNKEN)
        self.txtCabTax.grid(row=3,column=1)
        self.chkKm=Checkbutton(TravelFrame,text="Distance(KMs) *",variable =
var2, onvalue=1, offvalue=0,font=('arial',16,'bold'),command=Kilo).grid(row=4,
column=0, sticky=W)
        self.txtKm=Label(TravelFrame, font=('arial',14,'bold'),textvariable=Km,bd=
6, width=18, bg="white", state=
DISABLED, justify=RIGHT, relief=SUNKEN, highlightthickness=0)
        self.txtKm.grid(row=4,column=1)
        self.chkTravel Ins=Checkbutton(TravelFrame,text="Travelling Insurance
*",variable = var3, onvalue=1,
offvalue=0,font=('arial',16,'bold'),command=Travelling).grid(row=5, column=0,
sticky=W)
        self.txtTravel_Ins=Label(TravelFrame, font=('arial',14,'bold'),textvariabl
e=Travel_Ins,bd=6,width=18,bg="white",state=
DISABLED, justify=RIGHT, relief=SUNKEN)
        self.txtTravel Ins.grid(row=5,column=1)
        self.chkLuggage=Checkbutton(TravelFrame, text="Extra Luggage", variable =
var4, onvalue=1, offvalue=0,font=('arial',16,'bold'),command=Lug).grid(row=6,
column=0, sticky=W)
```

```
self.txtLuggage=Label(TravelFrame, font=('arial', 14, 'bold'), textvariable=L
uggage,bd=6,width=18,bg="white",state= DISABLED,justify=RIGHT,relief=SUNKEN)
       self.txtLuggage.grid(row=6,column=1)
    #======payment information
       self.lblPaidTax=Label(CostFrame, font=('arial',14,'bold'),text="Paid
Tax\t\t",bd=7)
       self.lblPaidTax.grid(row=0,column=2,sticky=W)
       self.txtPaidTax =
Label(CostFrame, font=('arial', 14, 'bold'), textvariable=PaidTax, bd=7, width=10,
justify=RIGHT,bg="white",relief=SUNKEN)
       self.txtPaidTax.grid(row=0,column=3)
       self.lblSubTotal=Label(CostFrame, font=('arial', 14, 'bold'), text="Sub
Total",bd=7)
       self.lblSubTotal.grid(row=1,column=2,sticky=W)
       self.txtSubTotal =
Label(CostFrame, font=('arial',14,'bold'),textvariable=SubTotal,bd=7, width=10,
justify=RIGHT,bg="white",relief=SUNKEN)
       self.txtSubTotal.grid(row=1,column=3)
       self.lblTotalCost=Label(CostFrame, font=('arial',14,'bold'),text="Total
Cost",bd=7)
       self.lblTotalCost.grid(row=2,column=2,sticky=W)
       self.txtTotalCost =
Label(CostFrame, font=('arial',14,'bold'),textvariable=TotalCost,bd=7, width=10,
justify=RIGHT,bg="white",relief=SUNKEN)
        self.txtTotalCost.grid(row=2,column=3)
    #========Cabselect=====
       self.chkStandard=Radiobutton(Book Frame, text="Standard")
Cab",value=1,variable =
carType,font=('arial',14,'bold'),command=selectCar).grid(row=0, column=0,
sticky=W)
       self.txtStandard = Label(Book_Frame,font=('arial',14,'bold'),width
=7,textvariable=Standard,bd=5, state= DISABLED,
justify=RIGHT,bg="white",relief=SUNKEN)
```

```
self.txtStandard.grid(row=0,column=1)
       self.chkFordGalaxyd=Radiobutton(Book Frame, text="Ford Galaxy
Cab",value=2,variable =
carType,font=('arial',14,'bold'),command=selectCar).grid(row=1, column=0,
sticky=W)
       self.txtFordGalaxy= Label(Book_Frame, font=('arial',14,'bold'), width
=7,textvariable=FordGalaxy,bd=5, state= DISABLED,
justify=RIGHT,bg="white",relief=SUNKEN)
       self.txtFordGalaxy.grid(row=1,column=1)
       self.chkFordMondeo = Radiobutton(Book Frame, text="Ford Mondeo
Cab",value=3,variable =
carType,font=('arial',14,'bold'),command=selectCar).grid(row=2, column=0)
       self.txtFordMondeo = Label(Book_Frame, font=('arial', 14, 'bold'), width
=7,textvariable=FordMondeo,bd=5, state= DISABLED,
justify=RIGHT,bg="white",relief=SUNKEN)
       self.txtFordMondeo.grid(row=2,column=1)
       self.chkSingle =Radiobutton(Book_Frame,text="Single",value=1,variable =
journeyType,font=('arial',14,'bold')).grid(row=0, column=2, sticky=W)
       self.chkReturn =Radiobutton(Book Frame,text="Return",value=2,variable =
journeyType,font=('arial',14,'bold')).grid(row=1, column=2, sticky=W)
       self.chkSpecialsNeeds
=Radiobutton(Book Frame, text="SpecialNeeds", value=3, variable =
journeyType,font=('arial',14,'bold')).grid(row=2, column=2, sticky=W)
   self.txtReceipt1 = Text(ReceiptFrame, width = 22, height =
21,font=('arial',10,'bold'),borderwidth=0)
       self.txtReceipt1.grid(row=0,column=0,columnspan=2)
       self.txtReceipt2 = Text(ReceiptFrame, width = 22, height =
21,font=('arial',10,'bold'),borderwidth=0)
       self.txtReceipt2.grid(row=0,column=2,columnspan=2)
```

```
self.btnTotal =
Button(ButtonFrame,padx=18,bd=7,font=('arial',11,'bold'),width =
2,text='Total',command=Total_Paid).grid(row=0,column=0)
        self.btnReceipt =
Button(ButtonFrame,padx=18,bd=7,font=('arial',11,'bold'),width =
2,text='Receipt',command=Receiptt).grid(row=0,column=1)
        self.btnReset =
Button(ButtonFrame,padx=18,bd=7,font=('arial',11,'bold'),width =
2,text='Reset',command=Reset).grid(row=0,column=2)
       self.btnExit =
Button(ButtonFrame,padx=18,bd=7,font=('arial',11,'bold'),width = 2,text='Exit',
command=iExit).grid(row=0,column=3)
if __name__=='__main__':
   root = Tk()
   #======= Getting Screen Width
   w = root.winfo screenwidth()
   h = root.winfo screenheight()
   geometry="%dx%d+%d+%d"%(w,h,0,0)
   root.geometry("500x300+320+200")
    root.title('Login Form')
   application = user(root)
    root.mainloop()
```

contact.php:

```
<?php
include('includes/dbconnection.php');
session_start();
error_reporting(0);

if(isset($_POST['submit']))
  {

$name=$_POST['name'];</pre>
```

```
$phone=$ POST['phone'];
    $email=$ POST['email'];
    $message=$_POST['message'];
$sql="insert into
tblcontact(Name, MobileNumber, Email, Message)values(:name,:phone,:email,:message)";
$query=$dbh->prepare($sq1);
$query->bindParam(':name',$name,PDO::PARAM_STR);
$query->bindParam(':phone',$phone,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);
$query->bindParam(':message',$message,PDO::PARAM_STR);
 $query->execute();
   $LastInsertId=$dbh->lastInsertId();
   if ($LastInsertId>0) {
   echo "<script>alert('Your message was sent successfully!.');</script>";
echo "<script>window.location.href ='contact.php'</script>";
  }
  else
         echo '<script>alert("Something Went Wrong. Please try again")</script>';
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Contact Us</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
    $(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
```

```
namespace: "callbacks",
        pager: true,
      });
    });
  </script>
</head>
<body>
            <div class="header head-top">
                <div class="container">
            <?php include once('includes/header.php');?>
        </div>
</div>
            <div class="content">
                <div class="contact">
                <div class="container">
                    <h2>contact us</h2>
                <div class="contact-grids">
                    <div class="col-md-6 contact-left">
                        <?php
$sql="SELECT * from tblpage where PageType='aboutus'";
$query = $dbh -> prepare($sql);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
foreach($results as $row)
                        <?php echo htmlentities($row-
>PageDescription);?>.<?php $cnt=$cnt+1;}} ?>
                        <?php
$sql="SELECT * from tblpage where PageType='contactus'";
$query = $dbh -> prepare($sq1);
$query->execute();
$results=$query->fetchAll(PDO::FETCH OBJ);
$cnt=1;
if($query->rowCount() > 0)
```

```
foreach($results as $row)
                            <address>
                                <?php echo htmlentities($row-
>PageTitle);?>
                                <?php echo htmlentities($row-
>PageDescription);?>
                                Telephone : +<?php echo htmlentities($row-
>MobileNumber);?>
                                E-mail : <?php echo htmlentities($row-
>Email);?>
                            </address><?php $cnt=$cnt+1;}} ?>
                    </div>
                        <div class="col-md-6 contact-right">
                            <form method="post">
                                <h5>Name</h5>
                                <input type="text" type="text" value=""</pre>
name="name" required="true">
                                <h5>Mobile Number</h5>
                                <input type="text" name="phone" required="true"</pre>
maxlength="10" pattern="[0-9]+">
                                <h5>Email Address</h5>
                                <input type="text" type="email" value=""</pre>
name="email" required="true">
                                <h5>Message</h5>
                                 <textarea rows="10" name="message"</pre>
required="true"></textarea>
                                 <input type="submit" value="send" name="submit">
                             </form>
                        </div>
                        <div class="clearfix"></div>
                    </div>
                </div>
            </div>
        <?php include_once('includes/getintouch.php');?>
            <?php include_once('includes/footer.php');?>
</html>
```

Forgot-password.php:

```
<?php
session_start();</pre>
```

```
error reporting(0);
include('includes/dbconnection.php');
if(isset($ POST['submit']))
    $email=$ POST['email'];
$mobile=$ POST['mobile'];
$newpassword=md5($_POST['newpassword']);
  $sq1 ="SELECT Email FROM tbluser WHERE Email=:email and MobileNumber=:mobile";
$query= $dbh -> prepare($sql);
$query-> bindParam(':email', $email, PDO::PARAM STR);
$query-> bindParam(':mobile', $mobile, PDO::PARAM STR);
$query-> execute();
$results = $query -> fetchAll(PDO::FETCH OBJ);
if($query -> rowCount() > 0)
$con="update tbluser set Password=:newpassword where Email=:email and
MobileNumber=:mobile";
$chngpwd1 = $dbh->prepare($con);
$chngpwd1-> bindParam(':email', $email, PDO::PARAM STR);
$chngpwd1-> bindParam(':mobile', $mobile, PDO::PARAM STR);
$chngpwd1-> bindParam(':newpassword', $newpassword, PDO::PARAM_STR);
$chngpwd1->execute();
echo "<script>alert('Your Password succesfully changed');</script>";
else {
echo "<script>alert('Email id or Mobile no is invalid');</script>";
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Forgot Password Page</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
```

```
$(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
      });
    });
  </script>
<script type="text/javascript">
function valid()
if(document.chngpwd.newpassword.value!= document.chngpwd.confirmpassword.value)
alert("New Password and Confirm Password Field do not match !!");
document.chngpwd.confirmpassword.focus();
return false;
return true;
</script>
</head>
<body>
        <!--header-->
            <div class="header head-top">
                <div class="container">
            <?php include_once('includes/header.php');?>
        </div>
</div>
            <div class="content">
                <div class="contact">
                <div class="container">
                    <h2>Reset Your Password.</h2>
                <div class="contact-grids">
                        <div class="col-md-6 contact-right">
                             <form method="post" name="chngpwd" onSubmit="return</pre>
valid();">
```

```
<h5>Email Address</h5>
                                  <input type="email" placeholder="Email address"</pre>
class="form-control" value="" name="email" required="true">
                                  <h5>Mobile Number</h5>
                                  <input type="text" placeholder="Mobile Number"</pre>
class="form-control" name="mobile" required="true">
                                  <h5>New Password</h5>
                                  <input type="password" placeholder="New Password"</pre>
name="newpassword" required="true" class="form-control">
                                  <h5>Confirm Password</h5>
                                  <input type="password" placeholder="Confirm</pre>
Password" name="confirmpassword" required="true" class="form-control">
                                  <a href="signin.php" style="color:</pre>
red">Signin</a>
                                  <br/>
                                  <input type="submit" value="Reset"</pre>
name="submit">
                              </form>
                         </div>
                         <div class="clearfix"></div>
                     </div>
                </div>
            </div>
        <?php include once('includes/getintouch.php');?>
            </div>
            <?php include_once('includes/footer.php');?>
</html>
```

Signin.php:

```
<?php
session_start();
error_reporting(0);
include('includes/dbconnection.php');

if(isset($_POST['login']))
    {
        $email=$_POST['email'];
        $password=md5($_POST['password']);
        $sql ="SELECT ID FROM tbluser WHERE Email=:email and Password=:password";
        $query=$dbh->prepare($sql);
        $query->bindParam(':email',$email,PDO::PARAM_STR);

$query-> bindParam(':password', $password, PDO::PARAM_STR);
```

```
$query-> execute();
    $results=$query->fetchAll(PDO::FETCH OBJ);
    if($query->rowCount() > 0)
foreach ($results as $result) {
$ SESSION['hbmsuid']=$result->ID;
$_SESSION['login']=$_POST['email'];
echo "<script type='text/javascript'> document.location ='index.php'; </script>";
echo "<script>alert('Invalid Details');</script>";
<!DOCTYPE HTML>
<html>
<head>
<title>Hotel Booking Management System | Hotel :: Login Page</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
   $(function () {
      $("#slider").responsiveSlides({
        auto: true,
        nav: true,
        speed: 500,
        namespace: "callbacks",
        pager: true,
      });
    });
  </script>
</head>
<body>
        <!--header-->
            <div class="header head-top">
                <div class="container">
```

```
<?php include_once('includes/header.php');?>
        </div>
</div>
            <div class="content">
                <div class="contact">
                <div class="container">
                    <h2>If you have an account with us, please log in.</h2>
                <div class="contact-grids">
                         <div class="col-md-6 contact-right">
                             <form method="post">
                                 <h5>Email Address</h5>
                                 <input type="email" class="form-control" value=""</pre>
name="email" required="true">
                                 <h5>Password</h5>
                                 <input type="password" value="" class="form-</pre>
control" name="password" required="true">
                                 <a href="forgot-password.php">Forgot your
password?</a>
                                 <br/>
                                  <input type="submit" value="Login" name="login">
                              </form>
                         </div>
                         <div class="clearfix"></div>
                    </div>
                </div>
            </div>
        <?php include_once('includes/getintouch.php');?>
            </div>
            <?php include_once('includes/footer.php');?>
</html>
```

Signup.php:

```
<?php
session_start();
error_reporting(0);</pre>
```

```
include('includes/dbconnection.php');
if(isset($_POST['submit']))
    $fname=$ POST['fname'];
    $mobno=$_POST['mobno'];
    $email=$ POST['email'];
    $password=md5($ POST['password']);
    $ret="select Email from tbluser where Email=:email";
    $query= $dbh -> prepare($ret);
    $query-> bindParam(':email', $email, PDO::PARAM_STR);
    $query-> execute();
    $results = $query -> fetchAll(PDO::FETCH OBJ);
if($query -> rowCount() == 0)
$sql="Insert Into
tbluser(FullName, MobileNumber, Email, Password) Values(:fname,:mobno,:email,:passwor
$query = $dbh->prepare($sql);
$query->bindParam(':fname',$fname,PDO::PARAM STR);
$query->bindParam(':email',$email,PDO::PARAM_STR);
$query->bindParam(':mobno',$mobno,PDO::PARAM_INT);
$query->bindParam(':password',$password,PD0::PARAM_STR);
$query->execute();
$lastInsertId = $dbh->lastInsertId();
if($lastInsertId)
echo "<script>alert('You have successfully registered with us');</script>";
else
echo "<script>alert('Something went wrong.Please try again');</script>";
 else
echo "<script>alert('Email-id already exist. Please try again');</script>";
<!DOCTYPE HTML>
<html>
<head>
```

```
<title>Hotel :: Sign Up</title>
<link href="css/bootstrap.css" rel="stylesheet" type="text/css" media="all">
<link href="css/style.css" rel="stylesheet" type="text/css" media="all" />
<script type="application/x-javascript"> addEventListener("load", function() {
setTimeout(hideURLbar, 0); }, false); function hideURLbar(){
window.scrollTo(0,1); } </script>
<script src="js/jquery-1.11.1.min.js"></script>
<script src="js/bootstrap.js"></script>
<script src="js/responsiveslides.min.js"></script>
 <script>
   $(function () {
      $("#slider").responsiveSlides({
       auto: true,
       nav: true,
       speed: 500,
       namespace: "callbacks",
       pager: true,
     });
    });
  </script>
</head>
<body>
       <!--header-->
           <div class="header head-top">
               <div class="container">
            <?php include_once('includes/header.php');?>
       </div>
</div>
           <div class="content">
               <div class="contact">
               <div class="container">
                   <h2>REGISTERED With Us</h2>
               <div class="contact-grids">
                       <div class="col-md-6 contact-right">
                           <form method="post">
                               <h5>Full Name</h5>
```

```
<input type="text" value="" name="fname"</pre>
required="true" class="form-control">
                                  <h5>Mobile Number</h5>
                                  <input type="text" name="mobno" class="form-</pre>
control" required="true" maxlength="10" pattern="[0-9]+">
                                  <h5>Email Address</h5>
                                  <input type="email" class="form-control" value=""</pre>
name="email" required="true">
                                  <h5>Password</h5>
                                  <input type="password" value="" class="form-</pre>
control" name="password" required="true">
                                  <a href="signin.php" style="color:</pre>
red">Signin</a>
                                  <br/>
                                  <input type="submit" value="Sign Up"</pre>
name="submit">
                               </form>
                         </div>
                         <div class="clearfix"></div>
                     </div>
                 </div>
             </div>
        <?php include once('includes/getintouch.php');?>
             </div>
            <?php include_once('includes/footer.php');?>
</html>
```

LINK FOR ALL THE CODES IN PROJECT:

https://drive.google.com/drive/folders/1BS3EsUirMD0JmlL-CNEVtl-HiFWZjUN8?usp=sharing

OUPTUTS:

LOGIN PAGE:



If You Have An Account With Us, Please Log In.



SIGN UP PAGE:

REGISTERED With Us

FULL NAME		
MOBILE NUMBER		
EMAIL ADDRESS		
PASSWORD		
Signin		
SIGN UP		

ADMIN PAGE:



Please Sign In Admin Keep me signed in Sign In Forgot Your Password

CONTACT PAGE:



actUs

NAME		
MOBILE NUMBER		
EMAIL ADDRESS		
MESSAGE		

GALLERY PAGE:

Gallery














Welcome SE **Cab Booking System** Booking Detail Pickup Firstname Drop Address Pooling Base Charge * Distance(KMs) * Travelling Insurance Mobile Extra Luggage Paid Tax Standard Cab Ford Galaxy Cab ○ Return Sub Total _ ⊂ SpecialNeeds Total Receipt Reset Exit Ford Mondeo Cab **Total Cost**

ROOMS BOOKING PAGE:



Rooms Details



A single room is for one person and contains a single bed, and will usually be quite small

Max Adult:1

Max Child:2

No of Beds:1

Room Facilities:24-Hour room service,Free wireless internet acces

Price: 800

Book

HOME PAGE:



Facilities



24-Hour Room Service
24-Hour room service available



Free Wireless Internet





Laundry Service

Free Laundry service available for a customer who book queen and king



Tour & Excursions

vehicle are available for tour and travels

ADMIN PAGE:

