

ESLtopia — Test Scenario Coverage Checklist


Every scenario that should be covered, and its current automation status · v1.2 · 2026-07-03

Field	Value
Purpose	A complete inventory of test scenarios across the application — not just what's automated, so gaps are visible and can be prioritized deliberately.
Companion documents	Master Test Plan · Test Case Specification (detail for every  /  item below)
Legend	 covered by the current suite  some coverage, notable gap remains  not automated today

v1.1 revision: A code review pass fixed 8 code-level issues (see the Test Case Specification's revision note) but did not add new automated tests, so it surfaced — rather than closed — two scenario gaps: the teacher-removal cascade/warning behavior (§5) and record-sync failure handling (§7).

v1.2 revision: The teacher-removal cascade/warning gap is now closed — SCHAT-14 and SCHAT-15 (§5) verify the cascade actually deletes a populated teacher's classes/records and that the confirm dialog discloses it. Record-sync failure handling (§7) remains an open gap.

1. Authentication & Account Lifecycle

Status	Scenario	Notes
	Valid login logs the user in	LOGIN-01, LOGIN-07/08/09
	Wrong password / unregistered email → generic, non-enumerating error	LOGIN-02/03/10/11
	Client-side validation: invalid email format, empty email/password	LOGIN-04/05/06
	Unconfirmed user cannot log in, with the same generic message	LOGIN-16
	Signup happy path (teacher and school) through confirmation to logged-in	REG-01/02
	Signup form validation: mismatched/short/missing fields	REG-03-06
	Signup role is restricted server-side even if the client is bypassed	REG-10, ROLE-02
	Weak password rejected on both signup and reset	REG-11, PWR-03/04
	Forgot-password flow does not reveal whether an email is registered	FPW-01, FPW-04/05
	Completing a password reset invalidates the old password and the link itself	PWR-01, PWR-05
	Sign out ends the session and does not silently restore it on reload	LOGOUT-01/02
	Pending / inactive accounts are blocked at login with a specific message	ROLE-04/05, SCHAT-06
	Email deliverability and content (confirmation, invite, reset mail)	Confirmation is simulated via the admin API, not by reading a real inbox — deliberate tradeoff (see Test Plan §11), but actual email rendering/copy is unverified.
	Rate limiting / brute-force protection on login and password-recovery endpoints	No test exercises repeated failed attempts against Supabase's own rate limiter.
	Account logout / suspicious-activity handling	No such feature exists in the app today; flag if added.

2. Session Management

Status	Scenario	Notes
AUTOMATED	Unauthenticated visit shows the login screen, not the app shell	NAV-01
AUTOMATED	A valid session persists across a full page reload	NAV-02
AUTOMATED	A session for a since-deactivated account is force-signed-out on reload	NAV-03
AUTOMATED	A revoked/expired refresh token cannot mint new access tokens	LOGIN-15, LOGOUT-04
PARTIAL	Access-token expiry mid-session (not just at the refresh-endpoint level)	Only the raw refresh-grant API path is tested; a real in-browser session sitting past token expiry while mid-action isn't simulated.
GAP	Multiple concurrent sessions/tabs for the same user	Not exercised.

3. Authorization, Roles & RLS

Status	Scenario	Notes
AUTOMATED	Each role (teacher/school/superadmin) sees only its intended tabs	ROLE-03, SCHAT-05, SADM-01
AUTOMATED	A user can never elevate their own role via direct REST calls	ROLE-11/12, PROF-03
AUTOMATED	A user cannot read or modify another user's profile, class, or records	PROF-04, SADM-08/10, CLS-07/08/12
AUTOMATED	Superadmin can read/update/delete across all users' data; regular roles cannot	SADM-04–15, CLS-14/15
AUTOMATED	JWT claims (role, email, sub, exp) are well-formed for every role	ROLE-06–09, ROLE-13
PARTIAL	School-scoped data isolation (school A cannot see school B's teachers)	SCHAT-11 covers this at the API level; gated behind the undeployed feature flag.
GAP	Row-level security across every future table added to the schema	Structural risk, not a specific gap — flag whenever a new table is introduced without an accompanying RLS test.

4. Superadmin — Admin Panel

Status	Scenario	Notes
AUTOMATED	Admin tab visible only to superadmin; user table renders with Delete buttons	SADM-01/02/03
AUTOMATED	Changing a user's role via the Admin panel dropdown persists to the DB	SADM-16
GAP	Deleting a user via the Admin panel's Delete button (UI click-through)	Deletion is only tested at the REST layer (SADM-12); no test clicks the actual Delete button and confirms the row disappears from the table.
GAP	Admin panel search/filter/pagination, if the user table grows large	Not applicable today at current user counts; revisit if the panel gains these controls.

5. School → Teacher Management **Feature not yet deployed**

Status	Scenario	Notes
AUTOMATED	School can invite (create), deactivate/reactivate, and remove a teacher	SCHAT-01, 04, 07 — automatic once the flag is on
AUTOMATED	Cross-school authorization is enforced on every management action	SCHAT-02, 03, 11

AUTOMATED	Pending/deactivated teachers cannot log in; can self-activate via RPC	SCHT-06, 10, 12
AUTOMATED	Edge function input validation (missing email, bad action, duplicate email)	SCHT-08, 09, 13
GAP	Employees panel UI click-through (invite form, deactivate button, roster list)	Only tab visibility (SCHT-05) is UI-driven; the actual invite/manage UI has no click-through test — everything else calls the edge functions directly.
GAP	Invited-teacher email content and the setup link (<code>?setup=1</code>) flow end-to-end	Not exercised via UI.
AUTOMATED	Removing a teacher actually cascades to delete their classes/records, and the confirm dialog accurately warns about it	SCHT-14, SCHT-15 — added 2026-07-03 to close a gap a code review surfaced: SCHT-07's "remove" happy-path test previously gave the teacher no classes/records to lose, so the cascade (<code>classes.owner_id</code> / <code>records.owner_id</code> both cascade from <code>auth.users</code>) was never actually exercised.

6. Classes Management

Status	Scenario	Notes
AUTOMATED	Class CRUD (create, list, rename, delete) at the data layer	CLS-01-04
AUTOMATED	Adding/removing students from a class's roster	CLS-05/06
AUTOMATED	Data isolation between teachers; superadmin can see everything	CLS-07/08, 14/15
AUTOMATED	Deleting a class cascades to delete its records	CLS-13
GAP	Classes tab UI click-through: creating a class via the "add class" form	Only exercised via direct REST POST; no test fills the "Class name" input and clicks the add button.
GAP	Classes tab UI click-through: adding/removing a student via the roster input	Same — REST-only today.
GAP	Classes tab UI click-through: deleting a class via its delete button	REST-only today.
GAP	Duplicate student names within a class; very long/unicode class or student names	No boundary/edge-case input testing on these free-text fields.

7. Records — Attendance, Grades & Payment

Status	Scenario	Notes
AUTOMATED	Empty state when a teacher has no classes yet	RECUI-01
AUTOMATED	Selecting a class populates the student table	RECUI-02
AUTOMATED	Marking a student present/absent updates the row and the daily summary	RECUI-03
AUTOMATED	"All present" quick-fill action	RECUI-04
AUTOMATED	Setting a grade and toggling payment persist across a reload (debounced autosave)	RECUI-05/06
AUTOMATED	Records CRUD and cross-teacher isolation at the data layer	CLS-09-12
PARTIAL	Student profile modal: attendance stats and note persistence	RECUI-07 covers the top-level stats and notes field; the trimester breakdown (attendance/grade history per term, final-grade dropdown) is not covered — see below.
GAP	Trimester breakdown in the student profile: expanding a term, viewing its attendance/grade log, setting a final grade	Rich sub-feature of the profile modal with no test coverage at all.
GAP	Changing the "class date" / "month" pickers to view a different day/month's data	Every current test uses "today"/"this month" implicitly; switching dates is untested.
GAP	Concurrent edits to the same record from two sessions (last-write-wins behavior)	The debounced upsert has no defined conflict resolution test.

GAP	A failed record save is surfaced to the user or at least logged	Fixed 2026-07-03: syncRecord previously discarded its Supabase result entirely; it now logs the error to the console, but no test simulates a failed write (e.g. offline/network error) to confirm even that minimal surfacing actually fires — RECU-05/06 only exercise the success path.
------------	---	---

8. Worksheet Generator

Status	Scenario	Notes
AUTOMATED	Selecting a topic and generating a worksheet opens the PDF preview with correct topic/grade metadata	PDF-01
PARTIAL	Worksheet generation across all task types (match, true/false, fill-in, listen-and-circle, color-the-boxes)	Only the fillin type is exercised (via the "am / is / are" topic, chosen specifically because it's deterministic). The other four task-type renderers have no generation test.
GAP	Grade filter (dropdown that narrows the topic grid to one grade)	Not exercised — the suite always leaves "All grades" selected.
GAP	Exercise-type pills (Match vs. True/False) for topics that support both	Not exercised.
GAP	Exercise-count input bounds (min 5 / max 20, non-numeric input handling)	Not exercised.
GAP	Assigning a class/student to a worksheet and confirming Name/Class fields populate on the sheet	Current PDF-modal tests generate without selecting a class or student.
GAP	Background worksheet toolbar (the "Show answers" / "New set" / "Preview PDF" controls behind the modal, before it's opened)	Generation immediately opens the modal in every existing test; the pre-modal toolbar path is unexercised.

9. PDF Preview Modal

Status	Scenario	Notes
AUTOMATED	Answer-key toggle shows/hides answers correctly	PDF-02
AUTOMATED	"New set" regenerates content while keeping the modal open	PDF-03
AUTOMATED	Modal closes via its close button and via the Escape key	PDF-04/05
GAP	"Print" button triggers <code>window.print()</code> with the expected print-only CSS applied	Click handler exists; actual browser print behavior and the <code>@media print</code> rules are not verifiable via Playwright's normal DOM assertions.
GAP	"Download PDF" opens a new tab with the worksheet HTML and expected styling	Not exercised — involves a new-window/popup flow and print-triggered download that's awkward to assert headlessly.
GAP	Pop-up-blocked fallback (alert shown when <code>window.open</code> returns null)	Not exercised.
GAP	Modal scroll position resets to top when "New set" is clicked	Behavior exists in code (<code>pdfScrollRef.scrollTo</code>) but is unverified.

10. Cross-Cutting Concerns

Status	Scenario	Notes
GAP	Cross-browser coverage (Firefox, WebKit/Safari, mobile browsers)	Playwright is configured Chromium-only; see Test Plan §4.2.
GAP	Responsive/mobile layout correctness at the 860px and 480px breakpoints	CSS exists for both; no viewport-sized visual assertions.
GAP	Accessibility: screen-reader labeling, full keyboard navigation, color contrast	Only incidental keyboard support (Escape-to-close) is covered.
GAP	Performance under load (many classes/students/records for one teacher)	No defined SLA for this ~10-user portfolio app; out of scope per Test Plan.

GAP	XSS/HTML-injection resilience in free-text fields (student names, class names, notes)	React escapes rendered text by default, which mitigates this, but no test explicitly injects markup/script content to confirm.
GAP	Network-failure handling (Supabase request timeouts, offline state)	No offline/error-banner UX exists to test today.
PARTIAL	Deploy verification (confirming a shipped change is actually live in production)	Done manually per Test Plan §11 (bundle-hash check before trusting prod-run results) — not itself an automated Playwright test.

11. Summary

Of the areas surveyed above, the following are the highest-value gaps to close next, in rough priority order:

1. Classes tab UI click-through (create/rename/delete class, add/remove student) — mirrors the Records tab work already done; same pattern applies directly.
2. A test simulating a failed record save (§7) — `syncRecord` now logs its error instead of discarding it silently, but nothing verifies that path actually fires.
3. Worksheet generation across the remaining four task types (match, true/false, listen-and-circle, color-the-boxes), not just fill-in.
4. Student profile trimester breakdown (attendance/grade history per term, final-grade entry).
5. Employees panel UI click-through, once the school-teachers feature is deployed and the edge-function tests are unblocked.

Resolved 2026-07-03: the teacher-removal cascade test that previously topped this list (§5) is now covered by SCHAT-14/SCHAT-15.