

ESLtopia — Test Scenario Coverage Checklist

Every scenario that should be covered, and its current automation status · v1.3 · 2026-07-03




Field	Value
Purpose	A complete inventory of test scenarios across the application — not just what's automated, so gaps are visible and can be prioritized deliberately.
Companion documents	Master Test Plan · Test Case Specification (detail for every  /  item below)
Legend	 covered by the current suite  some coverage, notable gap remains  not automated today

v1.1 revision: A code review pass fixed 8 code-level issues (see the Test Case Specification's revision note) but did not add new automated tests, so it surfaced — rather than closed — two scenario gaps: the teacher-removal cascade/warning behavior (§5) and record-sync failure handling (§7).

v1.2 revision: The teacher-removal cascade/warning gap is now closed — SCHAT-14 and SCHAT-15 (§5) verify the cascade actually deletes a populated teacher's classes/records and that the confirm dialog discloses it. Record-sync failure handling (§7) remains an open gap.

v1.3 revision: Record-sync failure handling (§7) is now closed — RECU-08 simulates a failed save (a resolved Supabase-error response, not a network exception) and confirms both that the error is logged and that the write still doesn't persist, since logging isn't durability. Both scenario gaps the v1.1 code review surfaced are now automated.

1. Authentication & Account Lifecycle

Status	Scenario	Notes
	Valid login logs the user in	LOGIN-01, LOGIN-07/08/09
	Wrong password / unregistered email → generic, non-enumerating error	LOGIN-02/03/10/11
	Client-side validation: invalid email format, empty email/password	LOGIN-04/05/06
	Unconfirmed user cannot log in, with the same generic message	LOGIN-16
	Signup happy path (teacher and school) through confirmation to logged-in	REG-01/02
	Signup form validation: mismatched/short/missing fields	REG-03-06
	Signup role is restricted server-side even if the client is bypassed	REG-10, ROLE-02
	Weak password rejected on both signup and reset	REG-11, PWR-03/04
	Forgot-password flow does not reveal whether an email is registered	FPW-01, FPW-04/05
	Completing a password reset invalidates the old password and the link itself	PWR-01, PWR-05
	Sign out ends the session and does not silently restore it on reload	LOGOUT-01/02
	Pending / inactive accounts are blocked at login with a specific message	ROLE-04/05, SCHAT-06
	Email deliverability and content (confirmation, invite, reset mail)	Confirmation is simulated via the admin API, not by reading a real inbox — deliberate tradeoff (see Test Plan §11), but actual email rendering/copy is unverified.
	Rate limiting / brute-force protection on login and password-recovery endpoints	No test exercises repeated failed attempts against Supabase's own rate limiter.

GAP	Account logout / suspicious-activity handling	No such feature exists in the app today; flag if added.
------------	---	---

2. Session Management

Status	Scenario	Notes
AUTOMATED	Unauthenticated visit shows the login screen, not the app shell	NAV-01
AUTOMATED	A valid session persists across a full page reload	NAV-02
AUTOMATED	A session for a since-deactivated account is force-signed-out on reload	NAV-03
AUTOMATED	A revoked/expired refresh token cannot mint new access tokens	LOGIN-15, LOGOUT-04
PARTIAL	Access-token expiry mid-session (not just at the refresh-endpoint level)	Only the raw refresh-grant API path is tested; a real in-browser session sitting past token expiry while mid-action isn't simulated.
GAP	Multiple concurrent sessions/tabs for the same user	Not exercised.

3. Authorization, Roles & RLS

Status	Scenario	Notes
AUTOMATED	Each role (teacher/school/superadmin) sees only its intended tabs	ROLE-03, SCHAT-05, SADM-01
AUTOMATED	A user can never elevate their own role via direct REST calls	ROLE-11/12, PROF-03
AUTOMATED	A user cannot read or modify another user's profile, class, or records	PROF-04, SADM-08/10, CLS-07/08/12
AUTOMATED	Superadmin can read/update/delete across all users' data; regular roles cannot	SADM-04-15, CLS-14/15
AUTOMATED	JWT claims (role, email, sub, exp) are well-formed for every role	ROLE-06-09, ROLE-13
PARTIAL	School-scoped data isolation (school A cannot see school B's teachers)	SCHAT-11 covers this at the API level; gated behind the undeployed feature flag.
GAP	Row-level security across every future table added to the schema	Structural risk, not a specific gap — flag whenever a new table is introduced without an accompanying RLS test.

4. Superadmin — Admin Panel

Status	Scenario	Notes
AUTOMATED	Admin tab visible only to superadmin; user table renders with Delete buttons	SADM-01/02/03
AUTOMATED	Changing a user's role via the Admin panel dropdown persists to the DB	SADM-16
GAP	Deleting a user via the Admin panel's Delete button (UI click-through)	Deletion is only tested at the REST layer (SADM-12); no test clicks the actual Delete button and confirms the row disappears from the table.
GAP	Admin panel search/filter/pagination, if the user table grows large	Not applicable today at current user counts; revisit if the panel gains these controls.

5. School → Teacher Management **Feature not yet deployed**

Status	Scenario	Notes
--------	----------	-------

AUTOMATED	School can invite (create), deactivate/reactivate, and remove a teacher	SCHT-01, 04, 07 — automatic once the flag is on
AUTOMATED	Cross-school authorization is enforced on every management action	SCHT-02, 03, 11
AUTOMATED	Pending/deactivated teachers cannot log in; can self-activate via RPC	SCHT-06, 10, 12
AUTOMATED	Edge function input validation (missing email, bad action, duplicate email)	SCHT-08, 09, 13
GAP	Employees panel UI click-through (invite form, deactivate button, roster list)	Only tab visibility (SCHT-05) is UI-driven; the actual invite/manage UI has no click-through test — everything else calls the edge functions directly.
GAP	Invited-teacher email content and the setup link (<code>?setup=1</code>) flow end-to-end	Not exercised via UI.
AUTOMATED	Removing a teacher actually cascades to delete their classes/records, and the confirm dialog accurately warns about it	SCHT-14, SCHT-15 — added 2026-07-03 to close a gap a code review surfaced: SCHT-07's "remove" happy-path test previously gave the teacher no classes/records to lose, so the cascade (<code>classes.owner_id</code> / <code>records.owner_id</code> both cascade from <code>auth.users</code>) was never actually exercised.

6. Classes Management

Status	Scenario	Notes
AUTOMATED	Class CRUD (create, list, rename, delete) at the data layer	CLS-01-04
AUTOMATED	Adding/removing students from a class's roster	CLS-05/06
AUTOMATED	Data isolation between teachers; superadmin can see everything	CLS-07/08, 14/15
AUTOMATED	Deleting a class cascades to delete its records	CLS-13
GAP	Classes tab UI click-through: creating a class via the "add class" form	Only exercised via direct REST POST; no test fills the "Class name" input and clicks the add button.
GAP	Classes tab UI click-through: adding/removing a student via the roster input	Same — REST-only today.
GAP	Classes tab UI click-through: deleting a class via its delete button	REST-only today.
GAP	Duplicate student names within a class; very long/unicode class or student names	No boundary/edge-case input testing on these free-text fields.

7. Records — Attendance, Grades & Payment

Status	Scenario	Notes
AUTOMATED	Empty state when a teacher has no classes yet	RECUI-01
AUTOMATED	Selecting a class populates the student table	RECUI-02
AUTOMATED	Marking a student present/absent updates the row and the daily summary	RECUI-03
AUTOMATED	"All present" quick-fill action	RECUI-04
AUTOMATED	Setting a grade and toggling payment persist across a reload (debounced autosave)	RECUI-05/06
AUTOMATED	Records CRUD and cross-teacher isolation at the data layer	CLS-09-12
PARTIAL	Student profile modal: attendance stats and note persistence	RECUI-07 covers the top-level stats and notes field; the trimester breakdown (attendance/grade history per term, final-grade dropdown) is not covered — see below.
GAP	Trimester breakdown in the student profile: expanding a term, viewing its attendance/grade log, setting a final grade	Rich sub-feature of the profile modal with no test coverage at all.

GAP	Changing the "class date" / "month" pickers to view a different day/month's data	Every current test uses "today"/"this month" implicitly; switching dates is untested.
GAP	Concurrent edits to the same record from two sessions (last-write-wins behavior)	The debounced upsert has no defined conflict resolution test.
AUTOMATED	A failed record save is logged, and does not silently count as persisted	RECUI-08 — added 2026-07-03. Intercepts the debounced upsert with a simulated 500 (a resolved error response, not a thrown network exception, to exercise the actual <code>if (error)</code> branch) and confirms both that the console error fires and that a reload shows the change was never actually saved.

8. Worksheet Generator

Status	Scenario	Notes
AUTOMATED	Selecting a topic and generating a worksheet opens the PDF preview with correct topic/grade metadata	PDF-01
PARTIAL	Worksheet generation across all task types (match, true/false, fill-in, listen-and-circle, color-the-boxes)	Only the <code>fillin</code> type is exercised (via the "am / is / are" topic, chosen specifically because it's deterministic). The other four task-type renderers have no generation test.
GAP	Grade filter (dropdown that narrows the topic grid to one grade)	Not exercised — the suite always leaves "All grades" selected.
GAP	Exercise-type pills (Match vs. True/False) for topics that support both	Not exercised.
GAP	Exercise-count input bounds (min 5 / max 20, non-numeric input handling)	Not exercised.
GAP	Assigning a class/student to a worksheet and confirming Name/Class fields populate on the sheet	Current PDF-modal tests generate without selecting a class or student.
GAP	Background worksheet toolbar (the "Show answers" / "New set" / "Preview PDF" controls behind the modal, before it's opened)	Generation immediately opens the modal in every existing test; the pre-modal toolbar path is unexercised.

9. PDF Preview Modal

Status	Scenario	Notes
AUTOMATED	Answer-key toggle shows/hides answers correctly	PDF-02
AUTOMATED	"New set" regenerates content while keeping the modal open	PDF-03
AUTOMATED	Modal closes via its close button and via the Escape key	PDF-04/05
GAP	"Print" button triggers <code>window.print()</code> with the expected print-only CSS applied	Click handler exists; actual browser print behavior and the <code>@media print</code> rules are not verifiable via Playwright's normal DOM assertions.
GAP	"Download PDF" opens a new tab with the worksheet HTML and expected styling	Not exercised — involves a new-window/popup flow and print-triggered download that's awkward to assert headlessly.
GAP	Pop-up-blocked fallback (alert shown when <code>window.open</code> returns null)	Not exercised.
GAP	Modal scroll position resets to top when "New set" is clicked	Behavior exists in code (<code>pdfScrollRef.scrollTo</code>) but is unverified.

10. Cross-Cutting Concerns

Status	Scenario	Notes
GAP	Cross-browser coverage (Firefox, WebKit/Safari, mobile browsers)	Playwright is configured Chromium-only; see Test Plan §4.2.
GAP	Responsive/mobile layout correctness at the 860px and 480px breakpoints	CSS exists for both; no viewport-sized visual assertions.

GAP	Accessibility: screen-reader labeling, full keyboard navigation, color contrast	Only incidental keyboard support (Escape-to-close) is covered.
GAP	Performance under load (many classes/students/records for one teacher)	No defined SLA for this ~10-user portfolio app; out of scope per Test Plan.
GAP	XSS/HTML-injection resilience in free-text fields (student names, class names, notes)	React escapes rendered text by default, which mitigates this, but no test explicitly injects markup/script content to confirm.
GAP	Network-failure handling (Supabase request timeouts, offline state)	No offline/error-banner UX exists to test today.
PARTIAL	Deploy verification (confirming a shipped change is actually live in production)	Done manually per Test Plan §11 (bundle-hash check before trusting prod-run results) — not itself an automated Playwright test.

11. Summary

Of the areas surveyed above, the following are the highest-value gaps to close next, in rough priority order:

1. Classes tab UI click-through (create/rename/delete class, add/remove student) — mirrors the Records tab work already done; same pattern applies directly.
2. Worksheet generation across the remaining four task types (match, true/false, listen-and-circle, color-the-boxes), not just fill-in.
3. Student profile trimester breakdown (attendance/grade history per term, final-grade entry).
4. Employees panel UI click-through, once the school-teachers feature is deployed and the edge-function tests are unblocked.

Resolved 2026-07-03: both scenario gaps the v1.1 code review surfaced — teacher-removal cascade (§5, SCHAT-14/15) and record-sync failure handling (§7, RECU-08) — are now automated. See [docs/qa/test-coverage-todo.md](#) for the complete, prioritized backlog of everything still open.

Resolved 2026-07-03: the teacher-removal cascade test that previously topped this list (§5) is now covered by SCHAT-14/SCHAT-15.