

# ESLtopia — Test Case Specification

Detailed test cases mapped to the automated Playwright suite · v1.1 · 2026-07-03

| Field               | Value                                                                                                                              |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Scope               | Every automated test currently defined in <code>tests/</code> (13 spec files, 126 defined test cases)                              |
| Companion documents | Master Test Plan · Test Scenario Coverage Checklist                                                                                |
| Legend              | <span>UI</span> browser-driven <span>API</span> direct REST/Auth call <span>SKIPPED</span> gated behind an undeployed feature flag |

**v1.1 revision:** A full code review pass (app code + all tests + edge functions + migrations + config) fixed 8 issues, none of which changed test-case counts or expected results — **School → Teachers Management** and **Superadmin — Admin Panel & RLS's `invoke` / `invokeEdgeFn` helpers** were deduplicated into `tests/helpers/edgeFunctions.ts` (internal-only change, same assertions), and a stale comment in `superadmin.spec.ts` describing pre-migration DELETE-policy behavior was corrected to match what SADM-12 through SADM-15 already verified. All 126 cases were re-run against the fixed build and pass. See the Test Scenario Coverage Checklist for two new scenario gaps this review surfaced.

14 cases in **School → Teachers Management** and 2 cases in **Superadmin RLS: manage-teacher gate** are currently SKIPPED — the feature is code-complete but not yet deployed (DB migration + edge functions + app). They run automatically once `FEATURE_SCHOOL_TEACHERS=1` is set after deploy.

## Module Summary

| #     | Module                                | Spec file                                       | Cases |
|-------|---------------------------------------|-------------------------------------------------|-------|
| 1     | Login                                 | <code>tests/auth/login.spec.ts</code>           | 16    |
| 2     | Logout                                | <code>tests/auth/logout.spec.ts</code>          | 5     |
| 3     | Registration                          | <code>tests/auth/registration.spec.ts</code>    | 12    |
| 4     | Forgot Password                       | <code>tests/auth/forgot-password.spec.ts</code> | 7     |
| 5     | Password Reset                        | <code>tests/auth/password-reset.spec.ts</code>  | 5     |
| 6     | Session & Navigation Guards           | <code>tests/auth/navigation.spec.ts</code>      | 3     |
| 7     | Roles & Permissions                   | <code>tests/auth/roles.spec.ts</code>           | 13    |
| 8     | Superadmin — Admin Panel & RLS        | <code>tests/auth/superadmin.spec.ts</code>      | 19    |
| 9     | School → Teachers Management          | <code>tests/auth/school-teachers.spec.ts</code> | 14    |
| 10    | Classes & Records — Data Layer (REST) | <code>tests/app/classes.spec.ts</code>          | 15    |
| 11    | Profile Self-Management               | <code>tests/app/profile.spec.ts</code>          | 5     |
| 12    | Records Tab — UI                      | <code>tests/app/records.spec.ts</code>          | 7     |
| 13    | PDF Preview Modal                     | <code>tests/app/pdf-modal.spec.ts</code>        | 5     |
| Total |                                       |                                                 | 126   |

## 1. Login

| ID       | Type            | Pri. | Title                         | Preconditions                    | Steps                                         | Expected Result                         |
|----------|-----------------|------|-------------------------------|----------------------------------|-----------------------------------------------|-----------------------------------------|
| LOGIN-01 | <span>UI</span> | High | Valid credentials → logged in | Confirmed teacher fixture exists | 1. Go to / 2. Fill email + password 3. Submit | "Get started" button visible within 15s |

|          |     |      |                                          |                             |                                                                                        |                                                                                                                                    |
|----------|-----|------|------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| LOGIN-02 | UI  | High | Wrong password → generic error           | Fixture exists              | Submit with correct email, wrong password                                              | "Incorrect email or password." shown; sign-in form remains                                                                         |
| LOGIN-03 | UI  | Med  | Unregistered email → generic error       | None                        | Submit with a never-used <code>@example.test</code> address                            | Same generic "Incorrect email or password." (no enumeration)                                                                       |
| LOGIN-04 | UI  | Low  | Invalid email format → client validation | None                        | Submit with <code>notanemail</code>                                                    | "Please enter a valid email address." shown; no network call made                                                                  |
| LOGIN-05 | UI  | Low  | Empty password → validation error        | None                        | Submit with email only                                                                 | "Please enter your password." shown                                                                                                |
| LOGIN-06 | UI  | Low  | Empty email → validation error           | None                        | Submit with password only                                                              | "Please enter a valid email address." shown                                                                                        |
| LOGIN-07 | API | High | Password grant → 200 with tokens         | Fixture exists              | POST <code>/auth/v1/token?grant_type=password</code>                                   | 200; <code>access_token</code> , <code>refresh_token</code> present; <code>token_type=bearer</code> ; <code>expires_in&gt;0</code> |
| LOGIN-08 | API | Med  | Response includes confirmed user object  | Fixture exists              | Same POST as LOGIN-07                                                                  | <code>user.email</code> matches; <code>user.id</code> is a UUID; <code>email_confirmed_at</code> is set                            |
| LOGIN-09 | API | Med  | Access token is a well-formed JWT        | Fixture exists              | Inspect <code>access_token</code> shape                                                | Matches <code>header.payload.signature</code> pattern                                                                              |
| LOGIN-10 | API | High | Wrong password → 400                     | Fixture exists              | POST with bad password                                                                 | HTTP 400                                                                                                                           |
| LOGIN-11 | API | Med  | Unregistered email → 400                 | None                        | POST with unused address                                                               | HTTP 400                                                                                                                           |
| LOGIN-12 | API | High | Missing apikey header → 401              | Fixture exists              | POST without <code>apikey</code>                                                       | HTTP 401                                                                                                                           |
| LOGIN-13 | API | Med  | Refresh token grant → new token pair     | Fixture exists; prior login | POST <code>grant_type=refresh_token</code> with a valid <code>refresh_token</code>     | 200; new <code>access_token</code> + <code>refresh_token</code> returned                                                           |
| LOGIN-14 | API | Med  | Invalid refresh token → 400              | None                        | POST with a bogus string                                                               | HTTP 400                                                                                                                           |
| LOGIN-15 | API | High | Refresh token invalidated after logout   | Fixture exists              | 1. Login 2. Logout with access token 3. Retry refresh grant with the old refresh token | HTTP 400 — refresh token no longer honored                                                                                         |
| LOGIN-16 | UI  | High | Unconfirmed user cannot log in           | None (signup done in-test)  | 1. Sign up via public API, no confirmation 2. Attempt login via UI                     | Generic "Incorrect email or password." — no distinct "unconfirmed" message leaked                                                  |

## 2. Logout

| ID        | Type | Pri. | Title                            | Preconditions      | Steps                                                           | Expected Result                                                                       |
|-----------|------|------|----------------------------------|--------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------|
| LOGOUT-01 | UI   | High | Sign out returns to login screen | Logged-in session  | Click "Sign out"                                                | Sign-in form + email placeholder visible within 10s                                   |
| LOGOUT-02 | UI   | High | Sign out clears the session      | Logged-in session  | 1. Sign out 2. Reload the page                                  | Still shows sign-in form; no "Sign out" button (no auto-relogin from a stale session) |
| LOGOUT-03 | API  | Med  | Valid token → 204                | Valid access token | POST <code>/auth/v1/logout</code>                               | HTTP 204 No Content                                                                   |
| LOGOUT-04 | API  | High | Revoked token rejected afterward | Valid access token | 1. Logout 2. GET <code>/auth/v1/user</code> with the same token | HTTP 403 (revoked, vs 401 for missing auth)                                           |
| LOGOUT-05 | API  | Low  | No Authorization header → 401    | None               | POST logout with no auth header                                 | HTTP 401                                                                              |

## 3. Registration

| ID | Type | Pri. | Title | Preconditions | Steps | Expected Result |
|----|------|------|-------|---------------|-------|-----------------|
|----|------|------|-------|---------------|-------|-----------------|

|        |     |      |                                         |      |                                                                                        |                                                                                                  |
|--------|-----|------|-----------------------------------------|------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| REG-01 | UI  | High | Signup → confirm → logged in (teacher)  | None | 1. Sign up, select "Teacher" 2. Confirm via admin API (simulates email link) 3. Log in | "Sign out" button visible — fully authenticated                                                  |
| REG-02 | UI  | High | Signup → confirm → logged in (school)   | None | Same as REG-01, role "School"                                                          | "Sign out" button visible                                                                        |
| REG-03 | UI  | Low  | Mismatched passwords → validation error | None | Fill form with differing password/confirm                                              | "Passwords do not match."                                                                        |
| REG-04 | UI  | Low  | Short first name → validation error     | None | First name = "A"                                                                       | "First name must be at least 2 characters."                                                      |
| REG-05 | UI  | Low  | Short last name → validation error      | None | Last name = "B"                                                                        | "Last name must be at least 2 characters."                                                       |
| REG-06 | UI  | Med  | No role selected → validation error     | None | Submit without choosing Teacher/School                                                 | "Please select a role."                                                                          |
| REG-07 | API | High | Valid signup → 200, unconfirmed user    | None | POST <code>/auth/v1/signup</code>                                                      | 200; returned user's email matches; <code>email_confirmed_at</code> falsy                        |
| REG-08 | API | High | Trigger sets teacher profile role       | None | Signup with <code>role: teacher</code>                                                 | <code>profiles.role = 'teacher'</code> after the <code>on_auth_user_created</code> trigger fires |
| REG-09 | API | High | Trigger sets school profile role        | None | Signup with <code>role: school</code>                                                  | <code>profiles.role = 'school'</code>                                                            |
| REG-10 | API | High | Superadmin role in metadata is coerced  | None | Signup with <code>role: superadmin</code> in metadata                                  | Resulting profile role is <code>teacher</code> , never <code>superadmin</code>                   |
| REG-11 | API | Med  | Weak password → 422                     | None | Signup with a 3-character password                                                     | HTTP 422                                                                                         |
| REG-12 | API | Med  | Missing apikey header → 401             | None | POST signup without <code>apikey</code>                                                | HTTP 401                                                                                         |

## 4. Forgot Password

| ID     | Type | Pri. | Title                                   | Preconditions             | Steps                                                     | Expected Result                                                           |
|--------|------|------|-----------------------------------------|---------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------|
| FPW-01 | UI   | High | Valid email → confirmation shown        | On forgot-password screen | Fill email, click "Send reset link"                       | "Check your email" + the entered address shown; "Back to sign in" visible |
| FPW-02 | UI   | Low  | Invalid email format → validation error | On forgot-password screen | Fill <code>notanemail</code>                              | "Please enter a valid email address."; form stays put, no request sent    |
| FPW-03 | UI   | Low  | "Back to sign in" returns to login      | On forgot-password screen | Click "Back to sign in"                                   | Sign-in form with welcome text shown                                      |
| FPW-04 | API  | High | Non-existent email → 200                | None                      | POST <code>/auth/v1/recover</code> with an unused address | HTTP 200 (anti-enumeration)                                               |
| FPW-05 | API  | High | Registered email → same 200             | None                      | POST recover with any address                             | HTTP 200 — indistinguishable from FPW-04                                  |
| FPW-06 | API  | Med  | Missing email field → 4xx               | None                      | POST recover with empty body                              | HTTP 400–499                                                              |
| FPW-07 | API  | Med  | Missing apikey header → 401             | None                      | POST recover without <code>apikey</code>                  | HTTP 401                                                                  |

## 5. Password Reset

| ID     | Type | Pri. | Title                                           | Preconditions                                       | Steps                                                                                            | Expected Result                                                                  |
|--------|------|------|-------------------------------------------------|-----------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| PWR-01 | UI   | High | Set new password → old stops working, new works | Fixture user; recovery link generated via admin API | 1. Open recovery link 2. Set matching new password twice 3. Try old password 4. Try new password | "Password updated!" then signed out; old password rejected; new password logs in |
| PWR-02 | UI   | Low  | Mismatched passwords → validation error         | On reset screen via recovery link                   | Fill differing password/confirm                                                                  | "Passwords do not match."; reset form remains                                    |

|        |    |      |                                       |                                       |                                                          |                                                                           |
|--------|----|------|---------------------------------------|---------------------------------------|----------------------------------------------------------|---------------------------------------------------------------------------|
| PWR-03 | UI | Low  | Weak password → validation error      | On reset screen                       | Fill "weak" in both fields                               | "Password must be at least 8 characters."                                 |
| PWR-04 | UI | Low  | Empty new password → validation error | On reset screen                       | Submit with both fields empty                            | "Password must be at least 8 characters."; form remains                   |
| PWR-05 | UI | High | Recovery link is single-use           | Fixture user; recovery link generated | 1. Complete reset with the link 2. Revisit the same link | Second visit does not reopen the reset form; sign-in screen shown instead |

## 6. Session & Navigation Guards

| ID     | Type | Pri. | Title                                          | Preconditions                                                            | Steps                                                                             | Expected Result                                                                                                      |
|--------|------|------|------------------------------------------------|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| NAV-01 | UI   | High | Unauthenticated visit shows login, not the app | No session                                                               | Visit / with no cookies/localStorage session                                      | Sign-in form shown; no "Sign out" button present                                                                     |
| NAV-02 | UI   | High | Session persists across reload                 | Logged-in session                                                        | Reload the page                                                                   | "Get started" landing shown (session restored from localStorage); sign-in form not shown                             |
| NAV-03 | UI   | High | Deactivated account is signed out on reload    | Logged-in session; account then set to <code>inactive</code> server-side | 1. Log in 2. Deactivate the account via admin API while session is live 3. Reload | App detects <code>status=inactive</code> on the refetched profile, calls <code>signOut()</code> , shows sign-in form |

## 7. Roles & Permissions

| ID      | Type | Pri. | Title                                                | Preconditions                               | Steps                                                                                    | Expected Result                                                                                                           |
|---------|------|------|------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| ROLE-01 | UI   | High | Signup form offers only Teacher/School               | None                                        | Open the signup form                                                                     | Exactly 2 role cards ("Teacher", "School"); no "Super Admin" text or card anywhere                                        |
| ROLE-02 | API  | High | Superadmin signup attempt is coerced                 | None                                        | POST signup with <code>role: superadmin</code> in metadata                               | Resulting profile role is <code>teacher</code>                                                                            |
| ROLE-03 | UI   | High | Teacher cannot see/open the Admin portal             | Teacher fixture                             | Log in as teacher, inspect tab bar                                                       | No "Admin" tab; "Classes" tab visible                                                                                     |
| ROLE-04 | UI   | High | Pending account cannot log in                        | Fixture set to <code>status=pending</code>  | Attempt login via UI                                                                     | "Your account is pending. Check your email to set your password." shown; sign-in form remains                             |
| ROLE-05 | UI   | High | Inactive account cannot log in                       | Fixture set to <code>status=inactive</code> | Attempt login via UI                                                                     | "Your account has been deactivated. Contact your school administrator." shown                                             |
| ROLE-06 | API  | Med  | Access token contains expected claims                | Teacher fixture                             | Decode <code>access_token</code> payload                                                 | <code>email</code> , UUID <code>sub</code> , <code>aud=authenticated</code> , <code>role=authenticated</code> all present |
| ROLE-07 | API  | Med  | <code>user_metadata.role</code> reflects signup role | Teacher fixture                             | Decode token payload                                                                     | <code>user_metadata.role = 'teacher'</code>                                                                               |
| ROLE-08 | API  | Low  | Token expiry is in the future                        | Teacher fixture                             | Decode token payload                                                                     | <code>exp</code> > current Unix time                                                                                      |
| ROLE-09 | API  | Med  | GET <code>/auth/v1/user</code> matches token subject | Teacher fixture                             | Login, then GET <code>/auth/v1/user</code>                                               | <code>user.id</code> equals token's <code>sub</code> ; email matches                                                      |
| ROLE-10 | API  | Med  | Malformed token → 403                                | None                                        | GET <code>/auth/v1/user</code> with <code>Bearer not.a.token</code>                      | HTTP 403                                                                                                                  |
| ROLE-11 | API  | High | Teacher cannot self-promote to superadmin            | Teacher fixture                             | PATCH own profile's <code>role</code> to <code>superadmin</code> via REST with own token | Role remains <code>teacher</code> after the attempt (DB trigger blocks it)                                                |
| ROLE-12 | API  | High | School cannot self-promote to superadmin             | School fixture                              | Same as ROLE-11 with a school account                                                    | Role remains <code>school</code>                                                                                          |
| ROLE-13 | API  | Med  | School JWT payload has role: school                  | School fixture                              | Decode token payload                                                                     | <code>user_metadata.role='school'</code> , <code>email</code> , <code>aud=authenticated</code> correct                    |

## 8. Superadmin — Admin Panel & RLS

| ID      | Type           | Pri. | Title                                            | Preconditions                                    | Steps                                                                     | Expected Result                                                         |
|---------|----------------|------|--------------------------------------------------|--------------------------------------------------|---------------------------------------------------------------------------|-------------------------------------------------------------------------|
| SADM-01 | UI             | High | Superadmin sees the Admin tab                    | Superadmin fixture                               | Log in, inspect tab bar                                                   | "Admin" tab visible                                                     |
| SADM-02 | UI             | Med  | Admin panel lists Delete buttons for other users | Superadmin + a target user fixture               | Open Admin tab                                                            | At least one visible "Delete" button                                    |
| SADM-03 | UI             | Med  | No Delete button on superadmin's own row         | Superadmin fixture                               | Open Admin tab, find own ("You") row                                      | Own row has no "Delete" button                                          |
| SADM-04 | API            | High | Own profile returns role: superadmin             | Superadmin fixture                               | GET own profile via REST                                                  | Single row; <code>role='superadmin'</code>                              |
| SADM-05 | API            | High | Superadmin can list all profiles                 | Superadmin + peer fixture                        | GET <code>/rest/v1/profiles</code> with admin token                       | ≥2 rows returned (full-table scan)                                      |
| SADM-06 | API            | High | Teacher listing profiles sees only own row       | Teacher fixture                                  | GET <code>/rest/v1/profiles</code> with teacher token                     | Exactly 1 row, matching own email                                       |
| SADM-07 | API            | High | Superadmin can read any profile                  | Superadmin + target fixture                      | GET a specific profile by id with admin token                             | 1 row; correct email returned                                           |
| SADM-08 | API            | High | Teacher cannot read another profile (RLS)        | Teacher + target fixture                         | GET target's profile by id with teacher token                             | 0 rows returned (RLS-filtered)                                          |
| SADM-09 | API            | High | Superadmin can change another user's role        | Superadmin + target fixture                      | PATCH target's <code>role</code> to <code>school</code>                   | HTTP 200; profile role becomes <code>school</code>                      |
| SADM-10 | API            | High | Teacher cannot change another user's role (RLS)  | Teacher + target fixture                         | PATCH target's role with teacher token                                    | Target's role unchanged, regardless of HTTP status                      |
| SADM-11 | API            | High | Superadmin can promote a user to superadmin      | Superadmin + target fixture                      | PATCH target's <code>role</code> to <code>superadmin</code>               | HTTP 200; role becomes <code>superadmin</code>                          |
| SADM-12 | API            | Med  | Superadmin can delete another profile            | Superadmin + target fixture                      | DELETE target's profile row                                               | Profile no longer exists                                                |
| SADM-13 | API            | Med  | Superadmin cannot delete their own profile       | Superadmin fixture                               | DELETE own profile row                                                    | Own profile still exists after the attempt                              |
| SADM-14 | API            | High | Teacher cannot delete another profile (RLS)      | Teacher + victim fixture                         | DELETE victim's profile with teacher token                                | Victim's profile still exists                                           |
| SADM-15 | API            | High | School cannot delete another profile (RLS)       | School + victim fixture                          | DELETE victim's profile with school token                                 | Victim's profile still exists                                           |
| SADM-16 | UI             | High | Role change via Admin panel dropdown             | Superadmin + target fixture                      | Open Admin tab, change target's role dropdown to "school"                 | Target's DB profile role becomes <code>school</code> within 8s (polled) |
| SADM-17 | API<br>SKIPPED | Med  | Superadmin calling manage-teacher → 403          | Superadmin + a real teacher created via a school | POST edge function <code>manage-teacher</code> as superadmin              | HTTP 403 — function is School-role only                                 |
| SADM-18 | API<br>SKIPPED | Med  | Superadmin calling create-teacher → 403          | Superadmin fixture                               | POST edge function <code>create-teacher</code> as superadmin              | HTTP 403                                                                |
| SADM-19 | —              | —    | Placeholder: feature-gated block skipped         | —                                                | <code>test.skip</code> when <code>FEATURE_SCHOOL_TEACHERS</code> is unset | Explicitly skipped with a documented reason, not silently omitted       |

## 9. School → Teachers Management Gated behind `FEATURE_SCHOOL_TEACHERS`

All 13 cases below execute only when `FEATURE_SCHOOL_TEACHERS=1` is set (post-deploy of the DB migration + `create-teacher` / `manage-teacher` edge functions). With the flag unset, a single placeholder test runs `test.skip` instead.

| ID      | Type | Pri. | Title                                           | Preconditions                                              | Steps                                                                              | Expected Result                                                                                                                      |
|---------|------|------|-------------------------------------------------|------------------------------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| SCHT-01 | API  | High | School can create a pending teacher             | School fixture                                             | POST edge function <code>create-teacher</code> with email/name                     | 200, <code>ok:true</code> ; new profile has <code>role=teacher</code> , <code>status=pending</code> , correct <code>school_id</code> |
| SCHT-02 | API  | High | Teacher account cannot create teachers          | Teacher fixture                                            | POST <code>create-teacher</code> as a teacher                                      | HTTP 403                                                                                                                             |
| SCHT-03 | API  | High | School cannot manage another school's teacher   | Two school fixtures (A, B) + A's teacher                   | School B calls <code>manage-teacher</code> (remove) on A's teacher                 | HTTP 403; teacher profile still exists                                                                                               |
| SCHT-04 | API  | High | Deactivate then reactivate toggles status       | School + its teacher                                       | 1. <code>manage-teacher</code> deactivate 2. reactivate                            | Status becomes <code>inactive</code> then <code>active</code>                                                                        |
| SCHT-05 | UI   | Med  | School sees Employees tab, not global Admin     | School fixture                                             | Log in as school, inspect tabs                                                     | "Employees" tab visible; "Admin" tab absent                                                                                          |
| SCHT-06 | UI   | High | Pending teacher cannot log in                   | Teacher fixture set to <code>status=pending</code>         | Attempt login via UI                                                               | Message containing "pending" shown; sign-in form remains                                                                             |
| SCHT-07 | API  | Med  | School can remove their own teacher             | School + its teacher                                       | POST <code>manage-teacher</code> action=remove                                     | HTTP 200                                                                                                                             |
| SCHT-08 | API  | Low  | create-teacher with missing email → 4xx         | School fixture                                             | POST <code>create-teacher</code> without <code>email</code>                        | HTTP 400–499                                                                                                                         |
| SCHT-09 | API  | Low  | manage-teacher with unknown action → 400        | School + its teacher                                       | POST <code>manage-teacher</code> with <code>action:"fly-to-moon"</code>            | HTTP 400–499                                                                                                                         |
| SCHT-10 | API  | Med  | Pending teacher self-activates via RPC          | Teacher fixture, <code>status=pending</code>               | POST RPC <code>activate_my_account</code> with teacher's own token                 | 2xx; profile <code>status</code> becomes <code>active</code>                                                                         |
| SCHT-11 | API  | High | School sees only their own teachers (isolation) | Two schools, each with one teacher                         | GET <code>/rest/v1/profiles</code> as School A                                     | Contains A's teacher's email; does not contain B's                                                                                   |
| SCHT-12 | API  | High | Deactivating a teacher blocks subsequent logins | School + linked teacher                                    | 1. Confirm teacher can get a token 2. School deactivates them 3. Retry token grant | Second token request rejected (throws)                                                                                               |
| SCHT-13 | API  | Low  | create-teacher with duplicate email → error     | School fixture + a pre-existing user with the target email | POST <code>create-teacher</code> with an already-registered email                  | HTTP 400–599                                                                                                                         |

## 10. Classes & Records — Data Layer (REST)

| ID     | Type | Pri. | Title                                       | Preconditions                              | Steps                                         | Expected Result                                      |
|--------|------|------|---------------------------------------------|--------------------------------------------|-----------------------------------------------|------------------------------------------------------|
| CLS-01 | API  | High | Teacher can create a class                  | Teacher fixture                            | POST <code>/rest/v1/classes</code>            | HTTP 201; returned row matches submitted id/name     |
| CLS-02 | API  | Med  | Teacher can list their own classes          | Teacher fixture + a class                  | GET classes filtered by id                    | 1 row, correct name                                  |
| CLS-03 | API  | Med  | Teacher can rename a class                  | Teacher fixture + a class                  | PATCH <code>name</code>                       | HTTP 200; new name returned                          |
| CLS-04 | API  | Med  | Teacher can delete a class                  | Teacher fixture + a class                  | DELETE the class, then GET it                 | DELETE returns 204; subsequent GET returns 0 rows    |
| CLS-05 | API  | Med  | Teacher can add students to a class         | Teacher fixture + empty class              | PATCH <code>students</code> to a 3-name array | Returned <code>students</code> array matches exactly |
| CLS-06 | API  | Med  | Teacher can remove a student                | Class with 3 students                      | PATCH <code>students</code> omitting one name | Removed name absent; the other two remain            |
| CLS-07 | API  | High | Teacher cannot read another teacher's class | Two teacher fixtures, one class owned by A | GET the class with Teacher B's token          | 0 rows returned                                      |

| (RLS)  |     |      |                                             |                                            |                                                                              |                                                           |
|--------|-----|------|---------------------------------------------|--------------------------------------------|------------------------------------------------------------------------------|-----------------------------------------------------------|
| CLS-08 | API | High | Teacher cannot delete another's class (RLS) | Two teacher fixtures, one class owned by A | DELETE the class with Teacher B's token, then re-check as A                  | Class still visible to A afterward                        |
| CLS-09 | API | Med  | Teacher can create records for own class    | Teacher fixture + a fresh class            | POST <code>/rest/v1/records</code>                                           | HTTP 201; <code>class_id</code> matches                   |
| CLS-10 | API | Med  | Teacher can read their own records          | Class + record fixture                     | GET records filtered by <code>class_id</code>                                | 1 row returned                                            |
| CLS-11 | API | Med  | Teacher can upsert updated record data      | Existing record                            | POST with <code>resolution=merge-duplicates</code> and new <code>data</code> | HTTP 200/201; updated payment/attendance values reflected |
| CLS-12 | API | High | Teacher cannot read another's records (RLS) | Two teacher fixtures, record owned by A    | GET the record with Teacher B's token                                        | 0 rows returned                                           |
| CLS-13 | API | High | Deleting a class cascades to its records    | Class + record fixture                     | 1. Confirm record exists 2. DELETE the class 3. Re-check the record          | Record row is gone after the class is deleted             |
| CLS-14 | API | Med  | Superadmin can read any teacher's class     | Superadmin + teacher-owned class           | GET the class with admin token                                               | 1 row returned, correct id                                |
| CLS-15 | API | Med  | Superadmin can read any teacher's records   | Superadmin + teacher-owned record          | GET the record with admin token                                              | 1 row returned, correct <code>class_id</code>             |

## 11. Profile Self-Management

| ID      | Type | Pri. | Title                                   | Preconditions               | Steps                                                   | Expected Result                                       |
|---------|------|------|-----------------------------------------|-----------------------------|---------------------------------------------------------|-------------------------------------------------------|
| PROF-01 | API  | Med  | Teacher can update own first_name       | Teacher fixture             | PATCH own profile's <code>first_name</code>             | HTTP 200; new value returned                          |
| PROF-02 | API  | Med  | Teacher can update own last_name        | Teacher fixture             | PATCH own profile's <code>last_name</code>              | HTTP 200; new value returned                          |
| PROF-03 | API  | High | Teacher cannot change own role          | Teacher fixture             | PATCH own <code>role</code> to <code>superadmin</code>  | Role remains <code>teacher</code> (trigger blocks it) |
| PROF-04 | API  | High | Teacher cannot update another's profile | Two teacher fixtures        | PATCH peer's <code>first_name</code> with own token     | 0 rows affected; peer's name unchanged                |
| PROF-05 | API  | Med  | Superadmin can update any user's name   | Superadmin + target fixture | PATCH target's <code>first_name</code> with admin token | HTTP 200; new value returned                          |

## 12. Records Tab — UI

| ID       | Type | Pri. | Title                                        | Preconditions                             | Steps                                                                                                           | Expected Result                                                              |
|----------|------|------|----------------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| RECUI-01 | UI   | Med  | Empty state when teacher has no classes      | Teacher fixture, no classes               | Open Records tab                                                                                                | Empty-state message containing "no classes for records"                      |
| RECUI-02 | UI   | High | Selecting a class lists its students         | Class with 2 students                     | Select the class in the Records dropdown                                                                        | Table shows exactly 2 rows, both student names visible                       |
| RECUI-03 | UI   | High | Marking present updates row + summary        | Class with 2 students                     | Click the "Absent" toggle for one student                                                                       | Toggle flips to "Present"; "Present today" summary reads 1 / 2               |
| RECUI-04 | UI   | Med  | "All present" marks every student            | Class with 2 students                     | Click "✓ All present"                                                                                           | Both rows show "Present"; summary reads 2 / 2                                |
| RECUI-05 | UI   | High | Grade set on a student persists              | Class with 2 students                     | 1. Select grade "5" for a student 2. Wait for debounced sync 3. Reload and re-select the class                  | Grade dropdown still reads "5" after reload                                  |
| RECUI-06 | UI   | High | Payment toggle updates summary + persists    | Class with 2 students                     | 1. Click "Not paid" toggle 2. Verify "Paid" summary = 1/2 3. Wait, reload, re-select class                      | Toggle still reads "Paid" after reload                                       |
| RECUI-07 | UI   | Med  | Student profile shows stats and saves a note | Class with 1 student, marked present once | 1. Click the student's name 2. Check attendance stat 3. Fill the notes textarea 4. Wait, reload, reopen profile | Modal shows correct name and "1" attendance; note text persists after reload |

## 13. PDF Preview Modal

| ID     | Type | Pri. | Title                                                    | Preconditions                       | Steps                                                            | Expected Result                                                                                            |
|--------|------|------|----------------------------------------------------------|-------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| PDF-01 | UI   | High | Generating a worksheet opens the modal with correct info | Teacher fixture, logged in          | 1. Select topic "am / is / are"<br>2. Click "Generate worksheet" | Modal visible; title = topic name; subtitle contains "Grade 2" and "exercises"                             |
| PDF-02 | UI   | High | Answer-key toggle shows/hides answers                    | Modal open with a fill-in worksheet | Click the answer-key switch, then click again                    | Toggle gains/loses <code>active</code> class; blank answers and the Answer Key block appear then disappear |
| PDF-03 | UI   | Med  | "New set" regenerates without closing the modal          | Modal open                          | Click "↺ New set"                                                | Modal remains visible; item count unchanged                                                                |
| PDF-04 | UI   | High | Close button hides the modal                             | Modal open                          | Click the "X" button                                             | Modal removed from the DOM                                                                                 |
| PDF-05 | UI   | High | Escape key hides the modal                               | Modal open                          | Press Escape                                                     | Modal removed from the DOM                                                                                 |

ESLtopia Test Case Specification · v1.1 · Generated 2026-07-03 · 126 cases across 13 spec files