

Capture The Flag

Goal: Allow administrators to manage students and announcements.

School Request


"The list shouldn't just sit there."

Flag 1 — Prepare Your Mission

Objective: Create a new branch for today's challenge named `feature/event-binding`

Screenshot:

- The command used to create and switch to the new branch.

A screenshot of a terminal window with a dark background and light-colored text. The terminal shows a series of git commands being executed in a PowerShell prompt. The commands are: 'git branch', 'git branch feature/event-binding', and 'git switch feature/event-binding'. The output shows the creation of the new branch and the switch to it. The terminal also shows the output of 'git branch' listing the current branches.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\JOWNIE\OneDrive\Documents\my-first-angular-project> git branch
PS C:\Users\JOWNIE\OneDrive\Documents\my-first-angular-project> git branch feature/event-binding
>>
PS C:\Users\JOWNIE\OneDrive\Documents\my-first-angular-project> git switch feature/event-binding
>>
Switched to branch 'feature/event-binding'
PS C:\Users\JOWNIE\OneDrive\Documents\my-first-angular-project> git branch
feature/components
* feature/event-binding
feature/interpolation
feature/ngFor
main
my-new-branch
PS C:\Users\JOWNIE\OneDrive\Documents\my-first-angular-project>
```

Flag 2 — Arm the Student Cards

Objective: Add action buttons to every Student Card.

Each student card should now contain three buttons:

- Favorite
- Edit
- Delete


Do not make them functional yet.

Screenshot:

- Student cards showing the three new buttons.

Students

Student directory



Flag 3 — Arm the Announcement Cards

Objective: Add action buttons to every Announcement Card.


Each announcement card should now contain:

- Pin
- Delete

Again, only add the buttons for now.

Screenshot:

- Announcement cards with both buttons visible.



Flag 4 — Wake Up the Buttons


Objective: Make your first button interactive using Angular event binding.

Choose one button (such as Favorite) and make it respond when clicked. (No logic yet)

Hint: Use Angular's (`click`) event binding.

Screenshot:

- The console or browser showing the button successfully triggered an action.
- Code for event binding



```
angularProject # announcement-card.css M Activity 4_Loops_MALATE.pdf TS student-list.ts M TS stu
src > app > components > student-list > student-list.html > HTML Language Features > div.student-list
1 <div class="student-list">
3   <div class="student-card" *ngFor="let student of students; let i = index">
5     <div class="student-info">
8     </div>
9
10    <div class="student-actions">
11      <button class="favorite-btn" type="button" (click)="onFavoriteClick()">
12        Favorite
13      </button>
14      <button class="edit-btn" type="button">Edit</button>
15      <button class="delete-btn" type="button">Delete</button>
16    </div>
17  </div>
18 </div>
19
20 </div>
```

```
onFavoriteClick() {
  alert('Favorite button clicked!');
}
```

Flag 5 — Remove a Student

Objective: Make the Delete button remove a student from the list.

When Delete is clicked, that specific student should disappear immediately.

Screenshot:

- Before deleting a student.
- After deleting the student.
- Successful delete log/feedback
- Code for logic

```
<div class="student-list">
  <p class="delete-feedback" *ngIf="deleteMessage">
    {{ deleteMessage }}
  </p>
  <div class="student-card" *ngFor="let student of students; let i = index">
    <div class="student-info">
      <h2 class="student-name">{{ i + 1 }} {{ student.name }}</h2>
      <p class="student-details">{{ student.course }} • {{ student.yearlevel }}</p>
    </div>
    <div class="student-actions">
      <button class="favorite-btn" type="button" (click)="onFavoriteClick()">
        Favorite
      </button>
      <button class="edit-btn" type="button">Edit</button>
      <button class="delete-btn" type="button" (click)="onDeleteClick(index: i)">
        Delete
      </button>
    </div>
  </div>
</div>
```

Before deleting

Students

Student directory

#1 Mary Beth D. Gracia

BSIT • 4th Year

Favorite

Edit

Delete

#2 Bonna Mae L. Pitogo

BSIT • 4th Year

Favorite

Edit

Delete

#3 Niel Jhon E. Celocia

BSIT • 4th Year

Favorite

Edit

Delete

#4 Kurt Wojtyle S. Rizal

BSIT • 4th Year

Favorite

Edit

Delete

After deleting

Students

Student directory

Mary Beth D. Gracia was removed from the list.

#1 Bonna Mae L. Pitogo

BSIT • 4th Year

Favorite

Edit

Delete

#2 Niel Jhon E. Celocia

BSIT • 4th Year

Favorite

Edit

Delete

#3 Kurt Wojtyle S. Rizal

BSIT • 4th Year

Favorite

Edit

Delete

Flag 6 — Crown a Star Student

Objective: Toggle a student's Favorite status.

Clicking Favorite should switch between two states.

Ideas:

- Empty star → Filled star
- Gray button → Yellow button
- Normal card → Highlighted card

Screenshot:

- One student before favoriting.
- The same student after favoriting.
- Code for states

Before:

Students

Student directory

#1 Mary Beth D. Gracia

BSIT • 4th Year

★ Favorite

Edit

Delete

After:

Students

Student directory

#1 Mary Beth D. Gracia

BSIT • 4th Year

★ Favorited

Edit

Delete

```

1  <div class="student-list">
2
3    <p class="delete-feedback" *ngIf="deleteMessage">
4      {{ deleteMessage }}
5    </p>
6
7    <div
8      class="student-card"
9      [class.favorited]="student.isFavorite"
10     *ngFor="let student of students; let i = index">
11
12      <div class="student-info">
13        <h2 class="student-name">#{{ i + 1 }} {{ student.name }}</h2>
14        <p class="student-details">{{ student.course }} • {{ student.yearslevel }}</p>
15      </div>
16
17      <div class="student-actions">
18        <button
19          class="favorite-btn"
20          [class.active]="student.isFavorite"
21          type="button"
22          (click)="onFavoriteClick(student)"
23        >
24          {{ student.isFavorite ? '★ Favorited' : '★ Favorite' }}
25        </button>
26
27

```

```

21
22   onFavoriteClick(student: any) {
23     student.isFavorite = !student.isFavorite;
24   }
25
26   onDeleteClick(index: number) {
27     const removedStudent = this.students[index];
28
29     this.students.splice(index, 1);
30
31     console.log("Deleted: ${removedStudent.name}");
32
33     this.deleteMessage = `${removedStudent.name} was removed from the list.`;
34
35     setTimeout(() => {
36       this.deleteMessage = '';
37     }, 3000);
38   }
39
40 }

```

Flag 7 — Control the Announcements

Objective: Make Announcement buttons functional.

Complete both actions:

- Pin should toggle the announcement's important status.
- Delete should remove the announcement from the list.

Screenshot:

- One announcement pinned.
- One announcement was deleted.
- Code for logic

Announcements

Stay updated with the latest school information.

★ Enrollment Reminder

Enrollment for the First Semester AY 2026-2027 will end on August 08, 2026. Please complete your requirements on time.

Posted by: Student Affairs Office

August 01, 2026

Unpin

Delete

Before deleting:

Announcements

Stay updated with the latest school information.

Enrollment Reminder

Enrollment for the First Semester AY 2026-2027 will end on August 08, 2026. Please complete your requirements on time.

Posted by: Student Affairs Office

August 01, 2026

Pin

Delete

After deleting:

Announcements

Stay updated with the latest school information.

"Enrollment Reminder" was deleted.

Official ID Picture Taking

Official ID Picture Taking for all enrolled students will be held on August 20, 2026 at the Don Bosco AVR from 8:00 AM to 4:00 PM. Students are required to wear their complete school uniform and present their registration form.

Posted by: Student Affairs Office

August 05, 2026

Pin

Delete

```
deleteMessage = '';

onPinClick(announcement: any) {
  announcement.isImportant = !announcement.isImportant;
}

onDeleteClick(index: number) {
  const removed = this.announcements[index];

  this.announcements.splice(index, 1);

  console.log(`Deleted announcement: ${removed.title}`);

  this.deleteMessage = `${removed.title} was deleted.`;

  setTimeout(() => {
    this.deleteMessage = '';
  }, 3000);
}
```

```
31 <div class= announcement-actions >
32
33   <button
34     class="pin-btn"
35     [class.active]="announcement.isImportant"
36     type="button"
37     (click)="onPinClick(announcement)"
38   >
39     {{ announcement.isImportant ? 'Unpin' : 'Pin' }}
40   </button>
41
42   <button
43     class="delete-btn"
44     type="button"
45     (click)="onDeleteClick(index: i)"
46   >
47     Delete
48   </button>
49
50 </div>
51
52 </div>
53
54 </div>
```

Flag 8 — Trigger Edit Mode

Objective: Prepare for future editing.

Clicking the Edit button should display which student is being edited.

Examples:

- Browser alert
- Console message
- On-screen text

Example output:

Editing Juan Dela Cruz

(No logic yet)

Screenshot:

- The edit action successfully displaying the selected student's name.
- Code for edit mode

Students

Student directory

Now editing: Mary Beth D. Gracia

#1 Mary Beth D. Gracia

BSIT • 4th Year

★ Favorite

Edit

Delete

```
Go to component
1 <div class="student-list">
2
3   <p class="delete-feedback" *ngIf="deleteMessage">
4     {{ deleteMessage }}
5   </p>
6
7   <p class="edit-feedback" *ngIf="editingStudent">
8     Now editing: {{ editingStudent.name }}
9   </p>
10
```

```
deleteMessage = '';
editingStudent: any = null;

onFavoriteClick(student: any) {
  student.isFavorite = !student.isFavorite;
}

onEditClick(student: any) {
  this.editingStudent = student;
}

onDeleteClick(index: number) {
  const removedStudent = this.students[index];

  this.students.splice(index, 1);

  console.log(`Deleted: ${removedStudent.name}`);

  this.deleteMessage = `${removedStudent.name} was removed from the list.`;

  setTimeout(() => {
    this.deleteMessage = '';
  }, 3000);
}
```


Flag 9 — The Interactive UI


Objective: Your Student Portal should now respond to user actions without refreshing the page.

Checklist:

- Student cards have Favorite, Edit, and Delete buttons.
- Announcement cards have Pin and Delete buttons.
- Favorite toggles correctly.
- Students can be deleted.
- Announcements can be pinned.
- Announcements can be deleted.
- Edit identifies the selected student.

Screenshot:

- Your completed interactive Student Portal showing both Student Cards and Announcement Cards with working interactions.



Students

Student directory

#1 Mary Beth D. Gracia
BSIT • 4th Year
★ Favorite Edit Delete

#2 Bonna Mae L. Pitogo
BSIT • 4th Year
★ Favorite Edit Delete

#3 Niel Jhon E. Celocia
BSIT • 4th Year
★ Favorite Edit Delete

#4 Kurt Wojtyle S. Rizal
BSIT • 4th Year
★ Favorite Edit Delete

Students

Student directory

#1 Mary Beth D. Gracia
BSIT • 4th Year
★ Favorited Edit Delete

#2 Bonna Mae L. Pitogo
BSIT • 4th Year
★ Favorite Edit Delete

#3 Niel Jhon E. Celocia
BSIT • 4th Year
★ Favorite Edit Delete

#4 Kurt Wojtyle S. Rizal
BSIT • 4th Year
★ Favorite Edit Delete

Students

Student directory

Now editing: Mary Beth D. Gracia

#1 Mary Beth D. Gracia
BSIT • 4th Year
★ Favorite Edit Delete

Announcements

Stay updated with the latest school information.

"Enrollment Reminder" was deleted.

Official ID Picture Taking

Official ID Picture Taking for all enrolled students will be held on August 20, 2026 at the Don Bosco AVR from 8:00 AM to 4:00 PM. Students are required to wear their complete school uniform and present their registration form.

Posted by: Student Affairs Office
August 05, 2026

Pin Delete

Flag 10 — Commit Your Progress

📸 Final Flag Screenshot

- The entire completed browser UI for this activity
- Successful push to `feature/event-binding`

```
no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\JOMNIE\OneDrive\Documents\my-first-angular-project> git add .
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/announcement-card/announcement-card.ts', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-list/student-list.html', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'src/app/components/student-list/student-list.ts', LF will be replaced by CRLF the next time Git touches it
PS C:\Users\JOMNIE\OneDrive\Documents\my-first-angular-project> git commit -m "Activity 5 Interactive UI"
[feature/event-binding d8ef75a] Activity 5 Interactive UI
7 files changed, 347 insertions(+), 134 deletions(-)
PS C:\Users\JOMNIE\OneDrive\Documents\my-first-angular-project> git push -u origin feature/event-binding
>>
Enumerating objects: 27, done.
Counting objects: 100% (27/27), done.
Delta compression using up to 8 threads
Compressing objects: 100% (14/14), done.
Writing objects: 100% (14/14), 3.85 KiB | 281.00 KiB/s, done.
Total 14 (delta 6), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (6/6), completed with 6 local objects.
remote:
remote: Create a pull request for 'feature/event-binding' on GitHub by visiting:
remote:   https://github.com/Jomnieeey09/ITFE403A_Malate/pull/new/feature/event-binding
remote:
To https://github.com/Jomnieeey09/ITFE403A_Malate.git
 * [new branch]      feature/event-binding -> feature/event-binding
branch 'feature/event-binding' set up to track 'origin/feature/event-binding'.
PS C:\Users\JOMNIE\OneDrive\Documents\my-first-angular-project>
```