



Experiment 8

Student Name: Harsh Khanna

UID: 23BCS10540

Branch: CSE

Section/Group: 23BCS_KRG-1/A

Semester: 5

Date of Performance: 16/08/25

Subject Name: Advanced Database
and Management System

Subject Code: 23CSP-333

1. Aim:

[HARD] Design a robust PostgreSQL transaction system for the students table where multiple student records are inserted in a single transaction. If any insert fails due to invalid data, only that insert should be rolled back while preserving the previous successful inserts using savepoints. The system should provide clear messages for both successful and failed insertions, ensuring data integrity and controlled error handling.

2. Tools Used: pgAdmin4

3. Code:

```
-- HARD
CREATE TABLE students (
    id SERIAL PRIMARY KEY,
    name VARCHAR(50),
    age INT,
    class INT
);

DO $$
BEGIN
    -- Start a transaction
    BEGIN
        -- Insert multiple students
        INSERT INTO students(name, age, class) VALUES
('Anisha', 16, 8);
        INSERT INTO students(name, age, class) VALUES
('Neha', 17, 8);
        INSERT INTO students(name, age, class) VALUES
('Mayank', 19, 9);
```



DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

Discover. Learn. Empower.

```
-- If all succeed
RAISE NOTICE ' Transaction Successfully Done';

EXCEPTION
  WHEN OTHERS THEN
    -- If any insert fails
    RAISE NOTICE 'Transaction Failed..! Rolling
back changes.';
    RAISE; -- this will rollback the entire
transaction
  END;
END;
$$;

SELECT * FROM students;

-----WRONG DATA TYPE SCENARIO-----
-----

BEGIN; -- start transaction

SAVEPOINT sp1;
INSERT INTO students(name, age, class) VALUES
('Aarav',16,8);

SAVEPOINT sp2;
BEGIN
  INSERT INTO students(name, age, class) VALUES
('Rahul','wrong',9); -- fails
EXCEPTION WHEN OTHERS THEN
  RAISE NOTICE 'Failed to insert Rahul, rolling back to
savepoint sp2';
  ROLLBACK TO SAVEPOINT sp2;
END;

-- Next insert
INSERT INTO students(name, age, class) VALUES
('Sita',17,10);

COMMIT; -- commit all successful inserts
```



4. Output:

[HARD]

Data Output Messages Notifications

ERROR: current transaction is aborted, commands ignored until end of transaction block

SQL state: 25P02

5. Learning Outcomes:

- Understand transaction control in PostgreSQL
- Implement save points for partial rollbacks.
- Handle run time errors using exception blocks.