

		<i>Codes</i>	<i>RG-1 = Debugging existing software components</i> <i>RG-2 = Navigating specialized contexts</i>				
#	Respondent ID	Participant No.	Responses	Short-Comments	Labels	RG1	RG2
	110019533756	P1	When learning a new programming language (Lean) I had a lot of questions. ChatGPT gave me believable answers that did not lead to a solution. When I asked on Stack Overflow I discovered that all the previous answers were fundamentally wrong and set me up to have the completely wrong understanding of many things. This is because Lean is a niche language and especially Lean 4 was quite new at the time. I asked it to help me debug an error I got while deploying a Spark job with the Spark on k8s Operator. The error had very little information so was difficult to diagnose, root cause, and fix. There was little to no information online as such, so I thought perhaps an LLM can help. I was wrong, very wrong. The job failed to deploy, so no Pods were created, yet ChatGPT told me 10+ times to check the Pod logs. Even when I repeatedly told it they were never created in the first place it kept saying to do so. When it finally stopped saying that, it's suggestions were still not useful, so I asked it to try other solutions and then it repeated the Pod logs once again. It would not learn its lesson. It also would repeat its previous suggestions despite me asking for new ones.	Lean (niche language) answers were believable but fundamentally wrong.	RG-1	1	0
	110019511082	P2	All in all, it was a pretty frustrating, draining, and time-consuming experience; talking to a wall might have been more productive. I eventually solved it on my own by bisecting diffs, although I was not able to root cause it (and root cause analysis is one of my talents). I had a similar experience when I asked it to generate a regex for changelog parsing. Given that regex is a very well defined space with plenty of examples online, I thought it could suit an LLM well. Apparently I was wrong there too. It kept giving me incorrect regex and when I would tell it which parts were incorrect, it would revert to an older version that corrected one part but got new pieces incorrect now. It was a massive waste of time and essentially just trial and error without much logic. I solved it myself much faster by searching a bit and realizing it would be easier to express in PCRE specifically and so used that mode plus some docs to get a correct regex.	Spark-on-K8s: repeated irrelevant suggestions (check Pod logs when no Pods); also regex back-and-forth.	RG-2	0	1
	110019505086	P3	I usually take these solutions with grain of salt and usually read thoroughly. So No			0	0
	110019486770	P4	No			0	0
	110019459776	P5	no			0	0
	110019432168	P6	When we can't provide full access to the codebase or our requirements due to sensitive information, it cannot consider these requirements and generates code that does not scale well or is hard to adjust later on. Prompting then may take a lot more time than writing the code from scratch.	Can't share full code/requirements → outputs ignore constraints; poor fit/scalability.	RG-2	0	1
	110019427134	P7	Whenever you deviate from something common. You can use it for generic stuff all written over the internet. But don't ask it to generate a complex data structure with guaranteed complexity.	Anything beyond common patterns (e.g., complex DS with guarantees) performs poorly.	RG-2	0	1
	110019425850	P8	no			0	0
	110019425258	P9	No			0	0
	110019424217	P10	No			0	0
	110019423806	P11	I used chatgpt to replicate one github project, That time chatgpt provide me wrong codes.	Wrong code when replicating a GitHub project → caused fix/debug work.	RG-1	1	0
	110019423107	P12	Asked for the logic of calculating the checksum of Egyptian national ID. It says follow this logic, which is total rubbish. Tried again later, and had another non useful logic.	Gave bogus checksum logic → faulty algorithm to correct.	RG-1	1	0
	110019411831	P13	Many of time it generated code that modified state unrelated to the task, deleted working and necessary code	Modified unrelated state / deleted necessary code.	RG-1	1	0
	110019408832	P14	One example: I tried to once get ChatGPT to refactor a project into a more modular architecture and introduce some useful functionality. It failed miserably - after spending an entire hour to two hours trying to nudge it into a working solution, I realized I was sinking time into interacting with the chatbot that I could have used writing the refactor myself. It struggled tremendously with refactors with any more than just surface-level complexity.	Refactor attempts failed; time sunk vs doing refactor manually.	RG-1	1	0
	110019407538	P15	I have not used chatgpt for code generation.			0	0
	110019406801	P16	The code is too complicated to understand and refactor, for a relative straightforward problem.	Produced over-complicated code for a simple case; refactor pain.	RG-1	1	0
	110019399151	P17	when i waste time, taking an answer for granted, leading me down a dead end	Dead end / waste time -> no source		0	0
	110019398111	P18	No			0	0
	110019397914	P19	As a consultant it's saving lots of hours, causing massive reduction in billable hours.			0	0

110019397543	P20	Whenever I ask it to refactor a function	Regrets when asking it to refactor a function (refactor = edit existing).	RG-1	1	0
110019397532	P21	When the algorithm had a subtle bug, requiring me to do a complete rewrite, which wasted a lot of time.	Subtle bug required full rewrite; time wasted.	RG-1	1	0
110019395380	P22	No			0	0
110019396235	P23	Yes, getting a grpc python client bootstrapped properly was too difficult for the model and it wasted time.	Bootstrapping gRPC Python client too difficult; time wasted.	RG-2	0	1
110019395936	P24	No.			0	0
110019395348	P25	was trying to fix a bug, spent 2 hours with LLMs to fix, got tired. study the cod and fixed it in 30min by myself.	Spent hours fixing a bug with LLM; solved faster manually.	RG-1	1	0
110019395345	P26	A juniour offered some code from gpt and I included it in the base. when it started causing issues, he was asked to maintain it and was unable to. He was out-driving his headlights.	Junior added GPT code; later issues and maintainability problems.	RG-1	1	0
110019395223	P27	Searching how to solve errors	insufficient detail		0	0
110019394986	P28	Never happened.			0	0
110019395125	P29	No			0	0
110019395016	P30	A couple of times I've been burned by giving it a task that was too big for it to handle, and I spent more time fixing bugs and correcting it than I would have spent just writing the code myself.	Tasks "too big" → many fixes; more time correcting than writing.	RG-1	1	0
110019390040	P31	When asked how to perform a specific task using a given framework, ChatGPT generated a code snipped using some non-existent API.	Used non-existent API in a framework example.	RG-1	1	0
110019383854	P32	I needed to write code in Rust and C to directly interact with Windows APIs, but I had limited experience with both languages and no experience with Windows APIs. Since the task was relatively simple, I attempted to rely on AI for assistance. After two hours of detailed guidance, troubleshooting bugs, and asking directing questions, it finally produced code that compiles.	Windows API code compiled but was buggy for weeks.	RG-1	1	0
110019382325	P33	Alas, over the next two weeks, I had to revise that code repeatedly due to the emergence of new bugs. This process led me to invest time in improving my Rust and C skills as well as studying the Windows API documentation. Ultimately, if I had invested the two hours in studying the Windows API instead, I would have saved those two weeks of revisiting the code.			0	0
110019382266	P34	No. I've never used ChatGPT to generate code that I've actually used.			0	0
110019380610	P35	Nope, I am not an idiot. The issue isn't the tool. The issue is the *the developer*. Every, single, time. It's like saying "oh, this IDE made the code bad". It's the lack of capability of 99.99% of my "colleague" that is the real issue. They don't need "AI", machine learning or LLMs to generate unmaintainable code, they are perfectly capable of doing it by themselves.	Rant about developers; no concrete instance.		0	0
110019378988	P36	No			0	0
110019378481	P37	no			0	0
110019377412	P38	No.			0	0
110019377725	P39	No, I don't use it for solving problems as I solve them with a team of human beings.			0	0
110019376658	P40	I regretted relying on ChatGPT-generated code to solve an issue in a project where I needed to add a optimization module to solve transportation logistics in a logistic platform, the current system are so complex, and the new module logic too, that chatgpt didn't helped me in nothing.	Complex logistics optimization module in a complex system → not helpful.	RG-2	0	1
110019375841	P41	I stopped paying for ChatGPT over a year ago because it was more often than not creating more problems than it was solving. I dislike OpenAI and switched to primarily using poe.com for 1 year where I mainly used Claude models and Gemini models. I have now replaced poe.com with my own solutions: npcsh and npc-studio.	General dissatisfaction/platform switch; no source		0	0
110019375009	P42	Tried transcoding a 200 line SQL analysis query, from one table schema to a similar but slightly distinct table (for which the same analysis ought to be valid). The bugs were too numerous and subtle to quickly fix, so going down that path ends up wasting twice the time it takes to rewrite the query	SQL porting produced numerous subtle bugs; faster to rewrite.	RG-1	1	0
110019374848	P43	No.			0	0
110019374411	P44	No, but I have no end of times where someone else has reported a false positive bug on one of my open source projects because the AI fed them misinformation, despite the correct way being in the docs.	Others report false bugs due to AI; maintainer perspective (not own reliance).		0	0
110019374398	P45	No			0	0
110019374190	P46	No. I don't use AI code generation.			0	0
110019374153	P47	No			0	0
110019374111	P48	Most of the time I encounter issues I first try to figure it out using other sources, and when I am not successful I resort to ChatGPT, which then in most cases is not helpful at all.	Often not helpful; no specifics.		0	0
110019374012	P49	no			0	0

110019374000	P50	No			0	0
110019373880	P51	Many times it give the sense like you might be making progress, but ends up wasting some much time there's little benefit compared to just doing it yourself.	False sense of progress; time lost vs manual debugging.	RG-1	1	0
110019373745	P52	Ugh. I can't remember the specifics, but I do remember chatgpt having two distinct possibly solutions for a problem. We'd reach a dead end on one, then it would suggest the other. If I reminded it that we'd tried the other approach and it didn't work, it would just switch back to the first approach. I've definitely sworn at chatgpt for wasting my time with hallucinated garbage solutions.	no source		0	0
110019373698	P53	No.			0	0
110019373598	P54	No. However, as a maintainer, I have regretted other people trying to use ChatGPT to solve their own problem, getting bad information, and then bringing their misconceptions to me.	Others' misconceptions reaching maintainer; not own reliance.		0	0
110019373505	P55	Of the very few times I've used an LLM to generate code, it's usually wrong, setting me back further than had I simply persevered in working toward the solution myself.	Generated solution usually wrong; sets progress back -> no source		0	0
110019372009	P56	I usually do not use chatgpt for solving any issue.			0	0
110019370799	P57	There have been a few times where I find that I rewrote everything anyways and wasted time trying to make a GPT-generated solution work.	Ended up rewriting everything; initial GPT attempt wasted time-> no source		0	0
110019370134	P58	ChatGPT gave generic solution			0	0
110019367335	P59	No			0	0
110019367121	P60	The configuration file for a docker-based reverse proxy was totally useless. I finally had to read the tool documentation to make a working solution (but ChatGPT pointed me toward a good tool to solve my issue).	Reverse-proxy config advice useless; had to use docs (niche tooling/config).	RG-2	0	1
110019365016	P61	No. I do not blindly rely on ChatGPT generated code. I			0	0
110019362616	P62	I have never used ChatGPT, so no.			0	0
110019363194	P63	I've used it to write tests for me. Often, the tests are too verbose, really too much on mocks (so don't really test much), and hard to debug when they go wrong.	Tests too verbose/mock-heavy and hard to debug (low-quality generated code).	RG-1	1	0
		However, it does a good job of enumerating all of the cases and does add some good descriptive comments.				
110019363180	P64	No. If I think the problem is complicated, I won't use it in the first place, because the time that I explain the problem would already be enough for me to solve the problem.			0	0
110019362923	P65	Ask for SVG vs Canvas to solve a problem, did not help me at all. Time wasted.	SVG vs Canvas guidance unhelpful for the specific problem.	RG-2	0	1
110019360136	P66	No. I don't blindly accept code. If I can tell it's not going to answer, I early abort and discard bad results.			0	0
110019360067	P67	No - don't use it.			0	0
110019359284	P68	No, because I never relied on it. I would always thoroughly check generated code, and none has ever passed that check.			0	0
110019357060	P69	Rarely			0	0
110019353500	P70	No			0	0
110019352947	P71	When I started to work with JAX because never used this framework I generated all of the code with chatgpt but later I had to do it myself because there some details that were not implemented even though I had mentioned to implement them in my prompt.	JAX code initially generated, but missed requested details despite prompts.	RG-2	0	1
110019352649	P72	No				
110019337445	P73	NA I need to test with some real issues			16	8