



WCD660 WCS TDos & 8kg

W1 front loader washing machine: with TwinDos & Miele@home – smart laundry care at affordable entry-level price.

Price: \$ 2,299.00

: Lotus white



[GO TO SHOP](#)



More product information

W1 front loader washing machine: with TwinDos & Miele@home – smart laundry care at affordable entry-level price.

Automatic detergent dispensing at the touch of a button – TwinDos ⓘ

Ironing made simple thanks to pre-ironing with steam ⓘ

Perfect supplement for specific applications – CapDosing ⓘ

Easy fingertip operation – DirectSensor


Miele@home – clever networking opens up new possibilities* MobileControl ensure complete flexibility using the Miele App


Product details - WCD660 WCS TDos & 8kg



Construction type		-
Suitable for stacking	• ⓘ	
Side-by-side	• ⓘ	
Slot-in	• ⓘ	
Can be built-under	• ⓘ	
Door hinge	right	
Model		-
Product brand	W1 Chrome Edition	
Front-loader	•	
Spinning		-
Max. spin speed	1,400	
Rinse hold	•	
"Without spin" function	•	
Design		-






Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Lotus white
Rotary selector colour	Lotus White
Control panel version	Straight
Control type	Rotary selector
Display	DirectSensor yellow, 7 segment

Cleaning performance	-
TwinDos automatic detergent dispensing	• 
CapDosing portioned dispensing	• 

Gentle laundry care	-
Honeycomb drum	• 
Load in kg	8.0

User convenience	-
Networking with Miele@home	• 
Delay start up to 24 hours	•
Time left display	•
AutoClean detergent drawer	•

Efficiency and sustainability	-
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	• 
Flow meter	•
Foam sensing	•
ProfiEco motor	• 

Wash programmes	-
Cottons (coloureds)	•
Cottons with pre-wash	•
Minimum iron	•
Delicates	• 
Shirts	• 
Woollens (hand-washable)	• 
Express 20	• 
Dark garments / Denim	• 
Proofing	• 
Cottons arrow	•
Drain / Spin	•
ECO 40-60	•

Washing extras	-
Short	•
Pre-ironing	•

Quality	-
Suds container	Stainless Steel

Door handle	Stainless steel
Counterweights made of cast iron	•
Safety -	
Water protection system	Water Control System ^①
PIN code lock	•
Optical interface	•
Technical data -	
Dimensions in mm (width)	596
Dimensions in mm (height)	850
Dimensions in mm (depth)	636
Appliance depth in mm with opened door	1,054.0
Weight in kg	89.00
Total rated load in kW	2,10-2,40
Voltage in V	220-240
Fuse rating in A	10
Length of supply lead in m	2
Standard accessories -	
UltraPhase 1+2	•
Voucher for 5 Miele UltraPhase cartridges	•

Installation sketch

Whether you want to replace a household appliance or planning a kitchen - under Downloads you will find all the relevant installation diagrams for your Miele appliance.

[Downloads](#)

Subject to technical changes; no liability accepted for the accuracy of the information given!

¹ Patent: EP 2 784 205

² Patent: EP 2 365 120

³ Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.



[Shop](#) | [Miele@home](#) | [Contact](#) |
[User manuals](#) | [About us](#) |
[Member Benefits](#) | [Dealers](#) |
[Architects & Builders](#) | [Suppliers](#) |
[Careers](#) | [Press](#) | [Miele](#)
[Corporate](#) | [Data Protection](#) |
[Legal Information](#) | [Terms of Use](#) |
[Sitemap](#)

