

G 7919 SCI XXL AutoDos Integrated dishwasher - a premium dishwasher for all your needs

Price: \$ 4,999.00

: Obsidian Black



GO TO SHOP











More product information

Integrated dishwasher - a premium dishwasher for all your needs

Automatic dispensing – AutoDos with integrated PowerDisk ① Innovative design and maximum convenience – 3D MultiFlex Tray ① Communication with the machine could not be easier – Miele@home Perfect illumination for easy loading – BrilliantLight ① Quick swipe operation – M Touch display ①

Product details - G 7919 SCi XXL AutoDos

Construction type	-
Semi-integrated dishwasher	• 🛈
60 cm dishwasher	•
XXL dishwasher	• ①
Design	-
Fascia colour	Obsidian Black
Control panel version	Slanted fascia
Control type	Touch control
Display	M Touch S
Display colour	White
MultiLingua	•
Convenience	-
Networking with Miele@home	• 🛈
Automatic dispensing with PowerDisk	• 🛈
Door closing aid	AutoClose
Prilliant ight	• 🗈

2/2/23, 1:14 PM		Miele G
Operating noise dB(A) re 1 pW	42	
Time left display	• (i)	
Delay start up to 24 hours	• (i)	
In-operation indicator light	Display	
Add an item option	•	
Display language selection	•	
Efficiency and sustainability		-
Water consumption in the Automatic programme in I from	6.0	
Power rating in standby mode in W	0.3	
Power rating in networked standby in W	1	
EcoFeedback	•	
EcoPower technology	• (i)	
Proven hygiene	• (i)	
Hot water connection	• (i)	
Half load	• (i)	
Gentle treatment of crockery and glassware		-
Fresh water dishwasher	• 🗓	
AutoOpen drying	• (i)	
SensorDry	• (i)	
Active condensation drying	• 🛈	
BrilliantGlassCare	•	
Wash programmes		-
ECO	• (i)	
Automatic	• 🛈	
Intensive 75 °C	• (i)	
PowerWash 60 °C	• (i)	
Gentle	• (i)	
QuickPowerWash	• 🛈	
SaniWash	• (i)	
SolarSave	• (i)	
ExtraQuiet 38 dB(A)	• (i)	
Pasta/Paella	• ①	
Tall items 65°C	• ①	
Glasses warm Appliance care.	• (i)	
дрианое саге.	• •	
Dishwashing options		-
Extra dry	•	
IntenseZone	•	
Express	•	
AutoDos	• (i)	
extra clean	•	
Basket design		-
Cutlery loading	3D MultiFlex	tray (i)
FlexCare glass holder	4	
FlexCare cup rack	2	
Basket design	MaxiComfort 6	60 cm

Safety	-
Waterproof system	• 🛈
Filter indicator light	•
Safety lock	• (1)
Technical data	-
Niche width in mm	600 - 600
	845
Niche height in mm	-
Niche depth in mm	910 570
Appliance width in mm	598
Appliance height in mm	845
Appliance depth in mm	570
Depth with door open in cm	120.5
Net weight in kg	49.2
Total rated load in kW	2.0
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Energy stars	4.5
Water stars	6.0
Length of water inlet hose in m	1.50
Length of water drain hose in m	1.50
Length of supply lead in m	1.90
Min max. front panel weight in kg	3.0 - 10.0
[can be retrofitted by Service]	5.0 - 14.0
Replacing lamps	Customer Service

Installation sketch

Whether you want to replace a household appliance or planning a kitchen - under Downloads you will find all the relevant installation diagrams for your Miele appliance.

Downloads

Subject to technical changes; no liability accepted for the accuracy of the information given!

1 Patent: DE102008062761B3, EP2433549B1

2 EP2233061B1, US8297768B2

 $\boldsymbol{6}_{\mbox{ In the sensor wash gentle/ gentle programme}}$

7 EP1967121B1

8 DE102007008950B4, EP2120671B1

9 DE102006042486B3, EP1902659B1

 $10\,$ For details please refer to our warranty terms and conditions for water protection.



³ Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

4 German patent DE102009014023, European patent EP2233061B1

⁵ According to certification by the Institute for Integrative Hygiene and Virology with respect to the removal of enveloped and non-enveloped viruses (e.g. coronaviruses, influenza viruses or noroviruses) in the tested Hygiene and Intensive programmes, in all cases using PowerDisk/UltraTabs. Details on the test criteria can be found at www.miele.com/g7000-c.

User manuals | About us |
Member Benefits | Dealers |
Architects & Builders | Suppliers |
Careers | Press | Miele
Corporate | Data Protection |
Legal Information | Terms of Use |
Sitemap

