



WWI860 WCS PWash&TDos&9kg
W1 front loader washing machine: with TwinDos and SingleWash for laundry care that saves time and energy.

Price: \$ 3,199.00

: Lotus white



GO TO SHOP



More product information

W1 front loader washing machine: with TwinDos and SingleWash for laundry care that saves time and energy.

- Automatic detergent dispensing at the touch of a button – TwinDos ⓘ
- Cleaning could not be faster – QuickPowerWash ⓘ
- Perfect supplement for specific applications – CapDosing ⓘ
- Display & convenient operation at your fingertips – ComfortSensor
- Miele@home – clever networking opens up new possibilities* MobileControl ensure complete flexibility using the Miele App

Product details - WWI860 WCS PWash&TDos&9kg

Construction type	-
Suitable for stacking	• ⓘ
Side-by-side	• ⓘ
Slot-in	• ⓘ
Door hinge	right
Model	-
Product brand	W1 White Edition
Front-loader	•
Spinning	-
Max. spin speed	1,600
Rinse hold	•
"Without spin" function	•
Design	-

Appliance colour	Lotus white
Control panel colour	Lotus white
Door design	Obsidian black with chrome ring
Rotary selector colour	Lotus White / Chrome ring
Control panel version	5° incline
Control type	Rotary selector
Display	ComfortSensor white, 1 line




Cleaning performance	-
Innovative PowerWash technology	•
TwinDos automatic detergent dispensing	•
CapDosing portioned dispensing	•
Stains option	•
Proven virus hygiene	•

Gentle laundry care	-
Honeycomb drum	•
Load in kg	9.0



User convenience	-
Networking with Miele@home	•
Delay start up to 24 hours	•
Time left display	•
Programme sequence indicator	•
MultiLingua	•
AutoClean detergent drawer	•

Efficiency and sustainability	-
Hot water connection	•
EcoFeedback	•
Low temperature wash "Cold" and "20 °C"	•
Automatic load control	•
Flow meter	•
Foam sensing	•
ProfiEco motor	•


Wash programmes	-
QuickPowerWash	•
Automatic plus	•
Cottons (coloureds)	•
Minimum iron	•
Delicates	•
Shirts	•
Silk (hand-washable)	•
Woollens (hand-washable)	•
Express 20	•
Dark garments / Denim	•
Outerwear	•
Proofing	•
Sportswear	•
Down duvets	•
Pillows	•

Flows	• 
Down	•
Curtains	• 
Cottons hygiene	• 
Clean machine	•
Cottons arrow	•
First wash	•
Separate rinse/Starch	•
Drain / Spin	•
ECO 40-60	•

Drying programmes	-
Down-filled items	•

Washing extras	-
SingleWash	• 
Short	•
Soak	•
Pre-wash	•
Water plus	•
Additional rinse cycle	•
Extra quiet	•
Pre-ironing	•
Buzzer	•
AllergoWash	• 

Quality	-
Suds container	Stainless Steel
Counterweights made of cast iron	•

Safety	-
Water protection system	Water Control System 
Safety lock	•
PIN code lock	•
Optical interface	•

Technical data	-
Dimensions in mm (width)	596
Dimensions in mm (height)	850
Dimensions in mm (depth)	643
Appliance depth in mm with opened door	1,077.0
Weight in kg	94.00
Total rated load in kW	2.300
Voltage in V	230
Fuse rating in A	10
Length of supply lead in m	2

Standard accessories	-
3 Caps	•
UltraPhase 1+2	•
Voucher for 5 Miele UltraPhase cartridges	•

Installation sketch

Whether you want to replace a household appliance or planning a kitchen - under Downloads you will find all the relevant installation diagrams for your Miele appliance.

[Downloads](#)

Subject to technical changes; no liability accepted for the accuracy of the information given!

¹ Patent: EP 2 784 205

² Patent: EP 2 365 120

³ Tested by Albstadt-Sigmaringen University and awarded the gold label by the Institute for Integrative Hygiene and Virology (InFluenc_H). Applies to all models with TwinDos[®] and PowerWash in the Cottons hygiene 60 °C programme with the AllergoWash option. A description of the relevant methodology can be found at the following link: <https://www.miele.com/wa-c>

⁴ Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

⁵ Compared with the sole use of cold water in a 9 kg test wash in the Cottons 60 °C programme, hot water temperature 55 °C, room temperature 23 °C, no cold water in hot water line.



Shop | Miele@home | Contact |
User manuals | About us |
Member Benefits | Dealers |
Architects & Builders | Suppliers |
Careers | Press | Miele
Corporate | Data Protection |
Legal Information | Terms of Use |
Sitemap

