



G 7314 SCU AutoDos

Built-under dishwashers with automatic dispensing thanks to AutoDos with integrated PowerDisk.

Price: \$ 2,999.00

: Stainless steel/CleanSteel



GO TO SHOP



## More product information

Built-under dishwashers with automatic dispensing thanks to AutoDos with integrated PowerDisk.

Innovative design and maximum convenience – 3D MultiFlex Tray ⓘ  
Communication with the machine could not be easier – Miele@home  
Perfect results in less than one hour – QuickPowerWash ⓘ  
Fresh water dishwashers – from 6L in the Automatic programme.  
Versatile and secure – ExtraComfort basket design

## Product details - G 7314 SCU AutoDos

<b>Construction type</b>		-
Built-under dishwasher	• ⓘ	
60 cm dishwasher	•	
<b>Design</b>		-
Fascia colour	Stainless steel/CleanSteel	
Control panel version	Straight fascia	
Control type	Softkeys	
Display	1-line text display	
Display colour	White	
MultiLingua	•	
<b>Convenience</b>		-
Networking with Miele@home	• ⓘ	
Automatic dispensing with PowerDisk	• ⓘ	
Door closing aid	ComfortClose	
Operating noise dB(A) re 1 pW	43	
Time left display	• ⓘ	

Delay start up to 24 hours	• ⓘ
In-operation indicator light	Display
Display language selection	•
<b>Efficiency and sustainability</b>	<b>–</b>
Water consumption in the Automatic programme in l from	6.0
EcoFeedback	•
EcoPower technology	• ⓘ
Proven hygiene	• ⓘ
Hot water connection	• ⓘ
Half load	• ⓘ
<b>Gentle treatment of crockery and glassware</b>	<b>–</b>
Fresh water dishwasher	• ⓘ
AutoOpen drying	• ⓘ
SensorDry	• ⓘ
Active condensation drying	• ⓘ
BrilliantGlassCare	•
<b>Wash programmes</b>	<b>–</b>
ECO	• ⓘ
Automatic	• ⓘ
Intensive 75 °C	• ⓘ
PowerWash 60 °C	• ⓘ
Gentle	• ⓘ
QuickPowerWash	• ⓘ
SaniWash	• ⓘ
SolarSave	• ⓘ
ExtraQuiet 40 dB(A)	• ⓘ
Appliance care.	• ⓘ
<b>Dishwashing options</b>	<b>–</b>
Extra dry	•
IntenseZone	•
Express	•
AutoDos	• ⓘ
extra clean	•
<b>Basket design</b>	<b>–</b>
Cutlery loading	3D MultiFlex tray ⓘ
FlexCare glass holder	2
FlexCare cup rack	1
Basket design	ExtraComfort 60 cm
<b>Safety</b>	<b>–</b>
Waterproof system	• ⓘ
Filter indicator light	•
Safety lock	• ⓘ
<b>Technical data</b>	<b>–</b>

Niche width in mm	600 - 600
Niche height in mm	805 - 870
Niche depth in mm	570
Appliance width in mm	598
Appliance height in mm	805
Appliance depth in mm	570
Depth with door open in cm	116.5
Net weight in kg	49.2
Total rated load in kW	2.0
Voltage in V	230
Fuse rating in A	10
Number of phases	1
Energy stars	4.5
Water stars	6.0
Length of water inlet hose in m	1.50
Length of water drain hose in m	1.50
Length of supply lead in m	1.90

### Installation sketch

Whether you want to replace a household appliance or planning a kitchen - under Downloads you will find all the relevant installation diagrams for your Miele appliance.

[Downloads](#)

Subject to technical changes; no liability accepted for the accuracy of the information given!

<sup>1</sup> Patent: DE102008062761B3, EP2433549B1

<sup>2</sup> Additional digital offer from Miele & Cie. KG. All smart applications are made possible with the Miele@home system. The range of functions can vary depending on the model and the country.

<sup>3</sup> According to certification by the Institute for Integrative Hygiene and Virology with respect to the removal of enveloped and non-enveloped viruses (e.g. coronaviruses, influenza viruses or noroviruses) in the tested Hygiene and Intensive programmes, in all cases using PowerDisk/UltraTabs. Details on the test criteria can be found at [www.miele.com/g7000-c](http://www.miele.com/g7000-c).

<sup>4</sup> In the sensor wash gentle/ gentle programme

<sup>5</sup> EP1967121B1

<sup>6</sup> DE102007008950B4, EP2120671B1

<sup>7</sup> DE102006042486B3, EP1902659B1

<sup>8</sup> For details please refer to our warranty terms and conditions for water protection.



Shop | Miele@home | Contact |  
 User manuals | About us |  
 Member Benefits | Dealers |  
 Architects & Builders | Suppliers |  
 Careers | Press | Miele  
 Corporate | Data Protection |  
 Legal Information | Terms of Use |  
 Sitemap

