# Frontend Development with React.js

# **Project Documentation for Rhythmic Tunes**

#### 1. Introduction

Project Title: Rhythmic Tunes

Team id : SWTID1741251448153836

Team Members:

Joyel J (Team Leader) [Email Id: joyal6606@gmail.com]

# Harish P [Email Id: harishhari39210@gmail.com]

♣ Hariharan A [Email Id: amirthalingamsbi@gmail.com]

Henry Arokya [Email Id: henryarokya@gmail.com]

# 2. Project Overview

# • Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

#### • Features:

- Music player with play, pause, skip, and volume control.
  Search functionality to find songs, albums, and artists.
  User authentication (login/signup).
  Playlist creation and management.
- Responsive design for mobile and desktop.

### 3. Architecture

Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- o **Header**: Contains the navigation bar and search bar.
- Player: Music player controls (play, pause, volume, etc.).
  Sidebar: Displays
  user playlists and navigation links.
- HomePage: Displays featured tracks, recommended playlists, and new releases.
- SearchPage: Allows users to search for songs, albums, and artists.
- o **PlaylistPage**: Displays user-created playlists and allows playlist management.

### State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

## Routing:

The application uses **React Router** for navigation. Routes include:

```
 /: Home page o /search:
 Search page o /playlist/:id:
 Playlist details page o /login:
 User login page
```

### 4. Setup Instructions

# • Prerequisites:

- Node.js (v16 or higher)
- o npm (v8 or higher)
- o Git

### • Installation:

1. Clone the repository: git clone

https://github.com/Joyel2324/Rythimic-Tunes-joel-UNM1611212205048.git

2. Navigate to the client directory: cd rhythmic-tunes/client

- 3. Install dependencies: npm install
- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

#### 5. Folder Structure

#### Client:

src/components: # Reusable components (Header, Player, etc.)
 src/pages: # Page components (HomePage, SearchPage, etc.)
 src/assets: # Images, icons, and other static files of src/redux: #
 Redux store, actions, and reducers of src/utils: # Utility functions and helpers of App.js: # Main application component of index.js: #
 Entry point

### Utilities:

- o **api.js**: Handles API requests to the backend.
- o **auth.js**: Manages user authentication and token storage.
- o hooks/usePlayer.js: Custom hook for managing the music player state.

### 6. Running the Application

### Frontend:

- To start the frontend server, run the following command in the client directory:
  npm start
- o npm install o npx json-server ./db/db.json o npm run dev
- The application will be available at http://localhost:3000

### 7. Component Documentation

### Key Components:

- o **Header**: Displays the navigation bar and search bar.
  - Props: onSearch (function to handle search queries).
- Player: Controls the music playback.

- Props: currentTrack (object containing track details), onPlay, onPause, onSkip.
- o **PlaylistCard**: Displays a playlist with its name and cover image.
  - Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

### Reusable Components:

- o **Button**: A customizable button component.
  - Props: text, onClick, disabled.
- o **Input**: A reusable input field for forms and

search. • Props: type, placeholder, value, onChange.

## 8. State Management

#### Global State:

The Redux store manages the following global states:


- user: Current authenticated user.
- player: Current playing track, playback status (playing/paused), and volume. playlists: User-created playlists.
- searchResults: Results from the search functionality.

### Local State:


Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.

# 9. User Interface


• Screenshots O Home Page: Display featured tracks and recommended playlists.



o **Search Page:** Allows users to search for songs, albums, and artists.



 Playlist Page: Displays user-created playlists and allows playlist management.



# 10. Styling

# CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

# Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

# 11. Testing

# Testing Strategy:

- Unit Testing: Using Jest and React Testing Library.
- Integration Testing: Is performed to ensure that components work together as expected.
- End-to-End Testing: Cypress is used for end-to-end testing of user flows.

# Code Coverage:

 Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

#### 12. Screenshots or Demo

Demo Link:

https://github.com/Joyel2324/Rythimic-Tunes-joel-UNM1611212205048.git

• **Screenshots:** See section 9 for UI screenshots.

### 13. Known Issues

- Issue 1: The music player sometimes skips tracks unexpectedly.
- Issue 2: The search functionality is slow with large datasets.

### 14. Future Enhancements

- Future Features:
  - Add support for user profiles and social sharing.
    Implement a recommendation engine for personalized music suggestions.
  - o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.