POORNIMA

```
import 'dart:io';

import 'package:flutter/material.dart';
import 'package:path_provider/path_provider.dart';
import 'package:permission_handler/permission_handler.dart';

void main() {
  runApp(const MyApp());
}

class MyApp extends StatelessWidget {
  const MyApp({super.key});

@override
  Widget build(BuildContext context) {
  return MaterialApp(
    debugShowCheckedModeBanner: false,
    title: Flutter Storage Demo',
    theme: ThemeData(
    primarySwatch: Colors.indigo,
    useMaterial3: true,
    visualDensity: VisualDensity.adaptivePlatformDensity,
    ),
    home: const MyHomePage()
    );
  }
}
```

```
class MyHomePageState extends State<MyHomePage> {
final TextEditingController _textController = TextEditingController();
  String _savedData = " ";
  String _filePath = " ";

@override
    void initState() {
    super.initState();
    _requestPermission();
  }
Future<void> _requestPermission() async {
  var status = await Permission.storage.status;
  if (!status.isGranted) {
    status = await Permission.storage.request();
  }
  if (!status.isGranted) {
    ScaffoldMessenger.of(context).showSnackBar(
      const SnackBar(content: Text('Storage permission is required to save data'))
    );
  }
}

Future<String?> getLocalPath sync {
  try {
    final directory = await getExternalStorageDirectory();
    return directory?.path;
  } catch (e) {
    ScaffoldMessenger.of(context).showSnackBar(
      SnackBar(content: Text('Could not get directory: $e'))
    );
    return null;
  }
}
```

POORNIMA

```
Future<void> readData() async {
  final file = await localFile;
  if (file == NULL) {
    setState(() => _savedData = "Could not access file path");
    return;
  }
  try {
    if (await file.exists()) {
      final contents = await file.readAsString();
      setState(() => _savedData = contents);
    } else {
      setState(() => _savedData = "File not found. Save data first");
    }
  } catch (e) {
    setState(() => _savedData = "Error reading file: $e");
  }
}

Future<void> deleteData() async {
  final file = await localFile;
  if (file == null) return;
  try {
    if (await file.exists()) {
      await file.delete();
      setState(() => _savedData = "")
      ScaffoldMessenger.of(context).showSnackBar(
        const SnackBar(content: Text('Data deleted s
      );
    } else {
      ScaffoldMessenger.of(context).showSnackBar(
      const SnackBar(content: Text('No data to del
      );
    }
  } catch (e) {
    ScaffoldMessenger.of(context).showSnackBar(
      SnackBar(content: Text('Error deleti
    );
  }
```


Scanned with OKEN Scanner

```
  _textController.clear();
  }

@Override
Widget Build(BuildContext context) {
  return Scaffold(
    Body: SafeArea(
    child: Padding(
      padding: const EdgeInsets.Symmetric(horizontal: 24.0, vertical: 16.0),
      child: Column(
        CrossAxisAlignment: CrossAxisAlignment.Start,
          Children: <Widget>[
            Text(
            'SDCard Storage',
            Style: Theme.of(context).textTheme.headlineMedium?.copyWith(fontWeight:
                                                                  FontWeight.bold,
            Text Align: TextAlign.center,
            ),
            const SizedBox(height: 32)
              TextField(
                controller: _textController,
                Decoration: const InputDecoration(
                  label Text: 'Enter data',
                  border: OutlineInputBorder(),
                  prefix Icon: Icon(Icons.edit),
                ),
              ),

            const SizedBox(height: 8),
            ElevatedButton.icon(
              onPressed: _readData,
              icon: const Icon(Icons.file_download),
              label: const Text('Read Data'),
            ),
            const SizedBox(height: 8),
              Expanded(
                child: Card(
                  elevation: 2,
                  child: Padding(
                    padding: const EdgeInsets.all(12.0),
                    child: SingleChildScrollView(
                      child: Text(_savedData.isEmpty ? 'No Data Found' :
                        _savedData, Style: Theme.of(context).textTheme.bodyLarge),
                    ),
                  ),
                ),
              ),
            const SizedBox(height: 8),
              ElevatedButton.icon(
                onPressed: _deleteData,
                icon: const Icon(Icons.delete_forever),
                label: const Text('Delete Data'),
                Style: ElevatedButton.styleFrom(Background Color: Colors.red,
              ),
          ],
        ),
      ),
    ),
  );
}
```



```
import dart:
import 'dart:convert';
import 'package:flutter/material.dart';
import 'package:geolocator/geolocator.dart';
import 'dart:developer' as developer;
void main() {
  runApp(GPSApp());
}

class GPSApp extends StatelessWidget {
@override
  Widget Build(BuildContext context) {
  return MaterialApp(
    debugShowCheckedModeBanner: false,
    title: 'GPS Location App',
    home: GPSHomePage(),
  );
}

class GPSHomePage extends StatefulWidget {
@override
  GPSHomePageState createState() => _GPSHomePageState();
}

class _GPSHomePageState extends State<GPSHomePage> {
  String location Text = "Press the button to get location";
  bool isTerminationPermanently Denied = false;
```


Scanned with OKEN Scanner