





QEMU (Win-1)
C:\WINDOWS\system32\cmd.exe
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 10.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 10.0.0.1
C:\Documents and Settings\user>ping 40.0.0.10
Pinging 40.0.0.10 with 32 bytes of data:
Reply from 40.0.0.10: bytes=32 time=2ms TTL=125
Reply from 40.0.0.10: bytes=32 time=1ms TTL=125
Reply from 40.0.0.10: bytes=32 time=1ms TTL=125
Reply from 40.0.0.10: bytes=32 time=2ms TTL=125
Ping statistics for 40.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>


R1
R1(config)#
R1(config)#exut
^
% Invalid input detected at '^' marker.
R1(config)#exit
R1#sh ip
*Nov 5 15:24:10.181: %SYS-5-CONFIG_I: Configured from console by console
R1#sh ip ei
*Nov 5 15:25:40.941: %DUAL-5-NBRCHANGE: EIGRP-IPv4 1: Neighbor 20.0.0.2 (Ethern
et0/1) is up: new adjacency
R1#sh ip ei
% Incomplete command.
R1#
R1#sh ip eigrp neighbor
EIGRP-IPv4 Neighbors for AS(1)
H Address Interface Hold Uptime SRTT RTO Q
Seq
(sec) (ms) Cnt
Num
0 20.0.0.2 Et0/1 13 00:02:12 5 100 0
3
R1#


R2
R2(config-router)#exit
R2(config)#exit
R2#
*Nov 5 15:25:58.087: %SYS-5-CONFIG_I: Configured from console by console
R2#
*Nov 5 15:27:21.408: %DUAL-5-NBRCHANGE: EIGRP-IPv4 1: Neighbor 30.0.0.2 (Ethern
et0/1) is up: new adjacency
R2#
*Nov 5 15:27:50.401: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Confi
g Wizard)
R2#
R2#
R2#sh ip eigrp neighbor
EIGRP-IPv4 Neighbors for AS(1)
H Address Interface Hold Uptime SRTT RTO Q
Seq
(sec) (ms) Cnt
Num
1 30.0.0.2 Et0/1 10 00:00:53 5 100 0
4
0 20.0.0.1 Et0/0 10 00:02:33 1021 5000 0
4
R2#
R2#


R3
R3(config-router)#network 30.0.0.0
R3(config-router)#
*Nov 5 15:27:21.413: %DUAL-5-NBRCHANGE: EIGRP-IPv4 1: Neighbor 30.0.0.1 (Ethern
et0/1) is up: new adjacency
R3(config-router)#network 40.0.0.0
R3(config-router)#
R3(config-router)#exit
R3(config)#exit
R3#
*Nov 5 15:27:34.842: %SYS-5-CONFIG_I: Configured from console by console
R3#
*Nov 5 15:27:51.667: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Confi
g Wizard)
R3#
R3#
R3#sh ip eigrp neighbor
EIGRP-IPv4 Neighbors for AS(1)
H Address Interface Hold Uptime SRTT RTO Q
Seq
(sec) (ms) Cnt
Num
0 30.0.0.1 Et0/1 11 00:01:15 1278 5000 0
7
R3#


QEMU (Win-2)
C:\WINDOWS\system32\cmd.exe
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 40.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 40.0.0.1
C:\Documents and Settings\user>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time=1ms TTL=125
Reply from 10.0.0.10: bytes=32 time=1ms TTL=125
Reply from 10.0.0.10: bytes=32 time=2ms TTL=125
Reply from 10.0.0.10: bytes=32 time=1ms TTL=125
Ping statistics for 10.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>