




C:\WINDOWS\system32\cmd.exe
Microsoft Windows XP [Version 5.1.2600]
(C) Copyright 1985-2001 Microsoft Corp.
C:\Documents and Settings\user>ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
Autoconfiguration IP Address. . . : 169.254.217.87
Subnet Mask . . . . . : 255.255.0.0
Default Gateway . . . . . :
C:\Documents and Settings\user>ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 162.14.0.10
Subnet Mask . . . . . : 255.255.0.0
Default Gateway . . . . . : 162.14.0.1
C:\Documents and Settings\user>ping 10.0.0.10
Pinging 10.0.0.10 with 32 bytes of data:
Reply from 10.0.0.10: bytes=32 time=4ms TTL=123
Reply from 10.0.0.10: bytes=32 time=3ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Reply from 10.0.0.10: bytes=32 time=2ms TTL=123
Ping statistics for 10.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 2ms, Maximum = 4ms, Average = 2ms
C:\Documents and Settings\user>_


Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 10.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 10.0.0.1
C:\Documents and Settings\user>ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 10.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 10.0.0.1
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 162.14.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>
C:\Documents and Settings\user>ping 162.14.0.10
Pinging 162.14.0.10 with 32 bytes of data:
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Reply from 162.14.0.10: bytes=32 time=2ms TTL=123
Ping statistics for 162.14.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:


C:\WINDOWS\system32\cmd.exe
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 15.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 15.0.0.1
C:\Documents and Settings\user>ping 10.0.0.0
Pinging 10.0.0.0 with 32 bytes of data:
Reply from 20.0.0.1: bytes=32 time=2ms TTL=252
Reply from 20.0.0.1: bytes=32 time=1ms TTL=252
Reply from 20.0.0.1: bytes=32 time=1ms TTL=252
Reply from 20.0.0.1: bytes=32 time=2ms TTL=252
Ping statistics for 10.0.0.0:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>


C:\WINDOWS\system32\cmd.exe
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 10.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . : 10.0.0.1
C:\Documents and Settings\user>ping 15.0.0.0
Pinging 15.0.0.0 with 32 bytes of data:
Reply from 172.19.0.2: bytes=32 time=2ms TTL=252
Reply from 172.19.0.2: bytes=32 time=1ms TTL=252
Reply from 172.19.0.2: bytes=32 time=1ms TTL=252
Reply from 172.19.0.2: bytes=32 time=2ms TTL=252
Ping statistics for 15.0.0.0:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>