

Abstract

Introduction The “MindFlow” project introduces a conceptual multimodal biofeedback and VR platform designed to help adult students and working professionals rapidly achieve and maintain deep focus within complex, high-pressure environments. By integrating Generative AI (GenAI) with real-time biofeedback, the system aims to quantify an individual’s cognitive limits and cultivate a “mind anchor”. The primary objective is to provide a closed-loop architecture that allows adult learners to monitor fatigue thresholds and transfer trained focus abilities into real-world academic and professional scenarios.

Literature Review The feasibility of this artifact is grounded in recent neuroscience and psychological studies confirming that VR-based biofeedback significantly improves emotional self-regulation and induces positive functional brain changes. Recent research [4], [5] supports the efficacy of these interventions in alleviating anxiety-related symptoms and improving recovery quality. Furthermore, by applying Cognitive Load Theory, the system utilizes GenAI to maintain users in the “zone of proximal development,” ensuring that skills acquired within the immersive environment are robust enough to be transferred to complex, real-life pathological or high-stress conditions.

Design Process This project strictly follows the standard “Empathize-Define-Ideate-Prototype-Test” design thinking process. During the Empathize and Define stages, in-depth interviews with students and professionals revealed that the core user pain points are the inability to quantify cognitive states and low efficiency per unit of time. Consequently, the problem was reframed as: how to design a safe system that simulates high-pressure environments while enabling users to master focus skills through active regulation. In the Ideate stage, the team utilized GenAI to filter and

narrow down over 20 creative concepts, ultimately establishing the “MindFlow” solution, which features “radar chart diagnosis” and “mental anchor” implantation as its core functions. Subsequently, Prototype development progressed from paper prototypes for validating interaction logic, to a “Wizard of Oz” process prototype using existing VR games to simulate flow state mechanisms, and finally to a high-fidelity conceptual rendering including a HUD for real-time stress monitoring and test result feedback. During the Test stage, conceptual evaluations validated that the system’s core Unique Value Proposition (UVP) is highly aligned with target user needs, particularly the real-world transferability of ‘digital anchors’.

Solution and prototype Description The MindFlow system consists of three major modules: the diagnostic engine, the training engine, and “psychological anchor” implantation, aiming to construct a closed-loop architecture of “real-time biofeedback and AI adaptive intervention”. Through lightweight VR headsets, bio-sensing rings, and a GenAI engine, the system simulates specific scenarios such as high-pressure thesis defenses for users. This solution can monitor physiological indicators in real time and dynamically adjust scenario difficulty and ambient light effects to guide and strengthen the user’s state of focus. Ultimately, the system provides quantitative feedback via a “capability radar chart” and utilizes “psychological anchor” implantation technology to transfer the sense of calmness gained from immersive training to real-world high-pressure environments, such as actual exam halls.

Evaluation The evaluation phase utilized the Lean Canvas framework to assess the platform’s business viability. Results confirmed a strong market demand for the platform’s unique value proposition. To ensure sustainable growth, MindFlow adopts a hybrid business model combining upfront hardware sales with SaaS subscriptions, offering a scalable solution to cognitive fatigue in high-pressure environments.

Discussion The findings highlight a shift in user expectations toward active, data-driven productivity tools with high ecological validity. To address ethical concerns and prevent workplace data misuse, diagnostics are strictly confined to focus-related metrics, explicitly excluding general intelligence assessments. Furthermore, future development outlines a synergistic, enterprise-subsidized skill-building ecosystem and the system’s expansion into high-precision professional fields.

Conclusion In conclusion, the MindFlow project successfully conceptualizes an innovative closed-loop framework integrating real-time physiological monitoring with GenAI-driven scenario adaptation. Through core contributions like the “Mental Anchor” and data-driven cognitive visualization, the platform provides a tangible, actionable mechanism for transferring virtual focus skills into reality. This significantly advances how individuals objectively manage their cognitive resources in an efficiency-driven society.

Acknowledgements

We would like to express our sincere gratitude to Professor Shengnan Han for the invaluable guidance, supervision, and academic insights provided throughout the development of this project. We also extend our thanks to our Teaching Assistant, Martin Hansson, for his continuous support and helpful feedback.

A special thank you goes to Mathilda Fyhr and Robin Dagdeviren, Business Coaches at Drivhuset, for their expert advice and for helping us bridge the gap between our conceptual idea and its practical business viability.

Finally, we are deeply grateful to the 15 undergraduate and graduate students who generously participated in our survey. Your time and honest feedback were essential in evaluating the MindFlow concept.

Abbreviations

Abbreviation	Description
GenAI	Generative Artificial Intelligence
VR	Virtual Reality
AI	Artificial Intelligence
SaaS	Software as a Service
HUD	Head-Up Display
UI	User Interface
BOM	Bill of Materials
API	Application Programming Interface
HRV	Heart Rate Variability
UVP	Unique Value Proposition
DAU	Daily Active User
POV	Point of View
CPA	Certified Public Accountant

List of Figures

3.1	Prototyping-Story board	8
3.2	Wizard of Oz	9
4.1	Mindflow System Architecture	12
4.2	Real-world Transfer of the Digital Anchor	14
D.1	Scene Illustration D.1: The MindFlow experience zone setup, featuring the lightweight VR headset, the bio-sensing ring, and the GenAI training engine interface.	40
D.2	Scene Illustration D.2: A first-person VR perspective demonstrating the adaptive adversarial scenario. The red halo at the periphery serves as an “Ambient Feedback” stress warning	40
D.3	Scene Illustration D.3: The Cognitive Ability Radar Chart generated post-training, visualizing dimensions such as “Auditory Interference Resistance” and highlighting specific cognitive bottlenecks.	41

Contents

Abstract	v
Acknowledgements	ix
Abbreviations	xi
List of Figures	xiii
Contents	xv
1 Introduction	1
1.1 Purpose and Scope	1
1.2 Relevance to Real-world Practices	2
2 Literature Review	3
2.1 AI for Business Creativity and Innovation	3
2.2 Closed-loop Biofeedback and Neuromodulation	3
2.2.1 Closed-loop Biofeedback & Neuromodulation Mechanisms	3
2.2.2 Psychological Intervention in Immersive VR	4
2.2.3 Feasibility and Transferability	4
2.3 Business Model Analysis (Lean Canvas)	5
3 Design Process	7
3.1 Design Thinking Process	7
3.1.1 Empathize	7
3.1.2 Define	7
3.1.3 Ideate	8
3.1.4 Prototyping	8
3.2 Testing and Evaluation	9

4	Solution	11
4.1	Solution Description	11
4.2	User Journey Story	11
5	Evaluation	15
5.1	Lean Canvas Deep-Dive Analysis	15
5.2	Business Innovation and Creativity	16
6	Discussion	19
6.1	Interpretation of Results	19
6.2	Comparison with Prior Work	19
6.3	Ethical Issues and Societal Impacts	20
6.4	Limitations and Future Work	20
7	Conclusion	23
	Bibliography	25
	Appendices	27

1

Introduction

1.1 Purpose and Scope

This project aims to develop “MindFlow,” a conceptual multimodal biofeedback and Virtual Reality (VR) platform designed to combat cognitive fatigue and focus degradation in high-pressure knowledge-work scenarios. The system provides a closed-loop architecture that deeply integrates Generative AI (GenAI) with real-time biofeedback. This integration dynamically simulates real-life stress scenarios to quantify users’ cognitive boundaries via a six-dimensional radar chart. Furthermore, it incorporates “mental anchoring” training—establishing conditioned reflexes between specific hand gestures and high-focus states—to seamlessly transfer focus capabilities acquired in the virtual environment into real-world applications.

In terms of scope, MindFlow is specifically tailored for adult learners and workplace professionals with a strong desire to enhance their focus. This target demographic encompasses college and graduate students managing high-intensity academic workloads, research personnel requiring sustained productivity, and professionals preparing for major career assessments. While improved focus may secondarily alleviate stress, the clinical treatment of anxiety or sleep disorders remains strictly outside the scope of this project.

1.2 Relevance to Real-world Practices

In today's efficiency-driven society, individuals face increasingly severe cognitive challenges. Research from the University of California, Irvine demonstrates that task interruptions impose substantial cognitive switching costs, often requiring more than 20 minutes to fully regain focus [9]. When this loss is multiplied by the frequency of daily interruptions, the effective working hours of knowledge workers are significantly reduced, resulting in industry estimates of hundreds of billions of dollars in annual productivity losses [10]. Consequently, these invisible bottlenecks severely undermine an individual's capacity to sustain a state of deep work.

First, regarding invisible bottlenecks, students and researchers in traditional education systems often lack objective data regarding their "optimal cognitive state" or "mental fatigue threshold." [12] Educational psychology research highlights that traditional learning environments predominantly rely on subjective self-reporting, which fails to provide real-time, objective physiological data to accurately understand an individual's deep learning state [12]. Second, there is a lack of effective tools; smart wristbands or Pomodoro timers can only track physiological indicators or time, failing to establish a correlation between data and actual learning efficiency. Finally, there is a difficulty in skill transfer, as traditional brain-training games lack ecological validity, meaning the skills users acquire in-game are difficult to transfer to real-world scientific research tasks that require high levels of concentration. MindFlow addresses these issues effectively by providing a closed-loop solution consisting of "Visualized Diagnosis + Scenario-based Training + Real-world Transfer Switch."

2

Literature Review

2.1 AI for Business Creativity and Innovation

The emergence of Generative AI (GenAI) has completely revolutionized the business logic of cognitive training. Traditional VR training relies on expensive, scripted, and fixed scenarios that struggle to adapt to diverse user needs. Regarding adaptive innovation, GenAI enables the system to dynamically generate adversarial scenarios based on a user's real-time biofeedback. This capability shifts the business value from selling standardized content to providing personalized services. Furthermore, concerning value proposition reshaping, by leveraging AI's multimodal analysis capabilities, MindFlow can capture abstract biological data and transform it into intuitive capability radar charts, thereby unlocking an entirely new form of data value.

2.2 Closed-loop Biofeedback and Neuromodulation

2.2.1 Closed-loop Biofeedback & Neuromodulation Mechanisms

Latest neurological evidence provides fundamental support for the system's effectiveness. Regarding empirical evidence on emotional regulation, recent research indicates that neurofeedback-driven emotional regulation training within a VR environment can significantly enhance an individual's self-regulation capabilities against psychological stress [2]. Furthermore, neurological evidence confirms that auxiliary training combining VR and

biofeedback can trigger positive changes in brain function [3]. This provides a clinical biological basis for the system’s mechanism of “intervening in cognitive states through physiological indicators”.

2.2.2 Psychological Intervention in Immersive VR

VR environments provide more than just immersion; they serve as an effective medium for improving depression, anxiety, and sleep quality. In terms of symptom improvement, randomized controlled studies have found that VR-based biofeedback has significant effects on alleviating symptoms of depression and anxiety [4]. Additionally, regarding sleep and recovery, it has been further confirmed that this intervention method can improve sleep quality issues resulting from anxiety or depression [5]. Drawing on the physiological mechanisms of clinical neurofeedback, this study repositions the core paradigm from pathological intervention to performance optimization, aiming to enhance output through cognitive load reduction instead of psychological therapy. This series of studies supports the value of MindFlow in reducing “invisible bottlenecks” and anxiety generated by high-pressure environments for adult learners.

2.2.3 Feasibility and Transferability

The design of this system emphasizes its practicality in real-life scenarios. In terms of clinical feasibility, studies comparing VR with traditional biofeedback have validated the feasibility of VR solutions under complex pathological conditions [6]. This suggests the robustness of such systems when used by the general public for high-intensity cognitive training. Furthermore, regarding cognitive load and transfer, Cognitive Load Theory [7] indicates that MindFlow can dynamically adjust adversarial difficulty via AI to maintain the user within the “Zone of Proximal Development”. This ensures that the “digital anchoring” skills acquired in VR can effectively transfer to real-world high-pressure academic or professional scenarios. While previous studies [4], [5] primarily focus on clinical populations with depression and anxiety, this project posits that the underlying mechanism—using VR-based biofeedback for emotional self-regulation—is highly transferable. By adapting these clinical neuro-modulation principles, MindFlow shifts the application towards non-clinical, high-performing populations aiming to optimize focus under acute situational stress.

2.3 Business Model Analysis (Lean Canvas)

To ensure the feasibility of digital innovations and effectively map out business strategies, the Lean Canvas framework is widely utilized in early-stage product development. Adapted by Ash Maurya from the traditional Business Model Canvas, the Lean Canvas is specifically tailored for startups and disruptive technologies [8]. Rather than focusing on lengthy business plans, it provides a structured, one-page framework that deconstructs a business model into nine distinct building blocks. This approach prioritizes addressing high-risk areas first—such as deeply understanding the user’s problem and defining a compelling Unique Value Proposition (UVP)—before investing heavily in the solution itself [8]. In the context of cognitive training and biofeedback platforms, applying the Lean Canvas helps ensure that technological solutions are tightly aligned with actual user needs, thereby validating the market demand and establishing a sustainable revenue model through rapid iteration and empirical validation.

3

Design Process

3.1 Design Thinking Process

This project adopts the Design Thinking methodology [11], a human-centered approach to innovation that integrates the needs of people, the possibilities of technology, and the requirements for business success. Specifically, it follows the five-stage “Empathize-Define-Ideate-Prototype-Test” process:

3.1.1 Empathize

During the empathize stage, we conducted in-depth interviews with target users, including students preparing for exams and university faculty. The most important finding identified in this phase was the users’ core pain point: low efficiency per unit of time and the severe anxiety caused by an inability to quantify this state of low productivity. Users frequently reported feeling overwhelmed by constant attention switching.

3.1.2 Define

Based on these emotional insights, we reframed the problem during the define stage. The critical objective became designing a system that safely simulates various high-pressure environments while empowering users to actively regulate their own mental state. Consequently, we established visualization, portability, and safety as our core design principles to guide the subsequent development.




Figure 3.1: Prototyping-Story board

3.1.3 Ideate

In the ideation stage, we utilized GenAI as a brainstorming partner to generate over 20 creative solutions. A major conceptual change occurred here: our initial, overly broad idea of a “God’s eye view” personality-shaping system was significantly narrowed down. We pivoted to a device focused entirely on specific cognitive activation and enhancement, ultimately establishing the “MindFlow” concept with “Radar Chart Diagnosis” and “Mental Anchor Implantation” as its core functions.

3.1.4 Prototyping

Prototype development progressed through three distinct stages to iteratively validate our concept and implement crucial design changes:

Paper Prototype: We initiated the process with hand-drawn sketches to visualize the user wearing the device and the UI layout within their field of vision. The most important goal at this early stage was to quickly and cost-effectively validate the basic interaction logic before committing to complex digital development.

Process Prototype (Wizard of Oz): Next, we developed a simulation utilizing an existing VR game (“Keep Talking and Nobody Explodes”) paired with fitness wristbands to monitor metrics like heart rate and HRV. It was




Figure 3.2: Wizard of Oz

crucial at this stage to verify the logical feasibility of the “Flow State Anchor” trigger mechanism in a simulated high-pressure environment. Through this manual simulation, we confirmed the critical need for seamless integration between physical gestures and physiological feedback.

High-Fidelity Conceptual Rendering: Finally, we created high-fidelity renderings featuring a Head-Up Display (HUD) and the Cognitive Radar Chart. A significant design change occurred during this phase based on insights from the previous simulations: we discovered that a real-time numerical dashboard caused user distraction. Consequently, we changed the design to utilize “Ambient Feedback.” We replaced explicit numbers with subtle visual cues—such as a red halo for high stress and an imperceptible cool tone for flow states—which fundamentally improved the user’s ability to maintain focus comfortably.

3.2 Testing and Evaluation

At this initial stage, a pre-evaluation survey was conducted. To validate the market potential of the design concept, a sample survey of 15 undergraduate and graduate students was carried out during the prototyping phase. The demand analysis revealed that 80% of respondents expressed a “strong desire” to see their own cognitive ability radar chart, believing it would eliminate the sense of confusion regarding their personal mental state. Furthermore, regarding the recognition of functional transferability, 73% of respondents showed high approval of the “Digital Anchor” concept, identifying the ability to “bring one’s mental state into the exam hall” as the

product's greatest appeal. In terms of willingness to use, 67% of users expressed a willingness to try the service on a paid basis. However, primary concerns were centered on wearing comfort and the potential for motion sickness. In conclusion, the survey results verified that MindFlow's Unique Value Proposition (UVP) is highly aligned with the needs of the target users ; simultaneously, it indicates that subsequent hardware selection must prioritize lightweight design.

4

Solution

4.1 Solution Description

The MindFlow system consists of three core modules: the Diagnostic Engine (which generates radar charts), the Training Engine (AI-driven adversarial training), and the “Digital Anchor” (the switch for real-world transfer).

The Training Engine utilizes a dynamic data-mapping model. Real-time physiological metrics (such as a spike in heart rate or drop in Heart Rate Variability) are quantified and fed into the GenAI engine as prompt modifiers. For instance, if the sensor detects sub-optimal stress (boredom), the GenAI automatically alters the scenario prompt to increase the aggression of the virtual interviewers or add ambient distractors. Conversely, if cognitive overload is detected, the AI softens the environmental variables, creating a true closed-loop adaptive system.

4.2 User Journey Story

Protagonist: Xiao Lin, 25 years old, a second-year graduate student. He is currently revising his thesis and strengthening his professional knowledge in preparation for his final defense assessment and interviews with new companies. He often spends the entire day sitting in the library but feels unable to settle his mind and focus, as he is easily distracted by mobile phone notifications or people walking around.

Scene 1: Initial Contact — Beginning Cognitive Exploration




Figure 4.1: Mindflow System Architecture

Xiao Lin arrived at the newly built “MindFlow” experience zone in the library. Inside a testing room, he saw a table with a lightweight VR headset, a minimalist-designed bio-sensing ring, and a computer display screen featuring an interactive GenAI training engine (see Appendix D, Figure D.1 for the conceptual hardware setup).

Visual Description: A clean desk in a room, featuring a streamlined silver-white VR headset. Next to it is a black ring (bio-sensor) emitting a faint blue light and a computer monitor (interactive GenAI training engine). The screen displays two options: “On-site Test” and “Download GenAI Training Engine Application.” At the edge of the desk stands a promotional board that reads: “MindFlow: Activate Your Potential.”

User Psychology: Curious and expectant. Hoping to identify the cause of his low study efficiency through this experience.

Scene 2: Immersive Experience — Awakening Under Pressure

The sensing ring detected that the user’s stress level was low and his heart rate was very stable. Based on the biofeedback data, the GenAI training engine analyzed that the user was not fully immersed in the scenario. Consequently, it adjusted the VR environment: the interviewers expressed dissatisfaction with Xiao Lin’s response and began questioning him in turns to apply pressure, demanding a more detailed and professional explanation while constantly pointing out flaws in his statements. Simultaneously, simulated background noises (the sound of pages turning, coughing) began to play.

As Xiao Lin's heart rate accelerated, a red halo gradually appeared at the periphery of his vision as a stress warning (illustrated in Appendix D, Figure D.2). Detecting excessive stress, the GenAI engine immediately adjusted the VR scene and reduced the noise. Xiao Lin then became fully immersed in answering the AI examiners' questions, entering a state of sustained focus. When the AI examiner congratulated him on completing all the assessment questions, Xiao Lin felt an unprecedented sense of joy. At that moment, the system prompted him to squeeze the ring to memorize the sensation of focus, allowing his body to establish a connection between that feeling and the physical action.

Visual Description: A first-person VR perspective facing a panel of AI examiners. The environment is highly dynamic: the examiners' expressions shift to look critical and dissatisfied, leaning in to apply pressure. As the tension builds, a red warning halo gradually fades in around the outer edges of the user's field of vision. Once the system detects excessive stress and reduces ambient noise, the red halo subsides into a calm, clear view. Finally, an on-screen prompt softly appears: "Assessment Complete. Squeeze ring to anchor your focus."

User Psychology: Initially somewhat casual and not fully engaged. This attitude quickly turns into tension and a spike in anxiety as the AI examiners become aggressive and background noises increase. Once the GenAI engine dials back the excessive pressure, the initial panic smoothly transforms into a highly productive state of "flow" and sustained deep focus. The session concludes with a strong sense of joy and accomplishment, making the physical anchoring action feel deeply rewarding.

Scene 3: Data Feedback — Visualizing the Limits

After the 20-minute training session, Xiao Lin took off the headset. His training report immediately popped up on the computer screen.

Visual Description: A close-up of the computer screen. In the center of the screen is a cognitive ability radar chart with dimensions titled: "Auditory Interference Resistance," "Logical Response Speed," "Emotional Resilience," "Memory Span," and "Sustained Focus Duration." Among these, the "Auditory Interference Resistance" dimension shows a significant dip and is highlighted as a "red" weak point (refer to Appendix D, Figure D.3 for the detailed UI mockup).

User Psychology: A moment of sudden realization. "It's not that I'm not smart; I'm just way too easily affected by noise."

Scene 4: Real-world Transfer — The "Plugin" in the Exam Hall



Figure 4.2: Real-world Transfer of the Digital Anchor

A week later, Xiao Lin is in a real final examination hall. A classmate nearby is spinning a pen, making a constant “click-clack” sound, and Xiao Lin begins to feel irritable.

User Psychology: A real classroom setting with a slightly blurred background. Xiao Lin is sitting at his desk, looking deeply focused. His left hand is gently squeezing his index finger (even though he is not wearing the ring).

Result: This movement triggers a conditioned reflex in his brain (the “Anchor”). He instantly recalls the sense of calm from his VR training; the irritability vanishes, and he refocuses entirely on answering the exam paper.

5

Evaluation

5.1 Lean Canvas Deep-Dive Analysis

The business viability of the MindFlow platform is evaluated using the Lean Canvas framework, supported by empirical data from our initial user survey involving 15 target users.

Problem: Knowledge workers and students struggle to maintain concentration in high-pressure environments. They lack objective, quantified data regarding their own cognitive states, leading to unproductive “invisible bottlenecks.”

Customer Segments: Our primary customer segments are early adopters, such as university students facing intensive academic workloads, followed by mass users like white-collar professionals undergoing high-stress career assessments.

Unique Value Proposition (UVP): MindFlow offers an “active enhancement” of cognitive resilience without relying on medication. The core value lies in the “Mental Anchor,” which allows users to fix a focused state in VR and transfer it to real-world physical gestures.

Solution: The system provides an integrated closed-loop architecture combining VR immersion, bio-sensing hardware (rings/wristbands), and GenAI-driven adaptive adversarial training.

Channels: We plan to reach these users online via knowledge-sharing platforms and “Study with me” influencers, and offline through university library experience zones.

Revenue Streams: To ensure sustainable growth, MindFlow adopts a hybrid revenue model consisting of upfront hardware sales and recurring SaaS subscriptions for personalized GenAI training modules.

Cost Structure: Primary expenditures include GenAI model API usage, hardware Bill of Materials (BOM), and content development. Notably, optimizing a lightweight BOM is a prioritized cost center.

Key Metrics: We will measure success by tracking Daily Active User (DAU) duration and the “Mental Anchor Trigger Success Rate”—evaluating how effectively users apply the training in real-world scenarios.

Unfair Advantage: MindFlow’s defensibility lies in its dynamic data-mapping model. Real-time physiological metrics continuously modify GenAI prompts, creating a highly personalized, self-correcting training loop that generic applications cannot easily replicate.

The assumptions within this canvas are strongly validated by our empirical data. For instance, 80% of target users expressed a strong desire for the visualized cognitive data, 73% highly recognized the functional transferability of the “Mental Anchor” , and 67% expressed a willingness to pay for the service.

5.2 Business Innovation and Creativity

The creativity of the MindFlow prototype is evaluated across six key dimensions:

Originality: The most innovative aspect of MindFlow is the conceptualization of the “Digital Anchor”. Instead of limiting cognitive enhancement to the virtual environment, associating a trained state of focus with a physical gesture bridges the gap between VR and reality, offering a highly original solution to the problem of skill transfer.

Relevance: The solution directly addresses a validated market need. Our preliminary sample survey demonstrated that 80% of target users strongly desire a quantified “cognitive ability radar chart,” and 73% highly recognized the practical value of the digital anchor for real-world application.

Complexity: The prototype demonstrates deep technical intricacy through its closed-loop architecture. By utilizing GenAI to dynamically adjust adversarial scenarios (e.g., ambient noise, interviewer aggression) based on real-time physiological indicators (HRV, heart rate), the system continuously maintains the user within their “Zone of Proximal Development”.

Flexibility: The GenAI engine allows the training modules to be infinitely adaptable. The platform can simulate a wide array of high-pressure

contexts, ranging from academic exams to noisy corporate environments, making it highly flexible to different user segments.

Elaboration: The idea is thoroughly explored through a structured multi-stage design process, progressing from paper prototypes to a “Wizard of Oz” simulation, and culminating in high-fidelity conceptual renderings featuring a Head-Up Display (HUD).

6

Discussion

6.1 Interpretation of Results

The evaluation results and user feedback confirm that the MindFlow prototype successfully addresses the three core problems identified in the introduction. First, regarding invisible bottlenecks, the system’s Cognitive Radar Chart transforms abstract mental fatigue into objective, visualized data, directly solving the user’s lack of self-awareness regarding their optimal cognitive state. Second, to address the lack of effective tools, the integration of real-time biofeedback with GenAI scenarios shifts the paradigm from passive tracking (like traditional Pomodoro timers) to active, adaptive intervention. Finally, to overcome the difficulty in skill transfer, the platform’s “Mental Anchor” mechanism ensures high ecological validity. By linking a VR-trained focus state to a physical gesture, users can successfully and practically transfer their enhanced cognitive resilience into real-world, high-pressure environments.

6.2 Comparison with Prior Work

When compared to prior work, MindFlow offers significant functional advancements. Unlike traditional tools such as Pomodoro timers that only track time, MindFlow actively correlates physiological biofeedback with actual cognitive fatigue and learning efficiency. Furthermore, compared to static meditation apps like Headspace, MindFlow utilizes GenAI to generate real-time, adaptive, and adversarial scenarios, shifting the user from

passive listening to active stress-inoculation training. Ultimately, Mind-Flow innovates beyond clinical neurofeedback by translating expensive, clinical-grade medical technology into a consumer-friendly, accessible platform for the general population.

6.3 Ethical Issues and Societal Impacts

The implementation of this system raises several ethical and societal considerations that must be carefully managed. Regarding data privacy, the platform collects sensitive physiological data such as HRV. To mitigate risks, future implementations must enforce strict data anonymization, prioritize edge computing for local data processing, and ensure explicit informed consent. Societally, there is a risk that such technologies could be misused by employers to force performance optimization, potentially exacerbating employee burnout. Therefore, the system incorporates a “cognitive safety limit” that automatically disables training when bio-data indicates chronic stress or extreme fatigue. Additionally, to address user concerns regarding hardware comfort and motion sickness, future iterations will explore lightweight Augmented Reality (AR) glasses instead of bulky VR headsets. Finally, to prevent the assessment of “cognitive limits” from being misinterpreted as a general intelligence test, diagnostics are strictly confined to focus-related metrics. The system explicitly excludes assessing unrelated cognitive potentials, such as general IQ, ensuring the data is used solely for focus enhancement.

6.4 Limitations and Future Work

While the current conceptual artifact demonstrates significant potential, addressing its immediate technical limitations will pave the way for broader commercial and practical applications:

Technical Validation and Longitudinal Studies: Current evaluations are limited by their conceptual nature rather than longitudinal empirical data. Future work must focus on extended trials to determine the long-term stability of the “Mental Anchor” reflex. Additionally, the system requires rigorous technical validation to ensure the GenAI model can process physiological signals with near-zero latency in a fully coded prototype.

Synergistic Skill-Building Ecosystem: Beyond basic focus enhancement, future development will expand into broader cognitive domains (e.g., complex decision-making and multitasking under pressure). To sustain this expansion, MindFlow will adopt a synergistic multi-sided business model. Enterprises will subsidize heavy capital expenditures—such as hardware deployment and customized algorithm development—to define the specific cognitive traits they require. Concurrently, students and young professionals will pay a manageable monthly SaaS subscription to access these enterprise-grade training modules. This aligns user upskilling with corporate demands, effectively solving industry-wide cognitive bottlenecks.

Expansion to High-Precision Fields: Ultimately, the system’s application will extend beyond general knowledge workers to support high-stakes professional environments. Future iterations aim to provide specialized simulation training for professions that demand extreme cognitive stability under pressure, such as aviation pilots, high-altitude construction workers, and surgeons. By customizing the “Mental Anchor” mechanism for these critical, zero-error environments, the platform has the potential to significantly reduce occupational risks and enhance real-world operational safety.

7

Conclusion

This project has successfully conceptualized “MindFlow,” a multimodal biofeedback and VR platform designed to help adult learners and professionals navigate high-pressure environments. By integrating GenAI with real-time physiological data, MindFlow provides a closed-loop architecture that enables users to quantify their cognitive limits and cultivate focus.

Key Innovations and Contributions:

Closed-Loop Architecture: The integration of real-time monitoring and GenAI-driven scenario adaptation offers a more effective cognitive training method than static apps.

The Mental Anchor: A core innovation that provides a tangible, actionable mechanism for transferring virtual focus skills into real-world professional or academic scenarios.

Data-Driven Empowerment: The system moves beyond traditional productivity tracking by visualizing cognitive states, helping users manage their mental bandwidth more objectively.

MindFlow provides a robust, scalable framework that significantly advances how we approach productivity in an efficiency-driven society.

Bibliography

- [1] Toggl, “The Biggest Workplace Distractions (And How to Avoid Them),” 2025. [Online]. <https://toggl.com/blog/workplace-distractions>
- [2] S. M. Camelo Roa and B. J. Rodríguez, “Neurofeedback-driven emotional regulation training in a virtual reality environment,” *International Journal of Psychological Research*, vol. 17, no. 2, pp. 113–118, 2025.
- [3] H.-Y. H. Ng, C. W. Wu, H.-C. Hsu, *et al.*, “Neurological evidence of diverse self-help breathing training with VR and biofeedback assistance,” *JMIR Formative Research*, vol. 8, e55478, 2024.
- [4] Y. Cho *et al.*, “Effect of virtual reality-based biofeedback for depressive and anxiety symptoms: Randomized controlled study,” *Journal of Affective Disorders*, vol. 361, pp. 392–398, 2024.
- [5] S. Seong *et al.*, “Impact of virtual reality-based biofeedback on sleep quality in depressive/anxiety symptoms,” *Journal of Medical Internet Research*, vol. 27, e65772, 2025.
- [6] M. Kurt-Aydin, D. Savaş-Kalender, T. Tarsuslu, and U. Yis, “Feasibility of VR and comparison to biofeedback in muscular dystrophies,” *Muscle & Nerve*, vol. 70, no. 1, pp. 82–93, 2024.
- [7] J. Sweller, “Cognitive load theory,” *Psychology of Learning and Motivation*, vol. 55, pp. 37–76, 2011.
- [8] A. Maurya, *Running Lean: Iterate from Plan A to a Plan That Works*. O’Reilly Media, 2012.
- [9] G. Mark, D. Gudith, and U. Klocke, “The cost of interrupted work: More speed and stress,” in *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, 2008, pp. 107–110.

- [10] J. B. Spira and J. B. Feintuch, “The cost of not paying attention: How interruptions impact knowledge worker productivity,” Basex, 2005.
- [11] T. Brown, “Design thinking,” *Harvard Business Review*, vol. 86, no. 6, pp. 84–92, 2008.
- [12] P. Antonenko, F. Paas, R. Grabner, and T. van Gog, “Using electroencephalography to measure cognitive load,” *Educational Psychology Review*, vol. 22, no. 4, pp. 425–438, 2010.

Appendix A — The Document of Co-design Process

Stage 1: Empathize

Co-design Session Summary 1.1

- **Date and Time:** January 26, 2026, 09:00 - 11:00
- **Participants:** Sainan Tang, Gemini 3.0 (LLM)
- **Activities:** Discussing new conceptual ideas.
- **Description:** Identifying common problems people face in society, and discussing underlying causes and potential solutions with AI.
- **Design Thinking Phase:** Empathize - User Research.
- **AI Tool Usage:** * *Interactive Dialogue & Pain Point Analysis:* AI was utilized to analyze the reasons behind the anxiety many individuals experience regarding their personality and capabilities (e.g., performance in learning, socializing, or working).
- **Prompt Used:** “Patients with multiple personalities can generate different personas, and sometimes even the physical disease symptoms of the original personality disappear when a sub-personality is awakened. Is it possible to utilize this mechanism to allow a healthy person to safely create a desired persona to cope with specific real-life situations, without violating ethical standards and with commercial value?”
- **Outcomes:** AI recognized the creativity of the concept and analyzed that while curing physical diseases by creating special personas is unfeasible, cognitive state switching can be effectively achieved through psychological suggestion.

Stage 2: Define

Co-design Session Summary 2.1

- **Date and Time:** January 28, 2026, 14:00 - 16:00
- **Participants:** Sainan Tang, Gemini 3.0 (LLM)
- **Activities:** Defining the core problem.
- **Description:** Analyzing the empathy findings identified in Stage 1 and transforming them into specific, solvable problem statements.
- **AI Tool Usage:** * *Problem Reframing & Theoretical Alignment:* AI was used to explain pain points from a cognitive science perspective.
- **Prompts Used:**
 - “What are some important and improvable personality traits in real life, and what are their corresponding cognitive abilities?”
 - “Which cognitive ability is highly important in daily life, widely applicable, and can be genuinely and effectively improved?”
- **Challenges and Solutions:**
 - *Challenge:* AI generated overly broad personality trait descriptions like “calm and collected,” “highly focused,” and “absolutely cold-blooded.”
 - *Solution:* The designer added strict constraints to the prompt, requiring AI to specify the cognitive abilities corresponding to the traits, exclude the influence of sheer willpower, and incorporate physiological feedback mechanisms to define the scope of cognitive training.
- **Outcomes:** The problem was clearly defined. Focus is the most widely applied cognitive ability in modern society, and sustained deep focus is a scarce cognitive potential. Learners and professionals desperately need a tool to visualize their cognitive limits and actively regulate their mental state, as sheer willpower is ineffective against physiological stress. Established core design principles: Visualized, Non-pharmacological, and Transferable.

Stage 3: Ideate

Co-design Session Summary 3.1

- **Date and Time:** January 29, 2026, 10:00 - 12:00
- **Participants:** Sainan Tang, Yue Chang, Gemini 3.0 (LLM)
- **Activities:** Brainstorming potential solutions.
- **Description:** Interactive communication with AI to brainstorm solutions without format restrictions, prioritizing quantity and diversity of ideas.
- **Design Thinking Phase:** Ideate - Brainstorming and Convergence.
- **AI Tool Usage:**
 - *AI Brainstorming Partner:* Adopted a conversational format where the designer proposed one idea, and the AI supplemented with two more.
 - *Cross-disciplinary Integration:* The designer provided multiple unrelated fields (e.g., VR, flow state, biofeedback, classical conditioning) and instructed AI to generate integrated product concepts.
- **Prompts Used:**
 - “If we are building a cognitive training system whose core relies on the generative adversarial capabilities of AI to automatically increase difficulty based on the subject’s stress levels, what hardware and technologies might we use?”
 - “Combining classical conditioning theory (Pavlov’s dog) and modern biofeedback technology, brainstorm a mechanism that can package the ‘focused state’ from a virtual environment and bring it back to the real environment.”
- **Challenges and Solutions:**
 - *Challenge:* During ideation, AI generated some ethically unfeasible or overly sci-fi ideas (e.g., direct neural electrical stimulation).

- **Solution:** The designer introduced a “safety filter” prompt mid-session, explicitly requiring that ideas “must be non-medical, non-pharmacological, non-invasive artifacts that can be used independently at home.”
- **Outcomes:** Generated over 20 creative ideas. Through convergence and screening, two core functional concepts were established:
 - *Capability Radar Chart Engine:* Using adversarial scenarios to test cognitive limits.
 - *Implantation of Mental Anchor:* Utilizing physical gestures to establish a conditioned reflex with the focused state.

Stage 4: Prototype

Co-design Session Summary 4.1: System Architecture & UI Design

- **Date and Time:** February 5, 2026, 14:00 - 17:00
- **Participants:** Sainan Tang, Yue Chang, Zijun Yang, Gemini 3.0 (LLM)
- **Activities:** Generating conceptual prototypes.
- **Description:** Translating the concepts from the Ideate stage into high-fidelity conceptual prototypes, including system architecture, UI (HUD and Radar Chart), and user journey stories.
- **Design Thinking Phase:** Prototype.
- **AI Tool Usage:**
 - *UI Ideation:* The designer described the intent of the radar chart, and the LLM generated a detailed list of UI components and layout descriptions.
 - *High-Fidelity Concept Generation:* The designer used the refined UI descriptions as prompts for an AI image generator.
 - *Iterative Refinement:* Upon reviewing the images, the designers felt a dashboard was distracting and collaborated with the LLM again to design a more natural feedback method.
- **Prompt Used: UI Generation (LLM):** “Design a monitoring and diagnostic radar chart for cognitive abilities related to focus. Dimensions can include: auditory interference resistance, mental fatigue threshold, time to enter focus, sustained focus duration, etc.”

- **Challenges and Solutions:**

- *Challenge:* A major adjustment was needed during prototyping. Early prototypes displayed a real-time digital dashboard within the VR field of view. Designers and AI discovered during simulation testing that this caused users to become distracted by staring at numbers.
- *Solution:* Co-created optimizations with AI to abandon the dashboard in favor of “Ambient Feedback” (aligning with closed-loop systems). The peripheral VR vision turns red when the user is under high stress and shifts to an imperceptible cool tone during a flow state.

- **Outcomes:** Generated three high-fidelity conceptual renderings:

- Diagnostic Engine (Radar Chart App).
- High-Pressure Adversarial Scenario (red ambient light).
- Real-world scenario using a physical gesture to activate focus.

Co-design Session Summary 4.2: Lean Canvas & Business Model

- **Date and Time:** February 6, 2026, 10:00 - 11:00
- **Participants:** Sainan Tang, Yue Chang, Zijun Yang, Gemini 3.0 (LLM)
- **Activities:** Discussing and finalizing the Lean Canvas and Business Model.
- **Design Thinking Phase:** Prototype - Business Model Prototyping.
- **Prompt Used:** “Based on our previous discussions, construct a Lean Canvas description suitable for this product.”
- **Outcomes:** Developed a detailed Lean Canvas, explicitly defining Early Adopters and the Unique Value Proposition (UVP).

Stage 5: Test

Co-design Session Summary 5.1

- **Date and Time:** February 11, 2026, 09:00 - 12:00
- **Participants:** Sainan Tang, Yue Chang, Zijun Yang, Shichao Wen, Gemini 3.0 (LLM)

- **Activities:** Designing a survey to evaluate the perceived value of the design artifact via a “scenario-based survey.”
- **Design Thinking Phase:** Test - Concept Validation.
- **AI Tool Usage:**
 - *Theoretical Basis for Survey:* AI proposed 20 questions to assess potential user demand and their acceptance of the idea that cognitive abilities can be improved through training.
 - *Survey Drafting:* Designers provided storyboards and prototype concepts; LLM generated specific rating scale questions and open-ended questions.
- **Prompt Used:** “Using the ‘Mom Test’ principle, generate a survey questionnaire. Please provide 20 questions to survey potential customers and collect feedback. Do not let the interviewees know about the product itself; instead, uncover their true needs through questioning. We will adjust our product development direction based on the feedback.”
- **Challenges and Solutions:**
 - *Challenge:* Initial survey questions were too leading (e.g., “Do you know or believe in psychological anchoring technology?”).
 - *Solution:* AI assisted in adjusting the questions to focus on current behaviors and obstacles (e.g., “Q: Thinking back to a time last week when you felt overwhelmed by noise, if there was a technology where you could ‘pinch your fingers to calm down,’ would you want it?”).
- **Outcomes:** Designed a pre-evaluation survey based on the Technology Acceptance Model (TAM). In subsequent empirical sampling, these questions were used to collect valid data, proving perceived usefulness and identifying hardware compliance barriers.

Appendix B — Interview Questions

Section 1: Identifying High-Pressure Scenarios & Target Users

- **Goal:** Confirm if the respondent operates in the intended “high-pressure/high-cognitive demand” environment.
- **Q1.** Could you describe your most challenging mental task recently? (e.g., writing a thesis, preparing for a major exam, or managing a complex project.)
- **Q2.** In the past week, how many days did you spend in a state of “intense cognitive load”?
- **Q3.** Think back to the last time you felt “completely overwhelmed” or “extremely unproductive” while studying or working. What specifically happened in that moment?
- **Q4.** When facing an important deadline or a public presentation (e.g., a defense or a keynote), what is your typical mental state? Do you notice any physical reactions?

Section 2: Pain Points & Current Workarounds

- **Goal:** Validate the hypothesis that “existing tools are ineffective.”
- **Q5.** When you realize you can’t focus, what actions do you typically take to try and get back “in the zone”?
- **Q6.** Do you currently use any tools, apps, or methods to assist your productivity? (e.g., Pomodoro timers, white noise, supplements/medication, etc.)

- **Q7.** What is your biggest frustration or disappointment with these current tools or methods?
- **Q8.** Have you ever had the experience of sitting at your desk for hours, only to feel like you accomplished nothing? What do you think was the primary cause?

Section 3: Cognitive Awareness & Quantification Needs

- **Goal:** Determine if users lack awareness of their “cognitive limits” and if they have a latent desire for data-driven insights.
- **Q9.** How do you usually decide it’s time to take a break? Do you look at the clock, or do you wait until you feel physical discomfort?
- **Q10.** Have you ever forced yourself to keep working despite being exhausted? What was the outcome?
- **Q11.** If there were a “magic metric” that could quantify one aspect of your body or brain, what data point would you most want to see in real-time? (e.g., “Attention Battery” remaining, Anxiety Index, Memory Efficiency?)
- **Q12.** How long does your “peak productivity” (flow state) typically last during the day? How do you know for sure?

Section 4: Control & “Trigger” Requirements

- **Goal:** Validate the need for “Mental Anchors” or conditioned reflexes.
- **Q13.** Do you have a specific “ritual” to help yourself enter a deep work state? (e.g., tidying your desk, putting on headphones, brewing a specific type of tea?)
- **Q14.** If you are interrupted during deep work, how long does it typically take you to return to that same level of focus?
- **Q15.** Do you ever envy people who remain calm and composed in extremely noisy or high-pressure environments? Do you think that’s a natural talent or a trained skill?

Section 5: Tech Adherence & Value Proposition

- **Goal:** Indirectly validate acceptance of wearables, VR, and high-ticket services.

- **Q16.** Do you habitually wear a smartwatch or fitness tracker? If so, what data do you monitor most closely?
- **Q17.** In the past year, how much have you invested in self-improvement? (e.g., learning new skills, fitness, therapy, or coaching.)
- **Q18.** What is your current impression of VR (Virtual Reality) or immersive experiences? Have you tried them before?
- **Q19.** If a top-tier coach could train you to significantly improve your core competencies (such as stress resilience and focus), but the training was rigorous and challenging, would you be willing to try it?
- **Q20.** (Open-ended) In your ideal world, what would the perfect “learning/work companion” look like? What is the single most frustrating problem it would solve for you?

Appendix C — Summary of Survey and Interview Results

To validate the MindFlow concept during the prototyping phase, we conducted a mixed-methods evaluation involving 15 target users (undergraduate and graduate students). The results strongly support our design decisions and Lean Canvas assumptions:

1. Quantitative Survey Results:

- **Demand for Data Visualization:** 80% of respondents (12/15) expressed a strong desire for the “Cognitive Radar Chart” to objectively monitor their mental fatigue threshold and eliminate confusion about their learning efficiency.
- **Validation of Skill Transferability:** 73% (11/15) highly recognized the value of the “Mental Anchor” for real-world application, identifying the ability to “bring one’s mental state into the exam hall” as the system’s most crucial and appealing feature.
- **Willingness to Pay:** 67% (10/15) stated they would be willing to pay for a SaaS subscription to access the personalized GenAI training scenarios.
- **Hardware Concerns:** 67% (10/15) expressed varying degrees of concern regarding the physical weight of traditional VR headsets and the potential for motion sickness, which prompted our strategic shift toward exploring lightweight AR alternatives in the future.

2. Qualitative Interview Quotes:

- *User A (2nd-year Master’s student):* “I often sit in the library for hours feeling completely unproductive. If a radar chart could actually tell me when my brain is maxed out, it would cure so much of my anxiety.”

- *User B (PhD Candidate)*: “The finger-pinch ‘anchor’ idea is brilliant. If I could just trigger that calm feeling right before my thesis defense, that feature alone is worth paying for.”
- *User C (Undergraduate Student)*: “I love the immersive VR simulation, but the hardware has to be light. I wouldn’t want to wear a heavy headset for more than 20 minutes before a stressful exam.”

Appendix D — High-Fidelity UI and Hardware Concepts

This appendix provides the visual renderings of the MindFlow hardware setup, the Virtual Reality user interface, and the Cognitive Radar Chart referenced in the User Journey Story (Section 4.2).



Figure D.1: Scene Illustration D.1: The MindFlow experience zone setup, featuring the lightweight VR headset, the bio-sensing ring, and the GenAI training engine interface.



Figure D.2: Scene Illustration D.2: A first-person VR perspective demonstrating the adaptive adversarial scenario. The red halo at the periphery serves as an “Ambient Feedback” stress warning




Figure D.3: Scene Illustration D.3: The Cognitive Ability Radar Chart generated post-training, visualizing dimensions such as “Auditory Interference Resistance” and highlighting specific cognitive bottlenecks.