

Voluntary Report – Voluntary - Public Distribution

Date: March 13, 2020

Report Number: VM2020-0016

Report Name: Vietnam Issues Safety Technical Regulation on Animal Feed and Feed Ingredients

Country: Vietnam

Post: Hanoi

Report Category: Dairy and Products, Grain and Feed, Oilseeds and Products, Sanitary/Phytosanitary/Food Safety

Prepared By: Thu Pham

Approved By: Sarah Gilleski

Report Highlights:

This report provides an unofficial translation of Circular 4/2020 dated March 9, 2020 of the Ministry of Agriculture and Rural Development (MARD) to issue National Technical Regulation (NTR) 190:2020 – Maximum allowable levels of safety indicators in animal feed and feed ingredients. This Technical Regulation renews tolerances and maximum levels of micro-organisms, heavy metals, and mycotoxins in feed and feed ingredients. This Technical Regulation shall apply from July 1, 2020, for quality examinations for imported animal feed and feed ingredients in Vietnam.

Summary

On March 9, 2020, MARD has issued Circular 4/2020 promulgating National Technical Regulation (NTR) 190:2020 – Maximum Allowable Levels (MLs) of Safety Indicators in Animal Feed and Feed Ingredients (see attached). Technical Regulation 190:2020 replaces Technical Regulation 78:2011 on MLs of Safety Indicators in Animal Feed and will be applied for quality examinations of imported animal feed and feed ingredients in Vietnam beginning July 1, 2020, as part of the change in inspection scheme under Decree 13/2020 guiding the Animal Husbandry Law.

Technical Regulation 190:2020 sets zero tolerance for *Salmonella*, *Escherichia coli* and renews maximum levels for heavy metals and mycotoxin in feed ingredients. However, as of March 2020, Vietnam has yet to notify the new Technical Regulation 190:2020 to the World Trade Organization (WTO). The Office of Agricultural Affairs has requested MARD notify the Technical Regulation 190:2020 to WTO for trading partners' review and comment.

The contents of Technical Regulation 190:2020 include:

- I. General provisions
- II. Technical provisions
- III. Provision on sample preparation and testing methods
- IV. Provisions on management
- V. Provisions on implementation

Tolerances of micro-organisms, heavy metals, and mycotoxins in feed and feed ingredients are provided in Appendixes of Technical Regulation 190:2020 as follows:

- Appendix I: Tolerances of safety indicators in feed ingredients
 - Table I. Tolerances of safety indicators in feed ingredient derived from aquatic animals
 - Table II. Tolerances of safety indicators in feed ingredients derived from terrestrial animals
 - Table III. Tolerances of safety indicators in feed ingredients derived from plants
 - Table IV. Tolerances of safety indicators in other feed ingredients
- Appendix II: Tolerances of safety indicators in supplementary feeds
(*not applicable to the sector of fisheries*)
 - Table I. Tolerances of safety indicators in single supplementary feed ingredients
 - Table II. Tolerances of safety indicators in compound supplementary feeds
- Appendix III: Tolerances of safety indicator in complete compound feeds and concentrated feeds
(*not applicable to the sector of fisheries*)

Post continues to monitor and update developments of the new Technical Regulation. Should U.S. exporters have any questions or concerns with meeting these regulations, please contact:

aghanoi@fas.usda.gov

Below is an unofficial translation of Table II and Table III of Appendix I - Tolerances of safety indicators in feed ingredients of animal and plant origin as prescribed in Technical Regulation 190:2020

Appendix I – Tolerances of safety indicators in feed ingredients

II. Tolerances of safety indicators in feed ingredients derived from terrestrial animals

No.	Ingredient ⁽¹⁾	Indicator	Tolerance
1	Milk and products of milk	<i>E. coli</i>	No detection in 1.0 g
		<i>Salmonella</i>	No detection in 25.0 g
2	Oil and fat from terrestrial animals	Insoluble impurities	1.0%
		Peroxide value	40.0 meq/kg oil
		<i>E. coli</i>	No detection in 1.0 g
		<i>Salmonella</i>	No detection in 25.0 g
3	Other kinds derived from terrestrial animals	Arsenic total (As)	10.0 mg/kg
		Cadmium (Cd)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Ammonia nitrogen	200.0 mg/100g
		<i>E. coli</i>	No detection in 1.0 g
		<i>Salmonella</i>	No detection in 25.0 g
		Ethoxyquin	150.0 mg/kg

⁽¹⁾ In single and natural or processed form, with or without technical substances. Ethoxyquin applies only to ingredients for production of aquatic feeds.

Peroxide value, insoluble impurities do not apply to ingredients for production of aquatic feeds.

III. Tolerances of safety indicators in feed ingredients derived from plants

No.	Ingredient ⁽¹⁾	Indicator	Tolerance
1	Cereal grains and cereal grain products		
1.1	Unhusked rice, rice, rice bran and unhusked rice products	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		Peroxide value	40.0 meq/kg oil (rice bran)
		<i>Salmonella</i>	No detection in 25.0 g
1.2	Wheat, wheat bran and wheat products	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		Peroxide value	40.0 meq/kg oil (wheat bran)
		<i>Salmonella</i>	No detection in 25.0 g
1.3	Corn, other cereal grains and their products	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg 50.0 µg/kg (corn and products from corn)
		<i>Salmonella</i>	No detection in 25.0 g
2	Leguminous seeds and oilseeds	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg

No.	Ingredient ⁽¹⁾	Indicator	Tolerance
		<i>Salmonella</i>	No detection in 25.0 g
3	Cotton seeds and cotton seed oil cakes	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		Free gossypol	1,200.0 mg/kg (cotton oil cakes) 5,000 mg/kg (cotton seed)
		<i>Salmonella</i>	No detection in 25.0 g
4	Bean oil cakes, peanut oil cakes, palm oil cakes, rapeseed oil cakes, sesame oil cakes, sunflower oil cakes, flax oil cakes, coconut oil cakes, lupine oil cakes, other oil cakes	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg 50.0 µg/kg (peanut oil cakes)
		Cyanhydric acid	350.0 mg/kg (flax oil cakes)
		<i>Salmonella</i>	No detection in 25.0 g
5	Cassava, cassava starch and cassava products	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		Cyanhydric acid	100.0 mg/kg 200.0 mg/kg (Cassava whole, cassava bark)
		<i>Salmonella</i>	No detection in 25.0 g
6	Other roots, stems, tubers, fruits and seeds; products and by-products from roots, stems,	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg

No.	Ingredient ⁽¹⁾	Indicator	Tolerance
	tubers, fruits and other seeds	Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g
7	Gluten, starch	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g
8	Products and by-products from food production and processing	Arsenic total (As)	2.0 mg/kg
		Lead (Pb)	10.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g
9	Terrestrial plants and grass, crop by-products	Arsenic total (As)	4.0 mg/kg
		Lead (Pb)	30.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g
10	Aquatic plants and products from aquatic plants	Arsenic total (As)	40.0 mg/kg
		Cadmium (Cd)	2.0 mg/kg
		Lead (Pb)	30.0 mg/kg
		Mercury (Hg)	0.5 mg/kg
		Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g
11	Vegetable oil and fat	Arsenic total (As)	25.0 mg/kg

No.	Ingredient ⁽¹⁾	Indicator	Tolerance
		Insoluble impurities	1.0%
		Peroxide value	40.0 meq/kg oil
		<i>Salmonella</i>	No detection in 25.0 g of sample
12	Other kinds derived from plants	Arsenic total (As)	40.0 mg/kg
		Lead (Pb)	30.0 mg/kg
		Aflatoxin B1	30.0 µg/kg
		<i>Salmonella</i>	No detection in 25.0 g

⁽¹⁾ In single and natural or processed form, with or without technical substances.

Peroxide value, insoluble impurities do not apply to ingredients for production of aquatic feeds.

Attachments:

[20200309 Circular 04 MARD translated.docx](#)