

**Required Report:** Required - Public Distribution

**Date:** February 25, 2026

**Report Number:** AR2026-0002

## **Report Name:** Oilseeds and Products Update

**Country:** Argentina

**Post:** Buenos Aires

**Report Category:** Oilseeds and Products

**Prepared By:** Chase McGrath

**Approved By:** William Verzani

### **Report Highlights:**

Post maintains its MY2025/26 soybean production forecast at 48 million metric tons (MMT) on 16.5 million hectares (MHA) planted, as timely February rainfall stabilized crop conditions following January dryness. Improved soil moisture and favorable forecasts are expected to mitigate a portion of earlier damage. First-crop yields are largely determined and expected to be strong. Soybean crush remains robust at 43 MMT, supported by more traditional trade flows and reduced whole bean exports to China. For MY2024/25, soybean crush is lowered to 42 MMT on slower farmer selling and reduced bean availability, while exports are reduced to 12.7 MMT, though still projected to reach a record level. Post raises MY2025/26 sunflowerseed production to 5.8 MMT on higher yields and expanded area of 2.7 MHA, as strong domestic prices and firm global vegetable oil demand. MY2025/26 is projected to set new records for sunflowerseed, oil, and meal exports.

## SOYBEANS

*MY2025/26*

### **Production**

Post maintains its previous tariff MY2025/26 soybean production forecast of 48 MMT. Rain in recent weeks solidified this year's crop with more rain forecast in the coming weeks. This expected production comes on a forecasted planted soy area of 16.5 million hectares (MHA) with 15.8 MHA harvested. Post forecasts an average combined nationwide yield between first and second soy of 3.38 tons per HA.

Planting of this year's soy crop is complete with harvest of first crop soy expected to begin in mid-April.

Multiple analysts expected the severe dryness experienced in January to negatively impact production levels. However, with significant rain arriving in early February and more rain forecasted for the next two weeks, producers now expect high yields in the first soy crop.

Some second soy crop will likely suffer due to the January dry spell arriving during the crops' key developmental stage, but the February precipitation should mitigate a portion, but not all of the productivity loss brought on by a dry January.

A few growing areas remain dry and on the verge of detrimental yields if rains do not materialize soon, particularly in southern Santa Fe province and northern Buenos Aires Provinces, key growing areas with losses reported as high as 30 percent in second crop soy. In most areas, the majority of yields for first crop soy are already solidified.

According to the Buenos Aires Grains Exchange, 38 percent of the second crop soy is entering the reproductive stage but in areas with a lack of moisture, this could significantly hinder yield potentials to lower than previously estimated. However, producers report spotty areas of drought mixed with abundant yields. Dry areas are intermixed with areas of healthy plants with expected high yields. In many areas, a difference of only 15 miles sees fields with crops ranging from excellent condition with 12 pods already to crops appearing scorched with severe losses.


Nevertheless, should above average precipitation persist over the coming weeks, a significant portion of the yield losses in second crop soybeans could be reversed. Continued rainfall would also further support first crop soybean yields. However, yield potential for early planted soybeans is largely determined at this stage, limiting a significant upward revision.

At the time of planting in mid-2025, projected returns for corn were higher than for soybeans. Since then, local soybean futures prices for the April to May 2026 harvest window have increased by 9 percent, while corn prices have remained unchanged. Nonetheless, corn margins are still expected to be positive in most cases, supported by anticipated average or above-average yields.

Field visits conducted across southern Córdoba province indicate generally favorable soybean conditions, though yield expectations remain below those hoped for early in the season. Producers in the region expect average yields in the range of 3.5 to 4.0 MT per HA (35–40 quintals per hectare (qq/ha)), reflecting solid crop performance under variable climatic conditions. While January was characterized by below-normal precipitation, contacts emphasized that conditions were better described as "crop

stress” rather than drought. This distinction is significant when compared to the severe and prolonged drought experienced during the 2022/23 crop year. Although early January conditions raised concerns, particularly under a pattern of hot dry days averaging 35°C with limited cloud cover, weather developments the past two weeks have mitigated much of the risk of lasting production losses.

Photo 1. Soybeans in Southern Cordoba Province, February 2026



Source: Fernando Bazan

Recent rainfall across Argentina’s core soy region (Buenos Aires, Córdoba, Santa Fe, and Entre Ríos provinces) provided significant relief to soybean and corn crops that had been under moisture stress, with accumulations ranging from 20 to over 100 mm in some areas and additional storms forecast under orange-level alerts. The precipitation, occurring over the Carnival weekend and continuing into mid-February, helped stabilize crop conditions and supported the market confidence following weeks of dryness. However, drought concerns persist in southeastern Buenos Aires Province, where January 2026 rainfall ranked at or near historic lows in key locations such as Azul and Tandil, and soil moisture reserves for first-crop soybeans remain well below normal levels. While forecasts indicate continued rainfall in central production zones, uneven distribution underscores ongoing regional variability in crop prospects.

Precipitation improved meaningfully through mid-February, with cumulative rainfall reaching approximately 100 millimeters (mm) and is expected to finish the month at or above 150 mm in many areas. These rains are described as well-distributed and strategically beneficial, penetrating the soil

profile and supporting root development rather than remaining superficial. Despite periods of high daytime temperatures and humidity, cooler nighttime conditions have moderated plant stress and supported recovery. Soil moisture profiles are currently considered adequate across much of the region.

Crop conditions vary depending on planting timing and micro-regional weather patterns. Early planted soybeans are described in excellent condition, while later-planted and second-crop soybeans (following wheat) experienced temporary stress during early January but are now recovering. In some cases, second-crop soybeans reached 12 nodes approximately in mid-February. However, with improved moisture and the application of biostimulants and nutrients such as calcium and boron, producers expect node development to increase to approximately 18 or even more than 23 nodes per plant. Agronomists report that while some early vegetative damage occurred, most of the stress did not result in irreversible yield losses.

Conditions remain highly variable within short geographic distances. For example, contacts noted that areas near Villa María showed more visible stress, while fields located 30 kilometers away toward Río Tercero or General Deheza exhibited strong crop performance. These vast differences in such small areas illustrate the localized nature of much of the rainfall events thus far this season.

Producers are preparing to initiate fungicide applications in the coming week, emphasizing the importance of preserving leaf area during critical reproductive stages. Given current yield potential, growers indicated they cannot afford significant foliar loss and are prioritizing disease management to maximize node retention and pod set.

Photo 3. Soybeans In Southern Cordoba Province, February 2026



Source: Fernando Bazan

## **Crush and Consumption**

Post leaves its previous soybean crush estimate unchanged at 43 MMT in MY2025/26.

Crush in MY2025/26 is expected to remain robust, up 1 MMT from the previous season with fewer whole bean exports to China expected as trade returns to more traditional levels allowing for more soybeans to be crushed domestically.

## **Trade**

Exports in MY2025/26 are forecast at 6 MMT, down 500,000 MT from Post's previous update with increased crush expected and fewer whole soybeans purchases by China from Argentina compared to the previous year.

With export taxes assumed to remain in place in the coming year and no tax holiday expected (as happened in the previous year which spurred massive sales to China), soybean exports are expected to return to traditional levels.

Soybean imports are lowered to 7 MMT, down 200,000 MT with increased production available for crush.

### *MY2024/25*

Farmers selling of soybeans has dropped to the lowest average at this point in the season over the last five years. This is attributed to current low prices at the height of harvest combined with high logistics and input costs at the same time in addition to many farmers having sold as many soybeans as they could afford earlier in the season to cover production costs. Final prices likely will not cross above the \$300 USD/ton mark which would result in very few, if any farmers on rented land turning a profit.

Crush is lowered to 42 MMT, down 1 MMT from Post's last estimate with a slower crush rate the last two months with fewer beans in the market. This is partially a factor of the huge shipments to China this year of whole soybeans. In addition, there are fewer beans in the market with the aforementioned drop-off in farmer selling. December 2025 crush dropped 12 percent from November and 15 percent from the previous December. Crush typically slows in November and December as much of last season's crop is worked through and before Paraguay's harvest comes online. Crush is expected to ramp up again beginning in January as the initial harvest in Paraguay begins and those beans are shipped to Argentina for crushing before the Argentine harvest begins.


Post lowers exports to 12.7 MMT in MY2024/25, down 600,000 MT from Post's previous update based on export pace to date. Even at these lower levels MY2024/25 will still be a record, three times last year's exports and the highest in 15 years.

Soybean meal exports decreased by over 800,000 MT in December compared to the previous month on lower crush and higher than usual whole bean exports.

Soybean imports are lowered to 6.3 MMT, down significantly from Post's previous update based on slowed imports in December and January. However, Paraguay did export 600,000 MT soybeans to Argentina in January, and overall imports in the final two months of the marketing year are expected to rebound with the initial harvest in Paraguay coming online.

Soybean ending stocks are estimated at 4.3 MMT, lower than the previous year and prior estimates but higher than post's previous update, based on decreased estimated exports.

Photo 3. Soybeans in Southern Cordoba Province, February 2026



Source: Fernando Bazan

## **SUNFLOWERSEED**

*MY2025/26*

### **Production**

Post increases Argentina's sunflower production to 5.8 MMT, up 500,00 MT from Post's previous forecast due to high yields and little area loss reported from harvest to date. Post maintains the previous planted area of 2.7 MHA, still up significantly (500,000 HA) from the previous season. Post increases the yield forecast to 2.2 tons per HA, well above the five-year average of 1.4 tons per HA. These yields could climb even higher by the end of the harvest if favorable conditions pan-out in the yet to be harvested growing area of southern Buenos Aires Province. The sunflower harvest is 30 percent complete as of late February according to the Bolsa de Cereales.

Planting in the northern production region was finally achieved this year, boosting overall production. For the last several years producers have been unable to plant the intended acreage in this region due to lack of rains just before or at planting. This year, these planting intentions were realized in an area that produces nearly 30 percent of the country's sunflower. Many producers have turned to sunflower this season as they have seen its ability to tolerate and thrive in drought or dry conditions while soybeans in the same areas have struggled when hit with dry periods at key stages.

While the harvest is well underway in the northern growing areas, as much as 50 percent of the crop in the other important sunflower production area of southern Buenos Aires province, which is experiencing dry conditions with little precipitation in the forecast, is still in the flowering and filling stage.

Field contacts report exceptionally strong price signals for sunflower, which are described as "tremendous" relative to recent historical levels. Current forward prices, combined with firm global vegetable oil markets, are generating renewed producer interest and could incentivize expanded planting in the upcoming campaign. Contacts indicate crushers are actively seeking additional oil supplies, with particularly robust demand from India and, to a lesser extent, markets in the Middle East. This external demand outlook is reinforcing domestic price strength and may further support sunflower area expansion into MY2026/27.

From a farm-level economic perspective, sunflower is currently viewed as competitive with soybeans or even preferable in terms of profitability, with lower upfront costs. Producers emphasize that sunflowers require fewer inputs, primarily only seed, glyphosate, and boron, without the need for significant additional fertilizer applications. In an environment of persistently high and volatile input costs, particularly for fertilizers and crop protection products, this lower cost profile is increasingly attractive. As a result, many farmers shifted acreage toward sunflower in the current season, and contacts suggest that an even larger movement away from soybean and toward sunflower is possible next year as producers seek to reduce their financial and production risks.

### **Crush and Consumption**

Post increases MY2025/26 sunflower crush to 5.35 MMT on increased production available to crush and positive crush margins supported by continued external demand. Continued favorable oil prices on the world market are driving high local prices and increased crush using existing untapped capacity. In addition, increased sunflower production is leading to expanded investments in sunflower crush infrastructure and capacity. Post lowers whole sunflowerseed domestic consumption by 5 MMT as more sunflower is crushed.

### **Trade**

Post maintains exports in MY2025/26 at 120,000 MT as industry contacts report the additional production will more likely be crushed and exported as meal and oil rather than exported whole driven by continued high international prices and demand from India in particular. MY2025/26 is expected to once again be a record year for sunflower seed, sunflower oil, and sunflower meal exports, exceeding the record set in the previous marketing year.

The EU continues to be the top export market for Argentina's whole sunflower seed with exports surging in CY2025 to 85,330 MT, representing one third of Argentina's total exports. This is expected to

continue into MY2025/26 with increased demand from the EU and private sources there reporting Argentine exports there could double or more.

India is forecast to once again be the top market for Argentine sunflower oil and absorb the majority of increased exports. India represented 46 percent of Argentina's total sunflower oil exports in CY2025.

This market share is expected to grow in the coming year.

At the same time, Iraq is now the third largest buyer of Argentine sunflower oil due to issues sourcing from Ukraine, their traditionally largest supplier.

#### *MY2024/25*

Post maintains its previous MY2024/25 estimate of 5 MMT for Argentine sunflower production.

Sunflower crush estimate is raised to 4.6 MMT, up 400,000 MT from Post's last update on positive crush margins and attractive global price conditions.

At the same time, higher sunflower seed exports are expected at 260,000 MT, up substantially from Post's last update supported by strong international prices and demand as seen in exports year to date.

### **PEANUT**

#### *MY2025/26*

#### **Production**

Post continues to project MY2025/26 peanut planted area at 400,000 HA, a sharp 132,000 hectare decline from MY2024/25. The significant contraction reflects lower price expectations and a market glut following last year's record production, which weighed heavily on producer margins and planting intentions.


Producers in the major peanut production areas of southern Cordoba, southern Santa Fe and northern Buenos Aires provinces report the vast majority of peanuts in good to excellent crop condition. Most plants are in the filling stage and yields for the most part are locked in even if dry spells return. Rains arrived at all the ideal times for peanuts this season resulting in a healthy crop. The harvest will begin in early to mid-April.

A notable share of producers entered peanut production for the first time in the previous marketing year, attracted by high prices at planting and low prices for other commodities. However, prices declined sharply by harvest with the increased planted area and production, deflating returns and optimism for the crop that started the season. Combined with the agronomic challenges associated with peanut production, including soil disruption and higher management costs, many first-time growers have opted to exit the crop in MY2025/26, contributing to the steep reduction in area.

Despite the smaller planted area, yields in MY2025/26 are expected to improve year over year, supported by generally favorable weather conditions and continued adoption of improved peanut varieties and genetics. As a result, while overall production is forecast lower due to reduced acreage, yield performance is expected to partially offset the decline and support more stable per-hectare returns for the remaining producers.

Any increase or fluctuation in peanut planting next year will depend on international prices and the financial situation of farmers at time of planting in relation to other summer crops.


Photo 4. Peanuts in Southern Cordoba Province, February 2026



Source: Fernando Bazan

#### *MY2024/25*

Post confirms the earlier MY2024/25 peanut planted area estimate at 532,000 hectares, aligning with USDA official estimates and reflecting higher-than-previously reported plantings, particularly in core producing regions. Improved margins relative to competing crops and generally favorable early-season conditions supported the expansion in area. Based on the larger planted area and high yields reported by growers, Post increases MY2024/25 peanut production to 1.86 million metric tons. Average yields are estimated at approximately 3.5 metric tons per hectare, reflecting good soil moisture availability and timely agronomic practices across much of the peanut belt.



Source: FAS Buenos Aires with USDA and Post Data

\*MY2025/26 Post Estimate

## Trade

Post continues to anticipate MY2024/25 peanut exports at 1.10 million metric tons (in-shell basis). The estimate reflects a strong export pace to date, with approximately 904,000 metric tons already shipped and only two months of data outstanding in the marketing year, indicating exports are on track to exceed earlier expectations.

Higher export volumes have been supported by ample domestic supplies following this year's large production and strong demand from key markets, particularly the European Union and Australia. Competitive pricing and Argentina's established reputation as a reliable supplier of high-quality peanuts continue to support export demand, positioning Argentina for another strong year of exports despite emerging supply adjustments in the upcoming marketing season.

Photo 5. Peanuts in Southern Cordoba Province, February 2026



Source: Fernando Bazan

### **Production, Supply, and Demand Statistical Tables**

| Oilseed, Soybean (Local)<br>Market Year Begins<br><br>Argentina | 2023/2024        |             | 2024/2025        |             | 2025/2026        |             |
|-----------------------------------------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
|                                                                 | Apr 2024         |             | Apr 2025         |             | Apr 2026         |             |
|                                                                 | USDA<br>Official | New<br>Post | USDA<br>Official | New<br>Post | USDA<br>Official | New<br>Post |
| Area Planted (1000 HA)                                          | 16500            | 16500       | 17455            | 17500       | 17300            | 16500       |
| Area Harvested (1000 HA)                                        | 16370            | 16370       | 17455            | 16900       | 16500            | 15800       |
| Beginning Stocks (1000 MT)                                      | 6714             | 6714        | 6749             | 6749        | 3857             | 3849        |
| Production (1000 MT)                                            | 48210            | 48210       | 51108            | 50500       | 48500            | 48000       |
| MY Imports (1000 MT)                                            | 7196             | 7196        | 6500             | 6300        | 7800             | 7000        |
| Total Supply (1000 MT)                                          | 62120            | 62120       | 64357            | 63549       | 60157            | 58849       |
| MY Exports (1000 MT)                                            | 4573             | 4573        | 12500            | 12700       | 4600             | 6000        |
| Crush (1000 MT)                                                 | 43548            | 43548       | 41000            | 42000       | 42500            | 43000       |
| Food Use Dom. Cons. (1000 MT)                                   | 0                | 0           | 0                | 0           | 0                | 0           |
| Feed Waste Dom. Cons. (1000 MT)                                 | 7250             | 7250        | 7000             | 5000        | 7200             | 5500        |
| Total Dom. Cons. (1000 MT)                                      | 50798            | 50798       | 48000            | 47000       | 49700            | 48500       |
| Ending Stocks (1000 MT)                                         | 6749             | 6749        | 3857             | 3849        | 5857             | 4349        |
| Total Distribution (1000 MT)                                    | 62120            | 62120       | 64357            | 63549       | 60157            | 58849       |
| Yield (MT/HA)                                                   | 2.945            | 2.945       | 2.928            | 2.9882      | 2.9394           | 3.038       |
|                                                                 |                  |             |                  |             |                  |             |

(1000 HA) ,(1000 MT) ,(MT/HA)

OFFICIAL DATA CAN BE ACCESSED AT: [PSD Online Advanced Query](#)

| Oilseed, Sunflowerseed<br>Market Year Begins<br><br>Argentina | 2023/2024        |             | 2024/2025        |             | 2025/2026        |             |
|---------------------------------------------------------------|------------------|-------------|------------------|-------------|------------------|-------------|
|                                                               | Mar 2024         |             | Mar 2025         |             | Mar 2026         |             |
|                                                               | USDA<br>Official | New<br>Post | USDA<br>Official | New<br>Post | USDA<br>Official | New<br>Post |
| Area Planted (1000 HA)                                        | 2300             | 2300        | 2397             | 2200        | 2650             | 2700        |
| Area Harvested (1000 HA)                                      | 1843             | 1843        | 2397             | 2150        | 2650             | 2650        |
| Beginning Stocks (1000 MT)                                    | 1084             | 1084        | 820              | 820         | 863              | 756         |
| Production (1000 MT)                                          | 3895             | 3895        | 5592             | 5000        | 5500             | 5800        |
| MY Imports (1000 MT)                                          | 1                | 1           | 1                | 1           | 1                | 1           |
| Total Supply (1000 MT)                                        | 4980             | 4980        | 6413             | 5821        | 6364             | 6557        |
| MY Exports (1000 MT)                                          | 73               | 73          | 300              | 260         | 200              | 120         |
| Crush (1000 MT)                                               | 3762             | 3762        | 4850             | 4600        | 4800             | 5380        |
| Food Use Dom. Cons. (1000 MT)                                 | 0                | 0           | 0                | 0           | 0                | 0           |
| Feed Waste Dom. Cons. (1000 MT)                               | 325              | 325         | 400              | 205         | 450              | 200         |
| Total Dom. Cons. (1000 MT)                                    | 4087             | 4087        | 5250             | 4805        | 5250             | 5580        |
| Ending Stocks (1000 MT)                                       | 820              | 820         | 863              | 756         | 914              | 857         |
| Total Distribution (1000 MT)                                  | 4980             | 4980        | 6413             | 5821        | 6364             | 6557        |
| Yield (MT/HA)                                                 | 2.1134           | 2.1134      | 2.3329           | 2.3256      | 2.0755           | 2.1887      |

OFFICIAL DATA CAN BE ACCESSED AT: [PSD Online Advanced Query](#)

| Oilseed, Peanut<br>Market Year Begins<br><br>Argentina | 2023/2024        |             | 2024/2025        |             | 2025/2026        |          |
|--------------------------------------------------------|------------------|-------------|------------------|-------------|------------------|----------|
|                                                        | Mar 2024         |             | Mar 2025         |             | Mar 2026         |          |
|                                                        | USDA<br>Official | New<br>Post | USDA<br>Official | New<br>Post | USDA<br>Official | New Post |
| Area Planted (1000 HA)                                 | 432              | 432         | 532              | 532         | 450              | 400      |
| Area Harvested (1000 HA)                               | 432              | 432         | 532              | 532         | 450              | 400      |
| Beginning Stocks (1000 MT)                             | 215              | 215         | 453              | 453         | 483              | 800      |
| Production (1000 MT)                                   | 1483             | 1483        | 1810             | 1862        | 1500             | 1440     |
| MY Imports (1000 MT)                                   | 0                | 0           | 0                | 0           | 0                | 0        |
| Total Supply (1000 MT)                                 | 1698             | 1698        | 2263             | 2315        | 1983             | 2240     |
| MY Exports (1000 MT)                                   | 925              | 925         | 1325             | 1100        | 1150             | 900      |
| Crush (1000 MT)                                        | 140              | 140         | 275              | 260         | 200              | 200      |
| Food Use Dom. Cons. (1000 MT)                          | 80               | 80          | 80               | 95          | 80               | 95       |
| Feed Waste Dom. Cons. (1000 MT)                        | 100              | 100         | 100              | 60          | 80               | 60       |
| Total Dom. Cons. (1000 MT)                             | 320              | 320         | 455              | 415         | 360              | 355      |
| Ending Stocks (1000 MT)                                | 453              | 453         | 483              | 800         | 473              | 985      |
| Total Distribution (1000 MT)                           | 1698             | 1698        | 2263             | 2315        | 1983             | 2240     |
| Yield (MT/HA)                                          | 3.4329           | 3.4329      | 3.4023           | 3.5         | 3.3333           | 3.6      |
|                                                        |                  |             |                  |             |                  |          |

(1000 HA) ,(1000 MT) ,(MT/HA)

OFFICIAL DATA CAN BE ACCESSED AT: [PSD Online Advanced Query](#)

**Attachments:**

No Attachments