

# The Local Spot

Project Team: Triforce

Project Members: Eric Nguyen, Luong Luu, Joshua Pellegrino

GitHub Link: <https://github.com/Jpelle25/TheLocalSpot490>

## Table of Contents

<b>1. Project Definition.....</b>	<b>2</b>
<b>2. Project Requirements.....</b>	<b>2</b>
<b>3. Project Specification.....</b>	<b>3</b>
<b>4. System – Design Perspective.....</b>	<b>3</b>
UML Diagram.....	4
Use Case Diagram.....	5
Sub-System Communication.....	6
ER Model.....	6
System Model.....	7
<b>5. System – Analysis Perspective.....</b>	<b>7</b>
Identify subsystems – analysis point of view.....	7
System (Tables and Description).....	8
Admin Table.....	8
General User Table.....	8
Coordinator Table.....	8
Host Table.....	9
Event Table.....	9
Place Table.....	10
Ticket Table.....	11
Algorithm Analysis.....	11
<b>6. Project Scrum Report.....</b>	<b>12</b>
Product Backlog - Link to all previous tasks and sprints.....	12
Sprint Backlog (Table / Diagram).....	12
<b>7. Subsystems.....</b>	<b>13</b>
7.1 Subsystem 1 – Eric Nguyen - Host.....	13
7.2 Subsystem 2 – Luong Luu - Coordinator.....	15
7.3 Subsystem 3 – Joshua Pellegrino - General User.....	17
<b>8. Complete System.....</b>	<b>19</b>

## 1. Project Definition

### Why

This is needed to help customers get tickets ahead of time without worrying about being late. It also helps local event coordinators to sell tickets to their potential buyers and customers for small-scale events. In terms of tickets, it helps any facilitator to keep track of event popularity, and ticket management, and prevent fraudulent ticket access.

### What

The goal of this project is to provide coordinators and customers with an easy-to-use ticket management service. The service ensures the security and authentication of any registered events.

### How

How this will be achieved is with a web application that allows coordinators to register for any event. For customers, it allows a sign-up platform for any interested event. A backend will store coordinator/customer information as well as unique ticket data.

## 2. Project Requirements

### Functionalities

Login screen and account creation, User preferences and tailoring, Event registration and management system

### Usability

Web application that customers will use, performance is dependent on the client's connectivity to the web application's server.

### System

The hardware varies on the client's device.

A software idea we had in mind would be to use the Vaadin framework for web app development.

The database will carry registered users, events, ticket information, event popularity, and any potential future information needed to be stored.

### Security

2-Factor Authentication for logins, encryption for sensitive information in the database

### **3. Project Specification**

#### **Focus / Domain / Area**

Social Events, Buying and Selling tickets, Event management

#### **Libraries / Frameworks / Development Environment**

Vaadin (Java, CSS), Google OAuth, In-memory database

#### **Platform**

Desktop/Mobile with browsing web connectivity

#### **Genre**


Web application


#### **Types**

Web application design and development, Database management, Programming


### **4. System – Design Perspective**

- Identify subsystems – design point of view


**UML Diagram**

**Use Case Diagram**


## Sub-System Communication



## ER Model



## System Model



## 5. System – Analysis Perspective

### Identify subsystems – analysis point of view

- For our project, there are four main points of view (clients).
- General User – Default client. Some of the functionalities here include transferring and purchasing tickets. Viewing and searching for events for potential ticket purchasing. The purpose of this client is to provide the standard functionalities for someone who is neither a host nor a coordinator.
- Host – Establishes and registers places of business to host events. Some of the functionalities here include registering places, maintaining events, and accepting or denying event creations. The purpose of the host is to work in tandem with coordinators to allow for event participation by the general users.
- Coordinator – Establishes their professional work and requests to present their background through events. Some of the

functionalities here include requesting events, getting places to host their events, and maintaining and updating event details and parameters. The purpose of the coordinator is to allow people who have a profession easier access to communicate with hosts through a desired event.

- Admin - Controls and monitors the web application. Some of the functionalities here include viewing the other client's point of view and adjusting any parameters. The purpose here is to provide easy access to other accounts and provide any support.

### **System (Tables and Description)**

Admin Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
adminID	Integer	10	ID for Admin account	Yes	No	PK
Username	String	20	Sign-on name	Yes	No	
Password	String	30	Sign-on password	Yes	No	

General User Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
ID	Integer	10	ID for Gen. User account	Yes	No	PK
Name	String	50	Name of user	Yes	No	
Email	String	50	Email of user	Yes	No	
Address	String	50	Address of user	Yes	Yes	
Preferences	String	20	Tailoring preferences to user	No	Yes	
Phone Number	Char	10	Phone number of user	Yes	No	
Zipcode	Integer	5	Zipcode of user	Yes	No	
Role	String	20	Role (general user)	Yes	No	

Coordinator Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	

ID	Integer	10	ID for Coordinator account	Yes	No	PK
Name	String	50	Name of coordinator	Yes	No	
Email	String	50	Email of coordinator	Yes	No	
Address	String	50	Address of coordinator	Yes	No	
Coor. Genre	String	20	Genre of event that coordinator sets for general user preferences	No	Yes	
Phone Number	Char	10	Phone Number of coordinator	Yes	No	
Zipcode	Integer	5	Zipcode of coordinator	Yes	No	
Role	String	20	Role (coordinator)	Yes	No	

Host Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
ID	Integer	10	ID for Host account	Yes	No	PK
Name	String	50	Name of host	Yes	No	
Email	String	50	Email of host	Yes	No	
Address	String	50	Address of host	Yes	No	
Phone Number	Char	10	Phone Number of host	Yes	No	
Zipcode	Integer	5	Zipcode of host	Yes	No	
Role	String	20	Role (host)	Yes	No	

Event Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
EventID	Integer	10	ID for event	Yes	No	PK
CoordinatorID	Integer	10	Respective ID of the coordinator that is participating	Yes	No	FK

HostID	Integer	10	Respective ID of the host that owns place	Yes	No	FK
PlaceAddress	String	50	Physical address of the place	Yes	No	FK
EventStatus	Boolean	10	Active status of event	Yes	No	
EventName	String	50	Name of event	Yes	No	
EventTime	Time	10	Event start time	Yes	No	
DateStart	Date	10	Event date start	Yes	No	
DateEnd	Date	10	Event date end	Yes	No	
EventCapacity	Integer	10	Capacity of the event	Yes	No	
Information	String	50	Small description of the event	Yes	No	
MaxTickets	Integer	10	Max amount of tickets created for the event	Yes	No	
AvailableTickets	Integer	10	Currently available tickets for the event	Yes	No	
TicketPrice	Decimal	10,2	Price of tickets for the event	Yes	No	
PendingStatus	Boolean	10	Pending status of event	Yes	No	
Feedback	String	100	Feedback on accepted/denied event	No	Yes	

Place Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
PlaceID	Integer	10	ID for place	Yes	No	PK
HostID	Integer	10	Respective id of the host that owns place	Yes	No	FK
PlaceName	String	50	Name of the place	Yes	No	
PlaceAddress	String	50	Physical address of the place	Yes	No	
PlaceCapacity	String	20	Capacity of the place	Yes	No	
Information	String	50	Small description of the place set by the host	Yes	No	

Ticket Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
TicketID	Integer	10	ID for Ticket	Yes	No	PK
EventID	Integer	10	Respective ID of the event that the ticket is attached to	Yes	No	FK
TicketOwnerID	Integer	10	Respective ID of the user that owns the ticket(s)	Yes	No	FK
PurchaseDate	Date	10	Purchase date for ticket(s)	Yes	No	
SoldStatus	Boolean	10	Whether or not the ticket(s) is/are sold	Yes	No	

### Algorithm Analysis

- Account Creation – O(1) : This will be the time analysis for this subsystem because account creation is going to be done through the usage of Google's sign-on API. For other fields in account details, the entered values of a client are a direct mapping to the assignment of those particular fields.
- Event Searching – O(n) : This will be the time analysis for this subsystem because the general user needs to query the entire event database and potentially apply a filter to limit what is wanting to be searched. This has the potential of being O(1) in the case that a filter maps to only one particular event.
- Ticket Purchasing. - O(1) : This will be the time analysis for this subsystem because a ticket can only be purchased for one particular event. Given the parameter of said event, the ticket amount allotted will decrease by one and be assigned to the given user.
- Time Analysis Pending - Further time analysis is to be evaluated for host and coordinator subsystems when the code and logic are created.

## 6. Project Scrum Report

### Product Backlog - Link to all previous tasks and sprints.

- <https://github.com/Jpelle25/TheLocalSpot490/issues?q=is%3Aissue+is%3Aclosed>

### Sprint Backlog (Table / Diagram)

- Host

<input type="checkbox"/>	<input checked="" type="radio"/> Host - accept/deny event creations	Sprint 3	
	#35 by Jpelle25 was closed 10 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Host - View pending requests	Sprint 3	
	#34 by Jpelle25 was closed 10 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Host - add/cancel/update event	Sprint 3	
	#33 by Jpelle25 was closed 10 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Host - Register Place	Sprint 3	
	#32 by Jpelle25 was closed 10 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Host - Places View	Sprint 3	
	#25 by Jpelle25 was closed 10 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Host - Event View	Sprint 3	
	#24 by Jpelle25 was closed 10 minutes ago		

- Coordinator

<input type="checkbox"/>	<input checked="" type="radio"/> Coordinator - View pending requests	Sprint 3	
	#50 by Jpelle25 was closed 1 minute ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Coordinator - Update/Cancel Event	Sprint 3	
	#38 by Jpelle25 was closed 30 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Coordinator - Event creation	Sprint 3	
	#37 by Jpelle25 was closed 30 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Coordinator - Event View	Sprint 3	
	#36 by Jpelle25 was closed 30 minutes ago		

- General User

<input type="checkbox"/>	<input checked="" type="radio"/> User - View Events	Sprint 3	
	#22 by Jpelle25 was closed 11 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> User - Event View	Sprint 3	
	#21 by Jpelle25 was closed 11 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> User - Ticket View	Sprint 3	
	#20 by Jpelle25 was closed 11 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> User - Purchase Ticket	Sprint 3	
	#19 by Jpelle25 was closed 11 minutes ago		

- Shared Functionalities


<input type="checkbox"/>	<input checked="" type="radio"/> Client-wide Account Info	Sprint 3	
	#17 by Jpelle25 was closed 12 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Registration Feature Login	Sprint 3	
	#15 by Jpelle25 was closed 12 minutes ago		
<input type="checkbox"/>	<input checked="" type="radio"/> Incorporate Google OAuth	Sprint 3	
	#14 by Jpelle25 was closed 12 minutes ago		

## 7. Subsystems


### 7.1 Subsystem 1 – Eric Nguyen - Host

- UML diagram for Host

Old:



New:



- Data dictionary

Host Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
ID	Integer	10	ID for Host account	Yes	No	PK
Name	String	50	Name of host	Yes	No	
Email	String	50	Email of host	Yes	No	
Address	String	50	Address of host	Yes	No	
Zipcode	Integer	5	Zipcode of host	Yes	No	
Phone Number	Char	10	Phone Number of host	Yes	No	
Role	String	20	Role (host)	Yes	No	

Place Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
PlaceID	Integer	10	ID for place	Yes	No	PK
HostID	Integer	10	Respective id of the host that owns place	Yes	No	FK
PlaceName	String	50	Name of the place	Yes	No	
PlaceAddress	String	50	Physical address of the place	Yes	No	
PlaceCapacity	String	20	Capacity of the place	Yes	No	
Information	String	50	Small description of the place set by the host	Yes	No	

- If refined (changed over the course of project)
  - Only changes are the addition of Zip Code and Role for Host.
- Scrum Backlog
  - <https://github.com/Jpelle25/TheLocalSpot490/issues?q=is%3Aissue+is%3Aclosed+assignee%3AJpelle25+label%3A%22Sprint+3%22>
- Coding
  - Approach: OOP
  - Language: Java
- User training (ReadME)
  - <https://github.com/Jpelle25/TheLocalSpot490>

## 7.2 Subsystem 2 – Luong Luu - Coordinator

- UML Diagrams for Coordinator and Event

Old:

Coordinator	Event
ID Name coordinatorGenre Email Address PhoneNumber Role	<u>eventID</u> <u>coordinatorID</u> <u>hostID</u> <u>placeAddress</u> eventStatus eventName eventTime dateStart dateEnd eventCapacity eventInformation maxTickets availableTickets ticketPrice

New:

Coordinator	Event
ID firstName lastName coordinatorGenre email address zipcode phoneNumber role	<u>eventID</u> <u>coordinatorID</u> <u>hostID</u> <u>placeID</u> eventStatus pendingStatus eventGenres eventName eventTime dateStart dateEnd eventCapacity eventInformation maxTickets availableTickets ticketPrice feedback

- Data dictionary

Coordinator Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
ID	Integer	10	ID for Coordinator account	Yes	No	PK
Name	String	50	Name of coordinator	Yes	No	
Email	String	50	Email of coordinator	Yes	No	
Address	String	50	Address of coordinator	Yes	No	
Coor. Genre	String	20	Genre of event that coordinator sets for general user preferences	No	Yes	
Phone Number	Char	10	Phone Number of coordinator	Yes	No	
Zipcode	Integer	5	Zipcode of coordinator	Yes	No	
Role	String	20	Role (coordinator)	Yes	No	

Event Table


Field Name	Datatype	Field Length	Description	Required	Accept Null	
EventID	Integer	10	ID for event	Yes	No	PK
CoordinatorID	Integer	10	Respective ID of the coordinator that is participating	Yes	No	FK
HostID	Integer	10	Respective ID of the host that owns place	Yes	No	FK
PlaceAddress	String	50	Physical address of the place	Yes	No	FK
EventStatus	Boolean	10	Active status of event	Yes	No	
EventName	String	50	Name of event	Yes	No	
EventTime	Time	10	Event start time	Yes	No	
DateStart	Date	10	Event date start	Yes	No	
DateEnd	Date	10	Event date end	Yes	No	
EventCapacity	Integer	10	Capacity of the event	Yes	No	

Information	String	50	Small description of the event	Yes	No	
MaxTickets	Integer	10	Max amount of tickets created for the event	Yes	No	
AvailableTickets	Integer	10	Currently available tickets for the event	Yes	No	
TicketPrice	Decimal	10,2	Price of tickets for the event	Yes	No	
PendingStatus	Boolean	10	Pending status of event	Yes	No	
Feedback	String	100	Feedback on accepted/denied event	No	Yes	

- If refined (changed over the course of project)
  - Add zipcode and role to the coordinator
  - Add pendingStatus and Feedback to the event
- Scrum Backlog
  - <https://github.com/Jpelle25/TheLocalSpot490/issues?q=is%3Aissue+is%3Aclosed+assignee%3AJpelle25+label%3A%22Sprint+3%22>
- Coding
  - Approach: OOP
  - Language: Java
- User training (ReadME)
  - <https://github.com/Jpelle25/TheLocalSpot490>

### 7.3 Subsystem 3 – Joshua Pellegrino - General User

- Old



- New

General User	
ID firstName lastName email address zipcode preferences phoneNumber role	
transfer_ticket() purchase_ticket() check_account() view_events() search_events()	

- Data dictionary

General User Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
ID	Integer	10	ID for Gen. User account	Yes	No	PK
Name	String	50	Name of user	Yes	No	
Email	String	50	Email of user	Yes	No	
Address	String	50	Address of user	Yes	Yes	
Preferences	String	20	Tailoring preferences to user	No	Yes	
Phone Number	Char	10	Phone number of user	Yes	No	
Role	String	20	Role (general user)	Yes	No	
Zip Code	Integer	5	Zipcode of user	Yes	No	

Ticket Table

Field Name	Datatype	Field Length	Description	Required	Accept Null	
TicketID	Integer	10	ID for Ticket	Yes	No	PK

EventID	Integer	10	Respective ID of the event that the ticket is attached to	Yes	No	FK
TicketOwnerID	Integer	10	Respective ID of the user that owns the ticket(s)	Yes	No	FK
PurchaseDate	Date	10	Purchase date for ticket(s)	Yes	No	
SoldStatus	Boolean	10	Whether or not the ticket(s) is/are sold	Yes	No	

- Scrum Backlog
  - <https://github.com/Jpelle25/TheLocalSpot490/issues?q=is%3Aissue+is%3Aclosed+assignee%3AJpelle25+label%3A%22Sprint+3%22>
- Coding
  - Approach: OOP
  - Language: Java
- User training (ReadME)
  - <https://github.com/Jpelle25/TheLocalSpot490>

## 8. Complete System

- Final software/hardware product
  - Clone the Repo
  - Install Dependencies
  - Run Application
- Github Link: <https://github.com/Jpelle25/TheLocalSpot490>
- User Manual: Please refer to the ReadME in GitHub
- Evaluation by client and instructor
- Team Member Descriptions
  - Eric Nguyen: Host + Place
  - Luong Luu: Coordinator + Event
  - Joshua Pellegrino: General User + Ticket
  - Everyone: Login + UI