



Report #:

IF-824-QSA-TR006-BTL260629-11-01

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 7/21/2026
Date Tested: 7/20/2026
Customer: F-CAW-F LABZ
Testing material: PT-141
Lot Number: PT0626
Content/Potency: 10 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, holographic label, silver crimp, green plastic cap.
Labeled as: PT-141
Manufacturer: WWB
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	52.6 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of PT-141 with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 10 mg	10.4 mg (103.5 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	10.4 : 42.2 mg (1:4.1)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, AS
Scientist-II
BTLabs

Escarlet Cabrieles, AS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407

Phone: (561) 625-0133


E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: PT-141 Lot PT0626



HPLC Purity and Potency Assay @ 280 nm: PT-141 Lot PT0626



PT-141 Lot PT0626 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	6.388	5828.1