

TranzVolt 2.0

Interdisciplinary Group P06 (Capstone Team)

Primary Advisor: Dr. Tom Collins
Secondary Advisor: Dr. David MacNair

Georgia Institute of Technology
North Ave NW, Atlanta, GA 30332
Client: Tie Down Inc.

Team Members:

Juyeop Baek, Oliver Bunner, Su Yoon Jang, Raymond Jia, Dakota Survance, Sri Krishna Yerramilli

February 9, 2022

Table of Contents

Executive Summary	3
Nomenclature & Glossary.....	4
1. Introduction and Background.....	5
2. Existing Products, Prior Art, and Applicable Patents	5
3. Codes and Standards	7
4. Customer Requirements and Engineering Design Specifications.....	7
5. Market Research.....	11
6. Design Concept Ideation	13
7. Preliminary Concept Selection and Justification	14
8. Team Member Contributions	16
9. Conclusions, Future Work / Project Deliverables.....	17
10. Citations	18
Appendix A	19
Appendix B	23
Appendix C	26
Appendix D	27
Appendix E.....	28
Appendix F.....	29
Appendix G.....	30
Appendix K.....	37

Executive Summary

Although the current ladder hoists made by Tie Down are capable of carrying heavy and delicate equipment from ground level to roofs, we believe certain improvements can enhance not only the customer's experience, but the manufacturer's experience as well. Because ladder hoist production is such a small market, dominance comes down to the small details, such as the speed of the carriage, or the customer setup time. The current major problems that TranzVolt requires assistance are the non-efficient architecture, safety issues from rope reliance, and the difficult user interface. Our objective is to redesign the device to address all issues, by first separating the motor from the carriage for deadload weight reduction. We then plan to rearrange the wheel-to-ladder system, so that not only is TranzVolt compatible with multiple extendable ladders, but a safety apparatus would prevent injury if the rope were ever to be damaged. Finally, we hope to develop a new user interface for the remote control, to a more beginner-friendly layout. For the end-prototype, we are estimating a 1.5 feet per second carriage speed with a 275-pound lift capacity. Thus far, we have worked separately from our other ME half, group 19 [Location Possessors] for our deliverables. However, due to the encouragement of Tie Down Inc. and our advisors, we have decided to collaborate for our final prototype. After a meeting with both teams presenting their own ideation reports, we have settled on a design of the device, with the ME team in control of the physical ladder and device design, and the ECE team in control of the motors, power and the remote-control system. Our next steps are to separately engineer our individual portions, while staying in close contact with each other. We plan on integrating our devices into a single lift hoist before the expo.

Nomenclature & Glossary

Nomenclature

- a. Lbs = pounds
- b. Ft = feet

Glossary

- a. AIEE: Assess Identify Exercise Educate
- b. ECE: Electrical and Computer Engineering
- c. GEDA: Georg Dechentreiter, Asbach
- d. IEEE: Institute of Electrical and Electronics Engineers
- e. ME: Mechanical Engineering
- f. RGC: Reimann & Georger Corp.

1. Introduction and Background

In the industries related to roofing installations there is often a need to transport construction materials from the ground level onto the rooftop. As construction workers rely on ladders to gain access to the rooftop, carrying of heavy or bulky construction materials up and down these ladders is unsafe and generally not feasible. Construction workers often resort to boom lifts or scissor lifts to transport materials to the rooftop. However, these vehicles are expensive and difficult to transport, often excessive for simple roofing repair or solar panel installations.

Our sponsor, TranzVolt products, specializes in building a portable ladder lift system for carrying construction materials onto rooftops in a fast and efficient manner. Our group is working in collaboration with group 19 [Location Possessors] to develop an improved system for TranzVolt, seeking to build a solution for extending ladder tracks as well as creating a new system with additional safety features. We will address the existing problems of high deadload, freefall hazards, and a steep learning curve in our design. A faster, yet safer ladder hoist can most definitely increase the customer interest, while extendable ladder compatibility can enlarge the market Tie Down operates upon. In this document, we discuss existing work regarding construction lifting systems and our planned approach to the completion of this project.

2. Existing Products, Prior Art, and Applicable Patents

Investigating existing patents for construction lifting devices, we find three existing patents.

Patent US2394148A from 1946 by Campbell is a design for a hoist attachment for ladders. The design incorporates a pulley system at the top and a cable design to pull a payload sled up the ladder. The attachment is attached to the top of a normal ladder and enables the payload sled to smoothly reach the rooftop. See Appendix A for a diagram of patent 2394148.

Patent US2626683A from 1953 by Eppink is a design for a material elevator attachment for ladders. The design also incorporates a pulley system at the top and uses a cable to pull a payload sled up the ladder. However, this design further specifies the existence of a hand cranked winch at the base of the ladder and

the payload sled itself is much larger in comparison to Campbell's patent. See Appendix B for a diagram of patent 262683.

Patent US10415309B2 from 2019 by Liu is a design that can hoist a platform onto heights with a ladder as a supporting device. It utilizes a sliding rail for the platform, so that the wheels are always attached to the ladder. It also includes a fall arrester in case of rope damage and contains a universal middle rail so that the product can be attached to any ladder that the customer owns. However, no methods are stated on how to get the platform down once it stops from free-falling. It also uses pedals at the bottom to control movement instead of a remote control, meaning the user would be vulnerable to any load that falls off the platform. See Appendix C for a diagram of patent US10415309B2.

Investigating current market competitors and active commercial designs, we find three existing designs.

The Safety Hoist CH200 is a steel-based ladder hoist that is able to lift a payload of 200 lbs and powered by a Honda gas engine. Although the weight able to be lifted is better than TranzVolt, the gas-powered engine can bring up environmental concerns, and Tie Down requires the use of brushless electric motors. The design also utilizes a cable-pulley system and is controlled by a pedal and lever attached physically to the base of the system. Again, this can lead to safety concerns as materials can fall from the platform, injuring anyone standing near the ladder. In addition, constant push or pull of the pedal is required by the user for full motion. See Appendix D for a picture of the Safety Hoist system.

The RGC Pivoting Platform is another ladder hoist with the ability to lift a payload of 400 lbs. The system is powered by a gas or electric engine and the ladder implements a unique design where the top of the ladder flattens out to ensure easy retrieval of the payload by the user. It also contains anchor points on the 3rd and 5th rungs so that stability isn't just relying on the friction of the ladder against the wall and the ground. Although the ladder supersedes TranzVolt in all requirements, it does have a much steeper price tag, more than double what the TranzVolt is worth. The controls are attached to the ladder, again bringing the user to danger from falling payloads. Further investigation as we start to engineer our device would be helpful. See Appendix E for a picture of the RGC Pivoting Platform.

The GEDA ladder lift is the direct competitor of the TranzVolt systems. Like previously mentioned systems, GEDA uses a payload sled along with a cable-pulley system powered by an electric motor to transport the payload. It is known for being relatively quiet during operation and requiring extensive training and setup for operation. See Appendix F for a picture of the GEDA ladder lift system.

After looking at previous patents and competitive products, we can easily detect what elements can be added to distinguish our design from others. A huge problem, one pointed out by both Tie Down and the previous products is the lack of an emergency stop mechanism. Even if the platform were to stop midway to stop free fall, none of the previous devices contain a mechanism to safely bring down the payload for safety. Another surprising problem not addressed by competitive products is the use of a remote control, in order to protect the user from being too close to the ladder. This is especially surprising since wireless communication has been developed into household equipment for a long time. If we were to create a beginner-friendly remote control that keeps the user away from dangerous falling payloads, we will most definitely differentiate ours from the market. On the other hand, some aspects can inspire ideas for our product, most notably the mechanisms to ensure safe unloading of the payload on rooftops as well as the single universal rail for ladder versatility.

3. Codes and Standards

Investigating related codes, we find two documents relevant to our work. The AIEE Test Code for Evaluation of Systems of Insulating Materials for Random-Wound Electric Machinery [1] may be used for the evaluation of insulation of our electrical equipment and determining their temperature classifications which maybe further used to define the safe operating limits of our product. The 2017 National Electrical Safety Code [2] may be used for the safety evaluation of our systems used for generation, transmission, and distribution of electricity and communication signals.

Investigating related standards, we find two documents relevant to our work. The AIEE Switchgear Assemblies [3] standard covers the assembly of switchgear devices such as switches, interrupt devices, and controls which we may use to evaluate our choice of components. The IEEE Standard for High-Voltage Testing Techniques [4] covers basic standards and techniques for high-voltage testing of our equipment as well as special procedures for testing the equipment in dry, wet, or contaminated conditions.

4. Customer Requirements and Engineering Design Specifications


In order to identify the requirements and determine design specifications for the project, we first have to identify the stakeholders in this project and their level of influence on the design. The main stakeholders

in this project are Tie Down and Mohammed Aamir, the Tie Down representative, while the secondary stakeholders include Dr. Tom Collins, Dr. David MacNair, and the Georgia Institute of Technology. Their interests and influences can be seen in Table 1 and a diagram of their relative importance and influence can be found in Figure 1.

Table 1. Stakeholder Matrix

Stakeholder	Interests	Impact/Effect	Importance	Influence
Dr. Collins	Performance of the team as a whole as well as individual participation and contribution.	Determines what grade everyone gets in the class. Provides assistance to team design decisions.	Each of us will be trying to showcase what we have done for the team for our grade.	Influences HOW tasks are carried out.
Mohammed Aamir	Provides direction and guidance for the project. Interested in providing the team with Tie Down information and specifications so that the team functions optimally.	Determines the direction that the project takes. We need to create a product that works for him.	Important that his requirements are met.	Influences WHAT tasks are carried out.
Dr. MacNair	Interested in assisting the team with ME matters.	Helps the team with ME design decisions.	Important that the ME side of things is done properly.	Influences how ME decisions are made.
Georgia Tech	Interested in making a great class of engineers who have experience solving real-world design problems. Attract future sponsors for the program as well as future students.	Our team will follow the Senior Design curriculum.	Important that our team represents our university well.	Influences how our team interacts with the sponsors/faculty.
Tie Down	Interested in receiving a product that fits their business needs.	Impacts how our team makes project decisions.	Our team must deliver a product design that Tie Down is satisfied with.	Influences the overall product that we create.

Figure 1. Stakeholder Analysis



After identifying our main stakeholders and their influence on the system design, we held extensive discussions with stakeholders Mohammed and Tie Down as they are the direct clients of the design and their input is necessary to identify the customer requirements. The requirements that were identified are as follow. The design should have a long operating life and be easy and quick to setup with minimal training required. The design should focus on minimizing the deadload while maximizing the lift capacity and lifting speed. The design must also be able to reach standard roof heights and be portable to ease transport of the system. Safety wise, the design should be able to secure the payload to prevent shifting during transport and a braking system should be in place to save the system if an accident occurs and the system ends up in a free-falling state.

With the customer requirements identified, we began to investigate functional demands of the system. We recognized that functionally, the design needs to climb a ladder, secure a payload, carry a payload, and operate through remote control by a human user. The design needs to perform the aforementioned mentioned functions extremely well as those are the basic functional requirements of the design. We also determined that the design should functionally be able to detect overweight payloads, weight imbalances, track angle irregularities, and battery percentage. These functions are not as essential to the basic functionality of the system but are nevertheless important features that aid the operation and maintenance of the design. Beyond functional capabilities, several constraints were also identified relative to the design. Physically, our design will be constrained by the structural strength of the materials used as well as the materials available for use. Because our client, Tie Down, requests that we use their custom aluminum track section, wheels, pulleys, sheet metal, and tube components, the design will be constrained by the strength and physical limitations of these components. Our design will also be constrained by the size of standard construction vans and vehicles as our design needs to be portably stored and transported in or attached to these vehicles. Electronically, our design will be constrained by the limitations of the provided battery components by Tie Down, limiting the amount of power we may draw in an effort to maximize operating cycles in one battery life.

Upon defining requirements, functionalities, and constraints, engineering specifications were created and tabulated into a specification sheet seen in Appendix G. Below are detailed explanations of the items listed in the specification sheet in Appendix G.

i. *General Specifications*

In the general specifications, we address the requirements of a long operating life and setup requirements. After discussion with the client, it was agreed that the system must be able to transport a payload a minimum of 500 times, equivalent to a minimum of 500 operating cycles. It was also defined that ten minutes could be classified as the amount of time “minimal” training would be equivalent to. This same time threshold was applied to the setup time for the system.

ii. *Physical Specifications*

In the physical specifications, we address the physical requirements of the entire system, lifting apparatus and track combined. In order to meet portability requirements, it was defined that the entire system should not weigh more than 50 lbs so as to be portable for construction workers.

iii. *Electrical Specifications*

In the electrical specifications, we address the battery requirements of the system. We imposed electrical requirements for detection of battery life and a requirement for the battery capacity to last a minimum of 60 operating cycles. Beyond the battery, the client requested the ability to detect operation angles between 15 and 90 degrees and to prevent operation outside of these operating limits. We added on to this requirement by introducing the ability to detect payload weight imbalances more than 20 lbs per side as an added safety precaution.

iv. *Mechanical Specifications*

In the mechanical specifications, we further addressed safety of the payload and safety relative to the operator. It was defined that the payload should not shift more than an inch during transport, any greater shift should be considered as dangerous operation.

v. *Performance Specifications*

In the performance specifications, we addressed the main client requests for minimizing the deadload, maximizing lift capacity, and maximizing lifting speed. The client requested a maximum deadload weight of 20 lbs, a minimum lifting capacity of 275 lbs, and a minimum transport speed of 1.5 ft/sec. Requirements for system lift height were also addressed, with the client requesting a minimum lift height of 32ft. Safety was once again addressed in this section,

we defined 0.05 seconds as a reasonable detection time of a cable failure and as the time within which a physical braking response must occur.

With the engineering specifications identified, we may use a House of Quality diagram to identify their relative importance, as seen in Figure 2.

Figure 2. House of Quality

Column #		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Direction of Improvement		▲	▼	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇	◇
Normalized Weights	Engineering Requirements	Minimum of 500 Operating Cycles	Ease of use	Setup Time	Weight	Battery Life Detection	Battery Life	Detect Operation Angles between 90 and 15 degrees	Detect weight imbalances of more than 20 lbs	Payload shall not shift more than 1 inch during transport	Emergency Braking System	Remote Operation	Lift Capacity	Lifting Speed	Lift height	Deadload Weight	Overweight Detection
	Customer Requirements (Explicit and Implicit)																
0.0465	Long Operating Life	●				○	○				○		○	○	○	○	○
0.0930	Easy Setup		●	●	○			○	○	○	○	○	○	○	○	○	○
0.0698	Easy Maintenance	○	●	▽		▽	▽				○	○					
0.0930	Low Training Requirement		●	○		▽	▽	○	○	○	○	○	○	○	○	○	○
0.1163	Low Deadload				○								○	○	○	●	
0.1163	High Lift Capacity				○		●						●	○	○	○	
0.1163	Fast Lifting Speed				○		●						○	●	○	○	
0.1163	Reach Standard Roof Heights				▽		○						○	○	●	○	
0.0465	Secured Payloads							○	●	●	○		○	○			○
0.0930	Safe for Operators	○	○	▽	▽	○		●	●	●	●	●	▽	▽	▽	▽	●
0.0698	Portable		○	○	○		○					○				○	
0.0233	Emergency System for Failures				○						●					○	
	Target	500 Operating Cycles	Operating manual understandable in 10 minutes	10 Minutes	50 lbs		60 Operating Cycles				0.05 Second response time		275 lbs	1.5 ft/sec	32 ft	20 lbs	
	Max Relationship	9	9	9	3	3	9	9	9	9	9	9	9	9	9	9	9
	Technical Importance Rating	0.15	0.33	0.17	0.2	0.08	0.29	0.18	0.24	0.24	0.33	0.21	0.31	0.31	0.28	0.34	0.18
	Relative Weight	4%	9%	4%	5%	2%	8%	5%	6%	6%	9%	5%	8%	8%	7%	9%	5%
	Weight Chart	—	≡	≡	≡	—	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡	≡
	Column #	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

5. Market Research

In its core essence, TranzVolt is a technologically advanced version of a standard roofing hoist. Coming into existence in order to alleviate the issues or hazards faced by roofers and construction workers on a daily basis, it is tailored to specific industries. Generally speaking, the market for TranzVolt consists of roofing contractors, construction companies, scaffolding rental services as well as other companies that offer similar rooftop services (solar panel companies are a good example). However, since the TranzVolt roofing hoist is a

product of Tie Down, the team's initial customer is Tie Down itself. In addition, the scope of this project is limited to delivering a final product that meets the requirements and specifications of the project's liaison, Mohammed Aamir. Tie Down will then extend the use of this product to various companies that rely on them to provide a more efficient and better powered platform hoist than currently available on the market.

Since the final product is closely tied to the needs and specifications of Tie Down, market research plans such as customer surveys and focus groups are difficult to conduct and inefficient in terms of overall results. Instead, the most effective form of market research involves directly collaborating with Mohammed Aamir, who determines if the product meets customer requirements, along with three main steps:

- i. Identifying the most important requirements and specifications of the product
- ii. Identifying positives and negatives of various competitor's products that are currently available on the market
- iii. Analyzing prior art as well as currently active patents

Research has established that the current TranzVolt Ladder Hoist is already one of the most advanced roofing hoist products available in the current market. Therefore, the focus is primarily on TranzVolt's biggest competitor in this industry: GEDA. Details of this product are mentioned in Appendix H. Since the load capacity of this design is 550lbs at a power supply of 60Hz and with a lifting speed of $\sim 1.2\text{ft/sec}$, it has been established that the new TranzVolt design must be able to meet or exceed $\sim 1.5\text{ft/sec}$ average lifting speed along with a 275lbs lift capacity. However, there must also be improvements made in areas where the product from GEDA is found lacking. As of now, GEDA's ladder lift comes with a steep learning curve for users, an excessive 15 minutes to setup and a cable that needs a lot of maintenance because it is sensitive to fraying and requires level-wind. Accordingly, the go-to market strategy is to come up with a design for the new TranzVolt that can improve on these drawbacks of GEDA's ladder lift while reducing the overall cost of the product. Subsequently, market research indicates that a price of \$2000 will prove to be extremely competitive, which is significantly less than the range at which GEDA sells their product (\$3000-\$4000). Furthermore, the design would have to be very intuitive and user friendly, taking no longer than 10 minutes to setup and incorporate better and more suitable material for the rope/cable.

Additionally, there are certain elements of the design that are tied to the needs of Tie Down or Mohammed Aamir. Extensive discussions about these requirements have allowed the team to come up with 2 main

requirements that are an absolute necessity for the product to prove competitive in the current market: total weight of the apparatus must be less than 50lbs and the deadload weight must not exceed 20lbs.

Moving forward, additional market information will be gathered through constant communication with the project's primary stakeholders Dr. Collins and Mohammed Aamir to ensure that Tie Down as well as its customers will be satisfied with the final product.

6. Design Concept Ideation

Based on the customer requirements and specifications mentioned by Mohammed Aamir, 5 different design ideations were brainstormed to account for different functional categories. The functional categories needed were determined using a function tree. Some of the key functions that are addressed in the ideation stage are efficiency, safety features, set-up time and lift rate. Although some of these functions have sub-functions, they were considered not as important towards the selection of the final design and therefore relegated to the morphological chart.

The first ideation incorporated the concept of dual motors. While this effectively doubled the existing lift speed by lifting more weight at a given time, the trade-off was there was no reduction in deadload weight, and the power consumption was doubled. This tackled one of the functional categories, that of safety. A second cable meant that the risk of one cable breaking and dropping the load could be mitigated. However, this came at the cost of increased set-up time and having to maintain communication with 2 motors instead of just one.

Another ideation design featured a detachable carriage. This was specifically meant to tackle efficiency and throughput. Efficiency was significantly increased by the design being able to separate the lifting carriage from the platform. This meant that unfolding could occur simultaneously while the carriage was descending. In addition, it also decreased the risk of system failure. However, the drawbacks of the design were that every TranzVolt would have to carry a lifting pad, a securing pad and 2 carriages. In addition, there was the possibility of increasing deadload, and material selection was crucial to ensure that the carriage could be secured on its own.

The counterweight design ideation was created to meet the requirements of increased lift rate and lift capacity. This design allows the load to ascend at a faster rate and descend at a slower rate, all while increasing usage cycle life. However, one issue with this design is that there is a longer setup time due to the pulley system for the counterweight. In addition, there is increased inherent system risk as the rope breaking would lead to 2 falling objects (both the counterweight and the TranzVolt platform).

Finally, one of the most innovative ideas involves the use of magnetics instead of tracks for the TranzVolt. In this, a strip of magnet cells is attached to the side of the ladder and electromagnetic forces are used. Lift force is generated by attraction/repulsion and there are no motors present in the system. Since there is no motor, the deadload is significantly reduced and this also leads to an increase in the lifting rate of the system. This sort of revolutionary design can also significantly change the current market. However, there are certain tradeoffs to the design. The required magnets may be difficult to obtain, increasing cost as well as causing maintenance issues. In addition, this design is more prone to electrical failures.

A morphological chart (shown in Appendix I) was designed to analyze possible design solutions to the ideations and functional requirements of the project. The primary functions tackled are listed vertically in the morphological chart while the different ideas discussed and later quantitatively evaluated are presented horizontally in the same chart.

A couple of the ideas talked about earlier include specific safety features that were deemed necessary in the inclusion of the final TranzVolt design. These include the idea of a detachable carriage as well as a braking system in the unlikely event of a rope/cable breaking.

7. Preliminary Concept Selection and Justification

Since the final product incorporates both mechanical and electrical elements, there has been a mutual agreement between the two teams working on TranzVolt to collaborate. This has been according to the wishes of Mohammed Aamir and Tie Down, as it was deemed necessary in order to come up with a more well-designed and complete product.

The generated concepts that were previously discussed in the Morphological Chart along with all the design ideations are combined in order to evaluate the completed design. These are then quantitatively analyzed using a 2nd level evaluation matrix (shown in Appendix J) to determine the best design. The evaluation matrix itself is designed to incorporate several criteria as per the requirements of Tie Down for the product.

These criteria are then assigned a relative importance from 1-10, where 1 is the least important and 10 is the most important. Each design is then given individual ratings for every single criteria present in the evaluation matrix. The way these ratings are assigned are through extensive discussions with the team as well the representative from Tie Down, Mohammed Aamir. The rating is then multiplied by its importance in order to compute a relative weight for that criteria and design. These relative weights are then summed up to determine what design performs the best across all major criteria. This evaluation matrix is presented below.

In the evaluation matrix, it can be seen that ‘maximize lift speed’ and ‘maximize lift capacity’ are rated 10 in terms of importance. This is because market research as well as prolonged discussions have determined that these categories are the most important for TranzVolt to be a successful product in the current market. Since the currently available products in the market are already quite expensive, ‘minimize cost’ has been assigned a relatively low rating of 3. Similarly, since the product is going to be manufactured locally using Tie Down’s resources, ease of manufacturing is one of the least priorities. Accordingly, it has been given the lowest importance rating of 2.

As seen from the evaluation matrix, Design 2 is clearly the best. There are a few key elements present in Design 2 that make it significantly favorable over other designs that are being evaluated. First and foremost, in order to reach different roof heights, this design incorporates a sliding extension track. This is a good solution primarily because of the tradeoffs and impracticalities that other options will bring into the overall design. For example, one approach is to use a single track. However, this is clearly not a good solution for the overall design as most roofs are ~ 32 foot high and commercial vehicles that transport roofing tiles or solar panels do not have the capability to transport a 32-foot-long track. In fact, this would hurt Tie Down’s existing consumer base as market research confirms that they do not have the vehicles necessary for this design to be successful. Another approach is to use telescoping ladder segments to minimize the space required for transportation. However, this creates an imbalance between the weights that different segments of the ladder can support. This trade-off is not ideal for TranzVolt. Finally, the last approach takes a very basic design and tries to create a universal one-for-all fit which would not work because of the wide variety of rooftop angles, edges and shapes. Going back to the solution being incorporated, one of its most important benefits is the minimizing of set-up time, since the two tracks can be pre-assembled. According to the evaluation matrix, set-up time is given a high importance rating of 8, therefore this design is ideal.

Another very important criterion is the load movement speed (lifting speed). Once again, the selected design had the best solution to this problem via the use of a ground motor, which optimizes speed in exchange for a slightly longer set-up time. Alternatives 2 and 4 run into the issue of having too much deadweight, which adversely affects lifting speed. In addition, the option that uses a counterweight also has problems regarding increased risk of failure and increased cost while presenting some engineering complexities. A potential solution could have been to use lighter casing materials while maintaining a similar design to the previous TranzVolt product. This also had the benefit of maintaining familiarity with current customers. However, most of the total apparatus weight present is taken up by deadweight such as the motor, batteries and other electronics, none of which can be reduced in weight using material selection. Hence, the first choice is clearly the best because it significantly reduces deadweight as the motor and other electronic components are no longer in the carriage. This decreased weight means that the load can be lifted much faster with the same inherent power supply.

Once the final design was selected, the two teams decided to split the work as per their team's expertise with one team handling the ladder and cart, and the other team handling the motor and control system. As per the chosen design, there are no electronics involved with either the cart or the ladder.

Finally, there are very few risks associated with the selected design. One of them is that in the unlikely event that the rope breaks, there is no mechanism to ease the load down at a slow pace. This sudden breakage could lead to the load on TranzVolt dropping or lead to other safety concerns. However, there is already a counter mechanism in the form of a jammer that stops the load from moving from its original position at the time of breakage.

8. Team Member Contributions

Dakota Survance, the Team Lead, is responsible for submitting the weekly reports and communicating on behalf of the team with our advisor, Dr. Collins. Dakota has been taking charge of dividing up the workload amongst the team, scheduling meetings and meeting notes. He was present at all the scheduled meetings and completed the tasks listed on the Gantt Chart in the Appendix K.

Su Jang, the Sponsor Liaison, is responsible for communication on behalf of the team with our sponsor, Aamir Mohammad. Su has been meeting with the sponsor weekly and communicating their wants to the rest of the team. She communicated with the collaborating team initially before the Team

Liaison was appointed. Su was present at all the scheduled meeting and completed the tasks listed on the Gantt Chart located in the Appendix K.

Raymond Jia, the Web Master, is responsible for creating the team's webpage. Raymond was present at all the scheduled meetings and completed the tasks listed on the Gantt Chart located in the Appendix K.

Sri Yerramilli, the Team Liaison, is responsible for communication on behalf of the team with the collaborating team. Sri also completed the tasks listed on the Gantt Chart located in the Appendix K.

Oliver Bunner, the Finance Manager, is responsible for managing the budget for the project. Oliver was present at all the scheduled meetings and completed the tasks listed on the Gantt Chart located in the Appendix K.

Juyeop Baek, the Project Manager, is responsible for the overall organization of the tasks and deliverables using a project management software known as Monday.com. Juyeop was present at all the scheduled meetings and completed the tasks listed on the Gantt Chart located in the Appendix K.

9. Conclusions, Future Work / Project Deliverables

Our teams toured Tie Down's facility and was about to test the current TranzVolt in the market. After lengthy discussions with the collaborating team, group 19 [Location Possessors], which is composed of mainly mechanical engineers, we came to the conclusion that it would be best to split the project into two parts: mechanical engineering and electrical engineering. The mechanical team is responsible for all the mechanical aspects of the project, which includes but does not limit to implementing the emergency braking system and designing the track and cart. The electrical team is responsible for the motors and the control system.

Our team would like to use the same motor that is currently in the TranzVolt system but change the UI controls to be more intuitive. But we are still researching alternative motors to consider as well. We are looking into different microcontrollers to consider and will continue to collaborate with group 19 to ensure our components are compatible with their mechanical design.

Juyeop is in charge of the organization of our project management software, Monday.com; this includes handling and tracking tasks and deliverables. A detailed Gantt Chart is provided in Appendix H that shows the current project plan. Once we choose the microcontroller we wish to use, the Gantt Chart will be updated with more details. Dakota, our team lead, has been communicating with our advisor via e-mail and will continue to do so. Su, our sponsor liaison, has been communicating with our sponsor via Microsoft Teams and will continue to do so. Sri, our team liaison, will be communicating with the collaborating team via Microsoft Teams.

10. Citations

- [1] "AIEE Test Code for Evaluation of Systems of Insulating Materials for Random-Wound Electric Machinery," in AIEE No.1C-1954 , vol., no., pp.1-12, 12 Jan. 1954, doi: 10.1109/IEEESTD.1954.7369899.
- [2] "2017 National Electrical Safety Code(R) (NESC(R))," in 2017 National Electrical Safety Code(R) (NESC(R)) , vol., no., pp.1-405, 1 Aug. 2016, doi: 10.1109/IEEESTD.2016.7526279.
- [3] "AIEE Switchgear Assemblies," in AIEE No 27A-1941 (Proposed Revision of AIEE No-27) , vol., no., pp.1-12, 28 Feb. 1941, doi: 10.1109/IEEESTD.1941.7393408.
- [4] "IEEE Standard for High-Voltage Testing Techniques," in IEEE Std 4-2013 (Revision of IEEE Std 4-1995) , vol., no., pp.1-213, 10 May 2013, doi: 10.1109/IEEESTD.2013.6515981.
- [5] Hoist Attachment for Ladders, by H.L. Campbell. (February 5, 1946). US2394148A. [Online]. Available: <https://patents.google.com/patent/US2394148A/en>
- [6] Material Elevator Attachment for Ladders, by E. George. (January 27, 1953). US2626683A. [Online]. Available: <https://patents.google.com/patent/US2626683#patentCitations>

Appendix A

Patent ID: US2394148A

Patent Author: Harry L. Campbell

Patent Date: 02/05/1946

Attached Figures on Following Pages:

Figure 1 - Side elevational view of the conventional form of a two section extension ladder having the improved material elevating and conveying mechanism mounted thereon.

Figure 2 – Enlarged fragmentary view showing the upper part of the improved attachment and illustrating the manner in which the carriage comes to a stop upon reaching the upper end of its travel.

Figure 3 – Substantially planned view-taken on the line 33 in Figure 1.

Figure 4 – Enlarged top plan view taken on line 44 in Figure 2.

Figure 5 – Enlarged cross sectional view taken on line 55 in Figure 1.

Figure 6 – Enlarged fragmentary and side elevational view showing the form of bridge which permits the carriage to pass over the bracket between the two ladder sections.

Figure 7 – A cross-sectional view taken on the line 11 in Figure 6.

Feb. 5, 1946.


H. L. CAMPBELL

2,394,148

HOIST ATTACHMENT FOR LADDERS

Filed Aug. 7, 1944

3 Sheets-Sheet 1



INVENTOR.
Harry L. Campbell.
BY John P. Smith
Atty.

Feb. 5, 1946.


H. L. CAMPBELL

2,394,148

HOIST ATTACHMENT FOR LADDERS

Filed Aug. 7, 1944

3 Sheets-Sheet 2



INVENTOR.
Harry L. Campbell,
 BY *John P. Smith,*
 Atty.

Feb. 5, 1946.



H. L. CAMPBELL

2,394,148

HOIST ATTACHMENT FOR LADDERS

Filed Aug. 7, 1944

3 Sheets-Sheet 3



INVENTOR.
Harry L. Campbell,
BY John P. Smith,
Att'y.

Appendix B

Patent ID: US2626683A

Patent Author: George Eppink

Patent Date: 01/27/1953

Attached Figures on Following Pages:

Figure 1 – Front elevation view of a ladder equipped with the improved materials elevator.

Figure 2 – Oblique view of the winch assembly for the improved materials elevator.

Figure 3 – Oblique view of the pulley assembly for the improved materials elevator.

Figure 4 – Fragmentary, oblique view of the carriage for the improved materials elevator.

Figure 5 – Enlarged, fragmentary, side elevation view of the upper end of a ladder equipped with the materials elevator.

Figure 6 – Enlarged, fragmentary, partially sectional view of the handle mounting for the winch of the improved materials elevator.

Figure 7 – Sectional view taken along the plane VII-VII of Figure 6.

Figure 8 – Sectional view of the ratchet mechanism for the winch of the improved materials elevator taken along the plane VIII-VIII of Figure 1.

Figure 9 – Enlarged, fragmentary, sectional view of the mounting for one end of the pulley assembly of the improved materials elevator.

Figure 10 – Fragmentary, sectional, elevation view of the carriage which is used with a multisectoral ladder.

Jan. 27, 1953


G. EPPINK

2,626,683

MATERIAL ELEVATOR ATTACHMENT FOR LADDERS

Filed July 10, 1950

2 SHEETS—SHEET 1



Inventor
George Eppink
By *Peter A. Eppink*
Attorney

Jan. 27, 1953


G. EPPINK

2,626,683

MATERIAL ELEVATOR ATTACHMENT FOR LADDERS

Filed July 10, 1950

2 SHEETS—SHEET 2




Inventor
George Eppink
By John V. Price
Attorney

Appendix C

Patent ID: US10415309B2

Patent Author: Zhixin Liu

Patent Date: 09/17/2019



Appendix D

Safety Hoist System CH200



Appendix E

RGC Pivoting Platform



Appendix F

GEDA Ladder Hoist




Appendix G

Specifications Sheet

For: Tranzvolt 2.0				Issued: 1/24/2022		
No.	Date	D/W	Specification Requirements	Responsible	Source	Validation
General						
1	1/24/2022	D	Must be able to transport a minimum of 500 times	TBD	Sponsor Requirement	TBD
2	1/24/2022	D	Operating manual can be understood in less than 10* min	TBD	Sponsor Requirement	TBD
3	1/24/2022	D	Must be able to operate a minimum of 500 cycles	TBD	Sponsor Requirement	TBD
4	1/24/2022	D	Must be able to set up in less than 10* min	TBD	Sponsor Requirement	TBD
Physical Characteristics						
5	1/24/2022	D	Total apparatus must weigh less than 50* lb	TBD	Sponsor Requirement	The loads will be lifted along a ladder-like track
Electrical						
6	1/24/2022	W	Product can detect battery life and display it by some means	TBD	Self-imposed	Test battery capacity after use
7	1/24/2022	W	Must be able to lift materials at least 60 times from a fully charged battery	TBD	Self-imposed	Test in factory with arbitrary loads
8	1/24/2022	D	The product can detect the operation angle between 90 and 15 degrees	TBD	Sponsor Requirement	Test in factory with changing ladder angles
9	1/24/2022	W	The product can detect when the weight of off balance by more than 20* lbs per side	TBD	Self-Imposed	Test in factory with changing load distributions
Mechanical						
10	1/24/2022	W	The payload shall not shift more than 1 inch in any direction while travelling up or down	TBD	Self-imposed	Test in factory with arbitrary loads
Performance						
11	1/24/2022	D	Must engage an emergency braking system that brakes loads in free fall if the rope snaps within 0.05* second of rope breaking.	TBD	Sponsor Requirement	Test in factory with arbitrary loads
12	1/24/2022	D	Must have a user-friendly user interface that the average user can learn to use in less than 5* minutes	TBD	Sponsor Requirement	Survey users who have interacted with the new UI
13	1/24/2022	D	Must meet or exceed 275lbs. lift capacity	TBD	Sponsor Requirement	Test in factory with arbitrary loads
14	1/24/2022	D	Must meet or exceed 1.5ft/sec average lifting speed	TBD	Sponsor Requirement	Test in factory with arbitrary loads
15	1/24/2022	D	Must meet or exceed 32 ft lift height	TBD	Sponsor Requirement	Test in factory with provided ladder
16	1/24/2022	D	Must have deadload weight less than 20lbs	TBD	Sponsor Requirement	Test in factory with scale

Appendix H

GEDA Ladder Hoist System




TECHNICAL DATA



Load capacity	550 lbs
Lifting speed	70 ft/min
Lifting height	100 ft
Power supply	1.6 hp/120V/60 Hz

Appendix I


Design 1: Dual Motors




Design 2: Detachable Carriage















Design 3: Counterweight



Design 4: Magnetics



Morphological Chart

Function \ Idea	1	2	3	4
Reach Different Roof Heights	 <p>Telescoping Ladder Segments</p>	 <p>Sliding Extension Ladder</p>	 <p>Angled Roof Extension</p>	 <p>Single Track</p>
Improve Load Movement Speed	 <p>Ground Motor</p>	 <p>Stronger Motor</p>	 <p>Lighter Casing Materials</p>	 <p>Counterweight</p>
Control Emergency Descent	 <p>Pins in Side</p>	 <p>Claw Hooking Mechanism</p>	 <p>Emergency Stop Brake Pads</p>	 <p>Friction Descent Brake Pads</p>

Appendix J

Evaluation Matrix

A	B	C	D	E	F	G	H	I	J
Criteria	Importance	Design 1		Design 2		Design 3		Design 4	
		Rating	Weighted Total	Rating	Weighted Total	Rating	Weighted Total	Rating	Weighted Total
Maximize Lift Capacity	10	1	10	4	40	2	20	4	40
Minimize Deadweight	9	2	18	3	27	4	36	1	9
Minimize Cost	3	4	12	1	3	2	6	3	9
Ease of Manufacturing	2	3	6	1	2	4	8	2	4
Minimize Total Apparatus Weight	8	3	24	4	32	2	16	1	8
Minimize Setup Time	7	1	7	3	21	2	14	4	28
Easy to Operate	5	2	10	3	15	4	20	1	5
Reliability	7	4	40	2	20	1	10	3	30
Maximize Lift Speed	10	1	4	4	16	2	8	3	12
Modular	4	4	16	2	8	1	4	3	12
Total			147		184		142		157
Relative Total			0.2333333333		0.2920634921		0.2253968254		0.2492063492
Rank			3		1		4		2

Appendix K

Gantt Chart of Project Plan

Transvolt 2.0

Company: The Down
Project leader: Daniela Surinace

SMART Gantt created by Viewvint.com

