

Jamaal Robinson

Professor Raymond Giles

BIS 23

April 16, 2026

AI RISEN FRAMEWORK ASSIGNMENT

Basic Prompt:

Write a JavaScript loop.

Basic AI Response:

```
for (let i = 0; i < 10; i++) {  
  console.log(i);  
}
```

Risen Prompt:

Act as a beginner-friendly programming tutor.

Write a JavaScript loop that prints numbers from 0 to 9.

Explain each line of code step-by-step.

Provide a real-world example.

Use clear formatting with code and explanation sections.

Risen AI Response:

```
for (let i = 0; i < 10; i++) {  
  console.log(i);  
}
```

Step-by-step explanation:

Line 1: for (let i = 0; i < 10; i++) {

- This line creates a **for** loop. A **for** loop repeats code a certain number of times.

It has 3 parts inside the parentheses:

`let i = 0;`

This creates a variable named `i` and starts it at 0.

`i < 10;`

This tells the loop to keep running as long as `i` is less than 10.

`i++;`

This adds 1 to `i` after each loop.

So the loop starts at 0 and keeps going until it reaches 9.

Line 2: `console.log(i);`

- This prints the current value of `i` to the console.

The first time through the loop, it prints 0.

The next time, it prints 1.

Then 2, and so on.

Line 3: `}`

- This curly brace marks the end of the loop.

Output:

0

1

2

3

4

5

6

7

8

9

Real-World Example:

Think of this like counting people entering a room.

You start counting at person 0, then 1, then 2, and keep going until 9.

A loop helps the computer do that counting automatically instead of you writing:

```
console.log(0);
```

```
console.log(1);
```

```
console.log(2);
```

over and over.

Simple way to remember it

A for loop usually means:

- start here
- keep going while this is true
- change the number each time

In this example:

- start at 0
- keep going while the number is less than 10
- add 1 each time

ANALYSIS:

The RISEN framework improved the AI response by making it more detailed, structured, and easier to understand. Also, the basic prompt produced a simple answer with little detail, while the RISEN prompt added clear instructions, resulting in a more informative and organized response.

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

Write a JavaScript loop.

Alright — here's a clean, simple example of a JavaScript loop 🌟

Basic for loop

```
JavaScript
for (let i = 0; i < 5; i++) {
  console.log("Number:", i);
}
```

What it does:

- Starts at `i = 0`
- Runs while `i < 5`
- Increases `i` by 1 each time
- Prints:

```
Number: 0
Number: 1
Number: 2
Number: 3
Number: 4
```

Quick alternatives (good to know)

while loop

Ask anything

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

Quick alternatives (good to know)

while loop

```
JavaScript
let i = 0;
while (i < 5) {
  console.log(i);
  i++;
}
```

Loop through an array

```
JavaScript
let cars = ["Toyota", "Honda", "Ford"];
for (let i = 0; i < cars.length; i++) {
  console.log(cars[i]);
}
```

If this is for your BIS 23 assignment, tell me what they're asking specifically (arrays, pushing values, etc.), and I'll match it exactly so you don't get marked wrong again 🌟

Ask anything

Write a JavaScript loop that prints numbers from 0 to 9.

Activate Windows

Go to Settings to activate Windows.

58°F
Mostly clear

Search

1:28 AM
4/18/2026

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

Quick alternatives (good to know)

while loop

```
JavaScript
let i = 0;
while (i < 5) {
  console.log(i);
  i++;
}
```

Loop through an array

```
JavaScript
let cars = ["Toyota", "Honda", "Ford"];
for (let i = 0; i < cars.length; i++) {
  console.log(cars[i]);
}
```

If this is for your BIS 23 assignment, tell me what they're asking specifically (arrays, pushing values, etc.), and I'll match it exactly so you don't get marked wrong again 🌟

Ask anything

Write a JavaScript loop that prints numbers from 0 to 9.

Activate Windows

Go to Settings to activate Windows.

58°F
Mostly clear

Search

1:28 AM
4/18/2026

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

ChatGPT

Act as a beginner-friendly programming tutor.

Write a JavaScript loop that prints numbers from 0 to 9.

Explain each line of code step-by-step.

Provide a real-world example.

Use clear formatting.

Here's a beginner-friendly JavaScript loop that prints numbers from 0 to 9.

```
JavaScript
for (let i = 0; i < 10; i++) {
  console.log(i);
}
```

Step-by-step explanation

Line 1

```
JavaScript
for (let i = 0; i < 10; i++) {
```

This line creates a `for` loop. A `for` loop repeats code a certain number of times.

It has 3 parts inside the parentheses:

```
let i = 0;
```

Ask anything

Activate Windows
Go to Settings to activate Windows.

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

ChatGPT

Line 1

```
JavaScript
for (let i = 0; i < 10; i++) {
```

This line creates a `for` loop. A `for` loop repeats code a certain number of times.

It has 3 parts inside the parentheses:

```
let i = 0;
```

This creates a variable named `i` and starts it at `0`.

```
i < 10;
```

This tells the loop to keep running as long as `i` is less than `10`.

```
i++;
```

This adds `1` to `i` after each loop.

So the loop starts at `0` and keeps going until it reaches `9`.

Line 2

```
JavaScript
  console.log(i);
```

This prints the current value of `i` to the console.

The first time through the loop, it prints `0`.

The next time, it prints `1`.

Then `2`, and so on.

Line 3

Ask anything

Activate Windows
Go to Settings to activate Windows.

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

ChatGPT

JavaScript

```
console.log(1);
```

This prints the current value of `1` to the console.

The first time through the loop, it prints `0`.

The next time, it prints `1`.

Then `2`, and so on.

Line 3

JavaScript

```
}
```

This curly brace marks the end of the loop.

Output

JavaScript

```
0
1
2
3
4
5
6
7
8
9
```

Real-world example

Ask anything

Activate Windows
Go to Settings to activate Windows.

58°F
Mostly clear

Search

1:28 AM
4/18/2026

JavaScript Loop Example

Ask Gemini

chatgpt.com/c/69e30ae2-d794-83ea-b25a-621f66ddb7de

ChatGPT

JavaScript

Real-world example

Think of this like counting people entering a room.

You start counting at person `0`, then `1`, then `2`, and keep going until `9`.

A loop helps the computer do that counting automatically instead of you writing:

JavaScript

```
console.log(0);
console.log(1);
console.log(2);
```

over and over.

Simple way to remember it

A `for` loop usually means:

- start here
- keep going while this is true
- change the number each time

In this example:

- start at `0`
- keep going while the number is less than `10`
- add `1` each time

If you want, I can also show you the same thing using a `while` loop.

Ask anything

Activate Windows
Go to Settings to activate Windows.

58°F
Mostly clear

Search

1:29 AM
4/18/2026